

292355 v1.0

Aptean Ltd
Copyright © 2011-2025.

Contents

- 1 292355.....1**
 - 1.1 Client Requirement.....2
 - 1.2 Solution.....2
 - 1.3 Scope.....2
- 2 Set-up.....3**
 - 2.1 Pre-requisites.....3
 - 2.2 Menu Structure.....3
 - 2.3 Data.....3
- 3 Functional Description.....4**
 - 3.1 Trip Debrief.....4
 - 3.2 Inbound Microlise Package.....5
- 4 AUTHORISED BY.....7**

1 292355



DHL C-TMS

Stacks Variation Plan to Actual

FUNCTIONAL SPECIFICATION - 10.7

20/10/2011 - 1.0

Reference: 292355 - PM8LZMRT



1.1 Client Requirement

Change Request Summary:

Debrief in C-TMS to manage association of stacks variation plan to actual.

Change Request Details:

Debrief in C-TMS to manage association of stacks variation plan to actual to update units. Calculate factor from format 8.604 to units.

Benefits identified as a result of the change:

Solution Design Requirement.

1.2 Solution

The ?Trip Debrief? screen will be changed to calculate the number of lifts for the actual despatched and delivered quantities updated for the transport order at the delivery unit and item levels.

The actual despatched and delivered quantities will be made consistent at the delivery unit and item levels when a quantity is updated at one of the levels. The calculation will be based on the item factor (units per level), stack quantity (levels per stack) and RPE.

The message received from Microlise (for the actual departure and actual arrival times at the appropriate trip stops) will be changed to update the actual despatched and delivered quantities for the orders corresponding to the stops passed in.

A system parameter ?MIC_DEFAULT_DELIVER? will be introduced at the cost-centre level to control this.

N.B. It is expected that there will be one item line per order line for the transport order. If more than one item exists per order line then the despatched or delivered quantity would have to be apportioned per item.

1.3 Scope

This change will be applied to system version 10.7.

This specification does not cover any changes to the Orders screen or the Web Portal. If the user changes the ?To Deliver? or ?Delivered? values in the order screen, then they will be expected to update the ?Lifts? figure manually as well.



2 Set-up

2.1 Pre-requisites

None

2.2 Menu Structure

Unchanged

2.3 Data

A new system parameter ?MIC_AUTO_SET_DEBRIEF_QTYS? will be created at Cost Centre level. This will indicate that the ?Despatched? and ?Delivered? quantities on the orders for the stop information passed in will be set to a default value when stop arrival and departure messages are passed in.



3 Functional Description

3.1 Trip Debrief

This screen can be used to debrief the ?To Deliver? and ?Delivered? values for orders at item level or DU line level. (To deliver is the confirmed loaded qty and Delivered is the confirmed unload qty):

If the ?To Deliver? or ?Delivered? figures are updated at item level, the ?Number of Lifts? figure will be automatically recalculated as follows:

- 1). Retrieve the ?Delivered? figure entered, divide it by the item factor: e.g. $1512/18 = 84$

If this figure is not an integer then round it down to the nearest.

- 2). Divide this figure by the ?STACKS? figure stored on the order item line, e.g. $84/10 = 8.4$ lifts

Once the item level figures have been updated, the form will be changed to update the line level records to be a total of the item records for the DU Type in question. This will be achieved by adding a trigger to the form to update these values whenever an item level record is updated. In order for the line level record to be updated, it is assumed that the RPE figure on the DU Type record will be set to be 0.1 within the Resources screen (0.1 is calculated from the 1 divided by the STACKS value for the DU Type in question). So for example for DU Type of ?BASKETA? it could be set as follows:



3.2 Inbound Microlise Package

INT_XML_MIC.sql Package Inbound Message from Microlise

References

Ref No	Document Title & ID	Version	Date
1	EST-292355 PM-8LZMRT Stacks Variation Plan to Actual v1.0.doc	1.0	10/10/11

Glossary

Term or Acronym	Meaning
C-TMS	Calidus TMS

Document History

Version	Date	Status	Reason	Initials
0.1	17/10/11	Draft	Initial version	RE
0.2	18/10/11	Draft	Reviewed	MJC
0.3	18/10/11	Draft	Reviewed	DJM
0.4	20/10/11	Draft	Updates following internal review	RE
1.0	20/10/11	Issue	Reviewed and Issued	MJC



4 AUTHORISED BY

<i>Matt Crisford</i>	Development Manager
<i>Peter Greer</i>	TMSCC MTS Product Manager

