

Browserless Application Installer

Aptean Ltd
Copyright © 2011-2025.

Contents

1 Browserless Application Installer.....	1
1.1 Technical Details.....	1
1.2 Running the Installer Remotely.....	1
1.3 Running the Un-Installer Remotely.....	2
1.4 Full Command Line Parameters.....	2
1.5 Support Details.....	5

1 Browserless Application Installer

If required, Apteian provides installers that install Start Menu application shortcuts to access your systems.

Two installers are provided:

- USER install - does not require admin privileges.
- ADMIN install - requires Admin privileges, which will be requested when the installer is started, if the user running the installer has the capability of elevating to Administrative level.

The installers create the following shortcuts on the Windows Start menu:

- Apteian Calidus-TMS (or Apteian Calidus-WMS)
 - ◆ A link to your test system.
 - ◆ A link to your production system.
 - ◆ A link to your UAT system.

The links configured are specific to the installer, Apteian's client and applications available to that client.

Each link is named as follows:

- Client Name.
- The system type in brackets
 - ◆ Prod - the production system
 - ◆ Test - the test system
 - ◆ UAT - the UAT system.

1.1 Technical Details

File locations for the install are:

- USER install:
 - ◆ C:\Users\{name}\AppData\Roaming\Apteian Calidus-{TMS/WMS}
- ADMIN install:
 - ◆ C:\ProgramData\Apteian Calidus-{TMS/WMS}


The installer includes the Oracle JRE required to run the system - this is NOT installed on the client PC for use by other applications.

Each application is digitally signed and certified.

The installer also installs an Application Uninstaller application in the application directory shown above: unins000.exe.

The uninstaller will remove all elements of the application install, including all JRE and temporary elements of the install.

 **Note:** The uninstaller would generally be executed from the Add/Remove programs windows feature.

 **Note:** The uninstaller for the Administrative installer will also require administrative privilege to run and remove the application.

1.2 Running the Installer Remotely

The installation application may be run silently through system administration routes, for example through commissioning or MDM platforms.

It is recommended that this is then installed through scripts, running the command as follows:

```
{installer} /VERYSILENT /SP- /SUPPRESSMSGBOXES
```




 **Note:** The installer used will determine whether administrative rights should be included.


1.3 Running the Un-Installer Remotely

The uninstall of the application may be run silently through system administration routes, for example through commissioning or MDM platforms.

It is recommended that this is then uninstalled through scripts, running the command as follows:

```
{uninstaller} /VERYSILENT /SUPPRESSMSGBOXES /NORESTART
```

 **Note:** The installer used will determine whether administrative rights should be included.

 **Note:** Check the following section for other command-line parameters that may be used on installation or uninstallation.

1.4 Full Command Line Parameters

The installer supports the following command-line parameters:

/HELP, /?

Shows a summary of this information. Ignored if the UseSetupLdr [Setup] section directive was set to no.

/SP-

Disables the This will install... Do you wish to continue? prompt at the beginning of Setup. Of course, this will have no effect if the DisableStartupPrompt [Setup] section directive was set to yes.

/SILENT, /VERYSILENT

Instructs Setup to be silent or very silent. When Setup is silent the wizard and the background window are not displayed but the installation progress window is. When a setup is very silent this installation progress window is not displayed. Everything else is normal so for example error messages during installation are displayed and the startup prompt is (if you haven't disabled it with DisableStartupPrompt or the '/SP-' command line option explained above).

If a restart is necessary and the '/NORESTART' command isn't used (see below) and Setup is silent, it will display a Reboot now? message box. If it's very silent it will reboot without asking.

/SUPPRESSMSGBOXES

Instructs Setup to suppress message boxes. Only has an effect when combined with '/SILENT' or '/VERYSILENT'.

The default response in situations where there's a choice is:

- Yes in a 'Keep newer file?' situation.
- No in a 'File exists, confirm overwrite.' situation.
- Abort in Abort/Retry situations.
- Cancel in Retry/Cancel situations.
- Yes (=continue) in a DiskSpaceWarning/DirExists/DirDoesntExist/NoUninstallWarning/ExitSetupMessage/ConfirmUninstall situation.
- Yes (=restart) in a FinishedRestartMessage/UninstalledAndNeedsRestart situation.

The recommended choice in a PrivilegesRequiredOverridesAllowed=dialog situation.

5 message boxes are not suppressible:

- The About Setup message box.
- The Exit Setup? message box.
- The FileNotInDir2 message box displayed when Setup requires a new disk to be inserted and the disk was not found.
- Any (error) message box displayed before Setup (or Uninstall) could read the command line parameters.
- Any task dialog or message box displayed by [Code] support functions TaskDialogMsgBox and MsgBox.



/ALLUSERS

Instructs Setup to install in administrative install mode. Only has an effect when the [Setup] section directive `PrivilegesRequiredOverridesAllowed` allows the commandline override.

/CURRENTUSER

Instructs Setup to install in non administrative install mode. Only has an effect when the [Setup] section directive `PrivilegesRequiredOverridesAllowed` allows the commandline override.

/LOG

Causes Setup to create a log file in the user's TEMP directory detailing file installation and [Run] actions taken during the installation process. This can be a helpful debugging aid. For example, if you suspect a file isn't being replaced when you believe it should be (or vice versa), the log file will tell you if the file was really skipped, and why.

The log file is created with a unique name based on the current date. (It will not overwrite or append to existing files.)

The information contained in the log file is technical in nature and therefore not intended to be understandable by end users. Nor is it designed to be machine-parsable; the format of the file is subject to change without notice.

/LOG="filename"

Same as `/LOG`, except it allows you to specify a fixed path/filename to use for the log file. If a file with the specified name already exists it will be overwritten. If the file cannot be created, Setup will abort with an error message.

/NOCANCEL

Prevents the user from cancelling during the installation process, by disabling the Cancel button and ignoring clicks on the close button. Useful along with `/SILENT` or `/VERYSILENT`.

/NORESTART

Prevents Setup from restarting the system following a successful installation, or after a Preparing to Install failure that requests a restart. Typically used along with `/SILENT` or `/VERYSILENT`.

/RESTARTEXITCODE=exit code

Specifies a custom exit code that Setup is to return when the system needs to be restarted following a successful installation. (By default, 0 is returned in this case.) Typically used along with `/NORESTART`. See also: Setup Exit Codes

/CLOSEAPPLICATIONS

Instructs Setup to close applications using files that need to be updated by Setup if possible.

/NOCLOSEAPPLICATIONS

Prevents Setup from closing applications using files that need to be updated by Setup. If `/CLOSEAPPLICATIONS` was also used, this command line parameter is ignored.

/FORCECLOSEAPPLICATIONS

Instructs Setup to force close when closing applications.

/NOFORCECLOSEAPPLICATIONS

Prevents Setup from force closing when closing applications. If `/FORCECLOSEAPPLICATIONS` was also used, this command line parameter is ignored.

/LOGCLOSEAPPLICATIONS

Instructs Setup to create extra logging when closing applications for debugging purposes.

/RESTARTAPPLICATIONS

Instructs Setup to restart applications if possible.

/NORESTARTAPPLICATIONS

Prevents Setup from restarting applications. If `/RESTARTAPPLICATIONS` was also used, this command line parameter is ignored.

/LOADINF="filename"

Instructs Setup to load the settings from the specified file after having checked the command line. This file can be prepared using the `/SAVEINF=` command as explained below.



Don't forget to use quotes if the filename contains spaces.

`/SAVEINF="filename"`

Instructs Setup to save installation settings to the specified file.

Don't forget to use quotes if the filename contains spaces.

`/LANG=language`

Specifies the language to use. language specifies the internal name of the language as specified in a [Languages] section entry.

When a valid /LANG parameter is used, the Select Language dialog will be suppressed.

`/DIR="x`

`\dirname"`

Overrides the default directory name displayed on the Select Destination Location wizard page. A fully qualified pathname must be specified. May include an "expand:" prefix which instructs Setup to expand any constants in the name. For example: `'/DIR=expand:{autopf}\My Program'`.

`/GROUP="folder name"`

Overrides the default folder name displayed on the Select Start Menu Folder wizard page. May include an "expand:" prefix, see `'/DIR='`. If the [Setup] section directive `DisableProgramGroupPage` was set to yes, this command line parameter is ignored.

`/NOICONS`

Instructs Setup to initially check the Don't create a Start Menu folder check box on the Select Start Menu Folder wizard page.

`/TYPE=type name`

Overrides the default setup type.

If the specified type exists and isn't a custom type, then any /COMPONENTS parameter will be ignored.

`/COMPONENTS="comma separated list of component names"`

Overrides the default component settings. Using this command line parameter causes Setup to automatically select a custom type. If no custom type is defined, this parameter is ignored.

Only the specified components will be selected; the rest will be deselected.

If a component name is prefixed with a "*" character, any child components will be selected as well (except for those that include the `dontinheritcheck` flag). If a component name is prefixed with a "!" character, the component will be deselected.

This parameter does not change the state of components that include the fixed flag.

Example:

Deselect all components, then select the "help" and "plugins" components:

`/COMPONENTS="help,plugins"`

Example:

Deselect all components, then select a parent component and all of its children with the exception of one:

`/COMPONENTS="*parent,!parent\child"`

`/TASKS="comma separated list of task names"`

Specifies a list of tasks that should be initially selected.

Only the specified tasks will be selected; the rest will be deselected. Use the /MERGETASKS parameter instead if you want to keep the default set of tasks and only select/deselect some of them.

If a task name is prefixed with a "*" character, any child tasks will be selected as well (except for those that include the `dontinheritcheck` flag). If a task name is prefixed with a "!" character, the task will be deselected.

Example:

Deselect all tasks, then select the "desktopicon" and "fileassoc" tasks:

`/TASKS="desktopicon,fileassoc"`

Example:

Deselect all tasks, then select a parent task and all of its children with the exception of one:



`/TASKS="*parent,!parent\child"`

`/MERGETASKS="comma separated list of task names"`

Like the `/TASKS` parameter, except the specified tasks will be merged with the set of tasks that would have otherwise been selected by default.

If `UsePreviousTasks` is set to yes, the specified tasks will be selected/deselected after any previous tasks are restored.

Example:

Keep the default set of selected tasks, but additionally select the "desktopicon" and "fileassoc" tasks:

`/MERGETASKS="desktopicon,fileassoc"`

Example:

Keep the default set of selected tasks, but deselect the "desktopicon" task:

`/MERGETASKS="!desktopicon"`

`/PASSWORD=password`

Specifies the password to use. If the [Setup] section directive `Password` was not set, this command line parameter is ignored.

When an invalid password is specified, this command line parameter is also ignored.

The uninstaller supports the following command-line parameters:

`/SILENT, /VERYSILENT`

When specified, the uninstaller will not ask the user for startup confirmation or display a message stating that uninstall is complete. Shared files that are no longer in use are deleted automatically without prompting. Any critical error messages will still be shown on the screen. When `/VERYSILENT` is specified, the uninstallation progress window is not displayed.

If a restart is necessary and the `/NORESTART` command isn't used (see below) and `/VERYSILENT` is specified, the uninstaller will reboot without asking.

`/SUPPRESSMSGBOXES`

Instructs the uninstaller to suppress message boxes. Only has an effect when combined with `/SILENT` and `/VERYSILENT`. See `/SUPPRESSMSGBOXES` under Setup Command Line Parameters for more details.

`/LOG`

Causes Uninstall to create a log file in the user's TEMP directory detailing file uninstallation and [UninstallRun] actions taken during the uninstallation process. This can be a helpful debugging aid.

The log file is created with a unique name based on the current date. (It will not overwrite or append to existing files.)

The information contained in the log file is technical in nature and therefore not intended to be understandable by end users. Nor is it designed to be machine-parsable; the format of the file is subject to change without notice.

`/LOG="filename"`

Same as `/LOG`, except it allows you to specify a fixed path/filename to use for the log file. If a file with the specified name already exists it will be overwritten. If the file cannot be created, Uninstall will abort with an error message.

`/NORESTART`

Instructs the uninstaller not to reboot even if it's necessary.

1.5 Support Details

The application is installed with a signed and certified file denoting the access to the system.

The install versions are contained in the file `calidus_info.txt`, for example:

```
Browserless Oracle Build 14/02/2024 11:20:24.60
```



```
Client: {client} TMS
Build Version: 1.0
Java Version: 17.0.9+9
Production URL: {url}
Test URL: {url}
QA URL: n/a
```

This shows:

- *Browserless Oracle Build* - the date/time of the build for the installer.
- *Client* - the client
- *Build Version* - the version of installer
- *Java Version* - the version of the Oracle JRE
- *Production URL* - the URL for the production system
- *Test URL* - the URL for the test system
- *QA URL* - the URL for UAT/QA

There is also an Additional Information section

This information should be obtained when reporting any issues to Aptean.

