

EDI Process Parameters

Aptean Ltd
Copyright © 2011-2026.

Contents

1 EDI Process Parameters.....1

1 EDI Process Parameters

This page shows all parameters that can be created against each EDI process type.

Note: This list is evolving constantly is is provided for general reference - please consult your Aptean implementation team for more details if required.

Note: Where the flow type is PROCESS, the parameters apply ONLY to the defined process name shown.

Flow Type	Process Name	Parameter Name	Direction
CSV_IMPORT		flow_name	I
EXPORT		EXTERNAL_SYSTEM	O
EXPORT		TIMI_EXTRACT	O
EXPORT		test20	O
EXPORT		test23	O
EXPORT		test24	O
MIC_RESOURCES		DRIVER_FORMAT	I
MILE_XML		ACTIONED_BY	O
MILE_XML		EVENT_ACTION	O
MILE_XML		EXTERNAL_SYSTEM	O
MILE_XML		EXTERNAL_SYSTEM	
MILE_XML		FROM_LOC_TYPE	O
MILE_XML		INCLUDE_ITEM_DELIVER	O
MILE_XML		INCLUDE_REASON_CODES	O
MILE_XML		INCLUDE_SAP_LINE_NOS	O
MILE_XML		MILESTONE_COMMENT	O
MILE_XML		MILESTONE_STATUS	O
MILE_XML		ORDER_LOC	O
MILE_XML		PREV_STATUS	O
MILE_XML		TO_LOC_TYPE	O
ORD_COLL_XML		INCLUDE_CARTON_NO	O
ORD_COLL_XML		INCLUDE_ITEM_DELIVER	O
ORD_COLL_XML		INCLUDE_REASON_CODES	O
ORD_COLL_XML		INCLUDE_SIGNATURE	O
ORD_COLL_XML		INCLUDE_TRACK_REF	O
ORD_COLL_XML		ORDER_SOURCE_SYSTEM	O
ORD_XML		4000	I
ORD_XML		ADD_CONTACTS	I
ORD_XML		ADD_HOLIDAY_ADDR	I
ORD_XML		ALLOW_DEPOT_PRINTER	I
ORD_XML		ALLOW_INCREMENT_PACK	I
ORD_XML	API	ALLOW_INVALID_ORDER	I
ORD_XML		ALLOW_REBOOK	I
ORD_XML	API	AMEND_SCHEDULED	I
ORD_XML		API_CARRIER_PACKED	I
ORD_XML		AUDIT_METHOD	I
ORD_XML		AUDIT_SCAN	I
ORD_XML	API	AUDIT_STATUS	I
ORD_XML	API	AUDIT_WS	I
ORD_XML		AUTOPLAN_METHOD	I
ORD_XML	API	AUTO_GENERATE_LINES	I
ORD_XML		CALC_FROM_SCHED_RULE	I
ORD_XML		CALC_ORD_DU_QTY	I
ORD_XML		CHILD_LOCATIONS	I
ORD_XML		COLLECTION	I



Flow Type	Process Name	Parameter Name	Direction
ORD_XML		COMBINE_ORDER_ITEMS	I
ORD_XML		CON_ADD_DEL_TYPE	I
ORD_XML		CREATE_FREE_ADDRESS	I
ORD_XML	API	CREATE_UNKNOWN_CUST	I
ORD_XML		CREATE_UNKNOWN_LOC	I
ORD_XML	API	CREATE_UNKNOWN_LOCS	I
ORD_XML	API	CREATE_UNKNOWN_ORDER	I
ORD_XML		CREATE_UNKNOWN_PRD	I
ORD_XML		CREATE_UNKNWON_LOCS	I
ORD_XML	API	CUST_CURRENCY	I
ORD_XML	API	CUST_EPOD_ENABLED	I
ORD_XML	API	CUST_GROUP_CUSTOMER	I
ORD_XML	API	CUST_LOTS_ID	I
ORD_XML	API	CUST_LOTS_SEND_ORD	I
ORD_XML	API	CUST_REV_CHARGE_TYPE	I
ORD_XML	API	CUST_TYPE	I
ORD_XML		DECODE_ADDRESS_CHARS	I
ORD_XML		DEFAULT_ADD_CUST_GRP	I
ORD_XML	API	DEFAULT_COLLECTION	I
ORD_XML	API	DEFAULT_COST_CENTRE	I
ORD_XML		DEFAULT_DU_QTY	I
ORD_XML		DEFAULT_GROUP_NAME	I
ORD_XML		DEFAULT_UN_DESC	I
ORD_XML		DEFAULT_UN_NUMBER	I
ORD_XML		DEFAULT_UN_QTY	I
ORD_XML	API	DELETE_LINES	I
ORD_XML	API	DFLT_CUST_CURRENCY	I
ORD_XML		DFLT_CUST_GRP_LOC	I
ORD_XML		DFLT_DG_CLASS	I
ORD_XML		DFLT_DU_QTY	I
ORD_XML		DFLT_DU_TYPE	I
ORD_XML		DFLT_PACK_CUSTOMER	I
ORD_XML		DFLT_PARCEL_PACK_DU	I
ORD_XML		DFLT_PROD_TYPE_DESC	I
ORD_XML		DUP_SHIPMENTS_ALLOW	I
ORD_XML		EXC_CUST_MASTER	I
ORD_XML		GROUP_NAME	I
ORD_XML		IGNORE_MISSING_PROD	I
ORD_XML		INSPECT_DATE_FROM	I
ORD_XML		INSPECT_PERIOD_TYPE	I
ORD_XML		INSPECT_PERIOD_VALUE	I
ORD_XML		ITEMS_FROM_LINE	I
ORD_XML		ITEM_AKA_VOLUME	I
ORD_XML		LIMIT_ADDRESS_MATCH	I
ORD_XML		LOCATION_DECODE_MAP	I
ORD_XML	API	LOCATION_EXT_REF	I
ORD_XML	API	LOC_DEPOT	I
ORD_XML	API	LOC_FLEXIPOD	I
ORD_XML	API	LOC_LOADING_RATE	I
ORD_XML	API	LOC_UNLOADING_RATE	I
ORD_XML		MAINTAIN_SCHEDULES	I
ORD_XML	API	MAIN_ADDRESS_TYPE	I
ORD_XML	API	MATCH_FULL_LOC	I



Flow Type	Process Name	Parameter Name	Direction
ORD_XML		MATCH_MASTER_LOC	I
ORD_XML		MISSING_ITEMS_DU	I
ORD_XML	API	MOD_ORD_ACTION_VALUE	I
ORD_XML		NO_DATES_LOCS	I
ORD_XML	API	NO_UPDATE_DEPOT_ADDR	I
ORD_XML		NULL_DATES	I
ORD_XML		OMIT_DU_DESP_QTY	I
ORD_XML		OMIT_NEW_ORDER	I
ORD_XML		OMS_SOURCE_SYSTEM	I
ORD_XML		ORDER_SOURCE_SYSTEM	I
ORD_XML	API	ORDER_VEHICLE	I
ORD_XML	API	ORD_ADD_REFS	I
ORD_XML	API	ORD_INVOICED	I
ORD_XML		OUTBOUND	I
ORD_XML		OUTBOUND_DEL	I
ORD_XML		OWNING_DEPOT	I
ORD_XML		PACK_NEW_ORD	I
ORD_XML		PACK_NEW_ORDER	I
ORD_XML	API	PARAGON_API	I
ORD_XML		PREVENT_MOD_SCHED	I
ORD_XML		PREVENT_REPACK	I
ORD_XML		PRINT_LABELS	I
ORD_XML		RECALC_DISTANCE	I
ORD_XML		RECALC_TRIP_SCHED	I
ORD_XML		REPLACE_ORDER_LINES	I
ORD_XML		REPROCESS	I
ORD_XML		RETAIN_REFS	I
ORD_XML	API	ROUTE_DELIVERY	I
ORD_XML	API	RUN_NUMBER_VALID	I
ORD_XML		SEND_ACK_FAIL_UPD	I
ORD_XML		SEND_ACK_FAIL_UPDATE	I
ORD_XML		SEND_CON_ADD	I
ORD_XML		SET_DEL_WIN_FROM_RUL	I
ORD_XML		SET_SCHED_GROUP	I
ORD_XML		SET_SCHED_GRP	I
ORD_XML		SHIPMENT_ACTUALS	I
ORD_XML		SPLIT_PROD_CODE	I
ORD_XML		STORE_ITEMS_DU_TYPE	I
ORD_XML		STORE_ITEM_DU_TYPE	I
ORD_XML		STORE_SHIPPING_LPN	I
ORD_XML		TRACK_ITEMS	I
ORD_XML		TRM_WMS_UPDATES	I
ORD_XML	API	UNSCHED_NEW_DATA	I
ORD_XML		UNSCHED_SHIPMENTS	I
ORD_XML	API	UPDATE_CANCELLED	I
ORD_XML		UPDATE_CUST_GROUP	I
ORD_XML	API	UPDATE_EXISTING_LOCS	I
ORD_XML		UPDATE_INVALID_ORDER	I
ORD_XML		UPDATE_LOC_NAME	I
ORD_XML		UPDATE_PACKED	I
ORD_XML	API	UPDATE_PARAGON_ID	I
ORD_XML		UPDATE_TO_DELIVER	I
ORD_XML		UPD_CUST_DATES	I



Flow Type	Process Name	Parameter Name	Direction
ORD_XML		UPD_CUST_ENABLE_EPOD	I
ORD_XML		USE_HAZARDOUS	I
ORD_XML		USE_HAZARD_DEFAULT	I
ORD_XML		USE_HAZARD_DEFUALT	I
ORD_XML		USE_ITEMISED_PACKING	I
ORD_XML		USE_LOC_RESTRICT	I
ORD_XML		USE_LOC_TYPE	I
ORD_XML		USE_ORDERED	I
ORD_XML		USE_PROD_TYPE_DFLT	I
ORD_XML	API	USE_RUN_DEPOT	I
ORD_XML	API	USE_VARIANT_ADDRESS	I
ORD_XML		VALIDATE_SO_REF	I
ORD_XML		VALIDATE_COMM_CLASS	I
ORD_XML		VALIDATE_DIMENSIONS	I
ORD_XML		VALIDATE_DU_TYPE	I
ORD_XML		VALIDATE_MASTER_LOC	I
ORD_XML		VALIDATE_SO_REF	I
ORD_XML		VALIDATE_TRANS_MODE	I
ORD_XML		VOLUME_BASED_DU_QTY	I
ORD_XML		WEIGHT_BASED_DU_QTY	I
ORD_XML_OUT		ALLOW_MULTI_CUSTOMER	O
ORD_XML_OUT		INCLUDE_ORDER_STATUS	O
ORD_XML_OUT		INCLUDE_TRACKING	O
ORD_XML_OUT		INC_COPIED_ORDERS	O
ORD_XML_OUT		ORD_COUNTRY	O
ORD_XML_OUT		PACK_EVENT	O
ORD_XML_OUT		PREVENT_RESEND_ORDER	O
ORD_XML_OUT		SEND_EVENT_TRACKING	O
ORD_XML_OUT		SEND_HEADER_ITEMS	O
ORD_XML_OUT		SEND_HEADER_UPDATES	O
ORD_XML_OUT		SEND_LINE_ITEMS	O
ORD_XML_OUT		SEND_SUB_REFERENCES	O
ORS		audit_process	O
PLUTO_ACTUALS		PRINT_ROUTE_CODE	O
PLUTO_ACTUALS		PRINT_STOP_PID	O
POD_XML		NON_CONFORM_ERR	O
PROCESS		COL_EVENT	O
PROCESS		COL_EVENT	I
PROCESS		COPY_LOTS	I
PROCESS		COPY_LOTS	O
PROCESS		DEL_EVENT	O
PROCESS		DEL_EVENT	I
PROCESS		DFLT_PROD_TYPE_DESC	O
PROCESS		ORD_EVENT	O
PROCESS		ORD_EVENT	I
PROCESS		VLD_EVENT	O
PROCESS		VUI_EVENT	O
PROCESS	DP_BNL EDI IN.P PROCESS FILES	DEFAULT_DEL_TYPE	I
PROCESS	DP_BNL EDI IN.P PROCESS FILES	DEFAULT_GROUP_NAME	I
PROCESS	DP_BNL EDI IN.P PROCESS FILES	DEFAULT_PROD_TYPE_ID	I
PROCESS	DP_BNL EDI IN.P PROCESS FILES	DEFAULT_SRCE_SYSTEM	I
PROCESS	DP_BNL EDI IN.P PROCESS FILES	DELIMITER	I
PROCESS	DP_BNL EDI IN.P PROCESS FILES	EARLY_AVAILABLE_TIME	I



Flow Type	Process Name	Parameter Name	Direction
PROCESS	DP_BNL_EDI_IN.P_PROCESS_FILES	LATE_AVAILABLE_TIME	I
PROCESS	DP_BNL_EDI_IN.P_PROCESS_FILES	USE_DIMENSIONS	I
PROCESS	DP_BNL_EDI_OUT.P_PROCESS_PLAN	DELIMITER	O
PROCESS	DP_BNL_EDI_OUT.P_PROCESS_PLAN	FROM_LOC_TYPE	O
PROCESS	DP_BNL_EDI_OUT.P_PROCESS_PLAN	INCLUDE_MANUAL_ORDER	O
PROCESS	DP_BNL_EDI_OUT.P_PROCESS_PLAN	ORDER_SOURCE_SYSTEM	O
PROCESS	DP_BNL_EDI_OUT.P_PROCESS_PLAN	TO_LOC_TYPE	O
PROCESS	DP_BWSC.PROCESS_FILES	COMMENT	I
PROCESS	DP_BWSC.PROCESS_FILES	REASON_CODE	I
PROCESS	DP_CSV6.TIMI_EXTRACT	i_account	I
PROCESS	DP_CSV6.TIMI_EXTRACT	i_cost_centre	I
PROCESS	DP_CSV6.TIMI_EXTRACT	i_customer	I
PROCESS	DP_CSV_POD.P_PROCESS_CSV_POD	CHECK_STOP_TIMES	O
PROCESS	DP_CSV_POD.P_PROCESS_CSV_POD	SUCCESS_REASON_CODE	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_ARR	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_CAN	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_COL	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_DEL	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_DEP	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_INC_CANCELLED	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_ORD	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_TRP	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	API_USE_WS_ELUCID	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	AUDIT_METHOD	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	AUDIT_STATUS	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	DEL_ALL_ACT_QTY	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	EXPORT_SERVICES	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	EXPORT_TYRE	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	INCLUDE_CDATA_TAG	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	INCLUDE_ORDER_STATUS	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	INC_ORD_ITEM_EVENTS	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	PRINT_ROUTE_CODE	O
PROCESS	DP_EXPORT_EVENTS.PROCESS_XML_OUTBOUND_API	SEND_AND_FORGET	O
PROCESS	DP_FIXED_IMPORT.P_PROCESS_FILES	IMPORT_FORMAT	I
PROCESS	DP_FIXED_IMPORT.P_PROCESS_FILES	SERVICE_LEVEL	I
PROCESS	DP_IMP.P_PROCESS_CIPD	PREVENT_REPACK	I
PROCESS	DP_LFE_POD.PROCESS_FILES	CARRIER	I
PROCESS	DP_LFE_POD.PROCESS_FILES	MANIFEST_READY_TIME	I
PROCESS	DP_PAR_API_STP.get_paragon	DEPOT	I
PROCESS	DP_PAR_API_STP.get_paragon	PAR_SCHEDULES	I
PROCESS	DP_PAR_API_STP.get_paragon_route	DEPOT_KEY	I
PROCESS	DP_PAR_API_STP.process_paragon	USE_RUN_DEPOT	O
PROCESS	DP_REPORTS.PROCESS_CLICK_OUTBOUND	STOP_TIMES_DEBRIEF	O
PROCESS	DP_REPORTS.PROCESS_CLICK_OUTBOUND	SUPPRESS_ASSETS	O
PROCESS	DP_REPORTS.SEND_DEL_EMAIL	RADIAL_ONLY	O
PROCESS	DP_RICO.RECEIVE_REPORT_STATUS	p_process_name	I
PROCESS	DP_RICO.RECEIVE_REPORT_STATUS	pr_process_name	I
PROCESS	DP_TESLA_EDI_IN.IMPORT_ORDERS	ALLOW_REUSABLE_ASSET	I
PROCESS	DP_TESLA_EDI_IN.IMPORT_ORDERS	DEFAULT_DU	I
PROCESS	DP_TESLA_EDI_IN.IMPORT_ORDERS	DEFAULT_PROD	I
PROCESS	DP_TOMTOM.GET_GEOFENCE	TOM_EVENT_LAST_RUN	I
PROCESS	DP_TOY_EDI_IN.P_PROCESS_FILES	DEFAULT_PROD_TYPE_ID	I
PROCESS	DP_TOY_EDI_IN.P_PROCESS_FILES	PROCESS_TYPE	I



Flow Type	Process Name	Parameter Name	Direction
PROCESS	INT_XML_OUT2.PROCESS_XML_DESP_CONF	OUTBASE_INDICATOR	O
PROCESS	INT_XML_OUT2.PROCESS_XML_MANIFEST	EXCLUDE_UNPACKD_LINE	O
PROCESS	INT_XML_OUT2.PROCESS_XML_MANIFEST	INC_PACKED_TO_DEL	O
PROCESS	INT_XML_OUT2.PROCESS_XML_MANIFEST	PROCESS_INTERVAL	O
PROCESS	TRM.P_AUTO_COMPLETE	SCHED_MINUS	O
PROCESS	TRM.P_AUTO_COMPLETE	SCHED_PLUS	O
PULSE_ORDERS		SET_TIMES_BMV	I
SCN		SEND_REUSABLE_ASSET	I
SMA_XML	INT_XML_SMA.PROCESS_XML_OUTBOUND_SMA	SMA_SEND_ADD_REF	O
SMA_XML	INT_XML_SMA.PROCESS_XML_OUTBOUND_SMA	SMA_SEND_COST	O
SMA_XML	INT_XML_SMA.PROCESS_XML_OUTBOUND_SMA	SMA_SEND_ORD_CON	O
SMA_XML	INT_XML_SMA.PROCESS_XML_OUTBOUND_SMA	SMA_SEND_ORD_REF	O
STS_XML		INCLUDE_33	O
STS_XML		INCLUDE_CONTENTS	O
STS_XML		INCLUDE_DETAILS	O
STS_XML		INCLUDE_ITEM_DELIVER	O
STS_XML		INCLUDE_LINES	O
STS_XML		MSG_TYPE	O
TRIP_ORD_XML		PRINT_ROUTE_CODE	O
TRIP_ORD_XML		PRINT_STOP_PID	O
TRIP_XML		ALLOW_MULTI_CUSTOMER	O
TRIP_XML		ARR message	O
TRIP_XML		ARR_MESSAGE	O
TRIP_XML		ARR_ORDER_DEBRIEF	O
TRIP_XML		A_VAM	O
TRIP_XML		BASE_DEPOT	O
TRIP_XML		CHECK_STOP_TIMES	O
TRIP_XML		DEL message	O
TRIP_XML		DEL_MESSAGE	O
TRIP_XML		DEL_ORDER_DEBRIEF	I
TRIP_XML		DEL_ORDER_DEBRIEF	O
TRIP_XML		DESPATCH_RECEIVED	O
TRIP_XML		EVENT_ACTION	O
TRIP_XML		EXCLUDE_UNPACKD_LINE	O
TRIP_XML		EXCLUDE_UNPACKD_LINE	I
TRIP_XML		EXC_ORD_SRCE_SYSTEM	O
TRIP_XML		INCLUDE_CARTON_NO	O
TRIP_XML		INCLUDE_CARTON_NO	I
TRIP_XML		INCLUDE_ITEM_DELIVER	O
TRIP_XML		INCLUDE_NONCON_CODES	O
TRIP_XML		INCLUDE_ORDER_STATUS	O
TRIP_XML		INCLUDE_REASON_CODES	O
TRIP_XML		INCLUDE_REASON_TYPE	O
TRIP_XML		INCLUDE_SAP_LINE_NOS	O
TRIP_XML		INCLUDE_SIGNATURE	O
TRIP_XML		INCLUDE_TRACK_REF	I
TRIP_XML		INCLUDE_TRACK_REF	O
TRIP_XML		INC_DIRECT_ORDERS	O
TRIP_XML		INC_ORDER_CHILD_ADDR	O
TRIP_XML		INC_TRACKING	O
TRIP_XML		INC_TRIP_ACTION	O
TRIP_XML		INC_TRIP_TYPE	O
TRIP_XML		INC_XDOCK_ORDERS	O



Flow Type	Process Name	Parameter Name	Direction
TRIP_XML		OFDC_EVENT	O
TRIP_XML		ORDER_SIGNATURES	O
TRIP_XML		ORDER_SOURCE_SYSTEM	O
TRIP_XML		OUTBASE_INDICATOR	O
TRIP_XML		PACK_EVENT	O
TRIP_XML		PLANNED_CARRIER	O
TRIP_XML		POCPOD_ONLY	O
TRIP_XML		PODS_POCS	O
TRIP_XML		PREVENT_RESEND_ORDER	O
TRIP_XML		PREVENT_RESEND_TRIP	O
TRIP_XML		PRINT_ORD_SECTION	O
TRIP_XML		RADIAL_ONLY	O
TRIP_XML		SEND_ALL_ORDERS	O
TRIP_XML		SEND_DU_TYPE	O
TRIP_XML		SEND_HEADER_ITEMS	O
TRIP_XML		SEND_HEADER_UPDATES	O
TRIP_XML		SEND_LINE_ITEMS	O
TRIP_XML		SEND_REUSABLE_ASSET	O
TRIP_XML		SEND_WAREHOUSE_LOAD	O
TRIP_XML		SO_DEL_DATE_CHANGE	O
TRIP_XML		STATUS	O
TRIP_XML		TRIP_COUNTRY	O
TRIP_XML		TRIP_TYPE	O
TRIP_XML		UNLOAD_ONLY	O
TRIP_XML		USE_DELIVERY_LEG	O
TRIP_XML		VAMMY	O
TRIP_XML		XDOCK_ONLY	O
TRIP_XML		XML_INCL_RESOURCE	O
TRP_XML		ALLOW_MULTI_CUSTOMER	O
TRP_XML		ARR message	O
TRP_XML		DEL message	O
TRP_XML		INCLUDE_ITEM_DELIVER	O
TRP_XML		INCLUDE_REASON_CODE	O
TRP_XML		INCLUDE_SAP_LINE_NOS	O
TRP_XML		PRINT_ORD_SECTION	O
TRP_XML		SO_DEL_DATE_CHANGE	O

