CTMS 11.0 ER018-053

Aptean Ltd Copyright © 2011-2025.

Contents

1 CTMS 11.0 ER018-053......1

1 CTMS 11.0 ER018-053





EMERGENCY RELEASE - CTMS 11.0

RELNOTE ER018-053

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks	Reporter
DATA_1_ADM_SYSTEM_PARAM_333070.sql	Data Script	1.1	333070	AR-A6LBE3	2	A new system parameter called 'MIC_CALC_REASON_QTY' will need to be set to 'Y' for the appropriate cost centre. If 'MIC_CALC_REASON_QTY' is 'Y' and the reason code is a type of 'FAILURE' and a non-zero quantity has not been provided, the quantity will be calculated as the despatched quantity of the item multiplied by -1 for a negative adjustment (with the assumption that only one reason code will be provided). If 'MIC_CALC_REASON_QTY' is 'N', the quantity from the file will be used.	Andrew Rowe
DATA_2_ADM_SYSTEM_PARAM_CONFIG_330070.sql	Data Script	1.1	"	"	"	II .	II
INT_XML_MIC.sql	Inbound Microlise Package	5.125	"	"	"	n	п

Registry/Rules Settings							
IPath & Name	Setting Value	Result					
MIC_CALC_REASON_QTY	ΙY	Sets the item reason quantity to the despatched quantity if a reason code is provided with a quantity of 0 instead of an accurate quantity and the type of reason code is ?FAILURE?.					



MIC_CALC_REASON_QTY N

Existing functionality will set the item reason quantity to 0 as provided by Microlise and DHL link.

