CTMS 11.0 ER027-009

Aptean Ltd Copyright © 2011-2025.

Contents

1 CTMS 11.0 ER027-009......1

1 CTMS 11.0 ER027-009





EMERGENCY RELEASE - CTMS 11.0

RELNOTE ER027-009

| Module | Program Name | Ver | Call/Iss | Client Ref | Pr'ty | Remarks | Reporter |
|-----------------------------------|-----------------------|-----|----------|----------------|-------|---------|----------------|
| AT_INT_TMS_WMS_CONTROL_346772.sql | Alter Table Script | 1.2 | 346772 | WMS-TMS-IF/004 | | | Tony Walker |

| Module | Program Name | Ver | Call/Iss | Client Ref | Pr'ty | Remarks | Reporter |
|--------------|--------------|-----|----------|----------------|-------|--|----------------|
| LOCATION.fmx | | | | WMS-TMS-IF/009 | 3 | New message events for WMS_INT_FAIL for the WMS-TMS interface records. | Tony Walker |



| | | | | | | These message events can be reviewed in the Medium Audit page in the Messaging Maintenance screen where the message events will also be setup in TMS. The interface records themselves can be reviewed in the TMS-WMS and WMS-TMS pages in the Interface Errors screen as usual. The owner in WMS can be setup to have an email address per interface message type and these addresses will be used to send emails for failed processes in WMS should they exist. If they do not exist the equivalent message requests in TMS will be used (excepting database connectivity problems which must be generated out of the processing database). If email or SMS are not setup a user will not be informed of any problems with the processing of the interface records. Note that the database connectivity problems will require the message to be setup for MTS_OWNER user to control the message request and the recipients. For this reason the WMS Params page in the Location Maintenance screen can be used to store the contacts for new 199 (WMS to TMS) and 299 (TMS to WMS) message types. | |
|----------------------------------|----------------------------------|------|----|---|---|--|------|
| DATA_1_MSG_EVENT_TYPE_346777.sql | Data Script | 1.1 | II | " | " | | II |
| DATA_2_MSG_TYPE_346777.sql | Data Script | 1.1 | " | " | " | | II . |
| DATA_3_MSG_REQ_346777.sql | Data Script | 1.1 | " | " | " | | II . |
| DATA_4_MSG_SMS_VALUES_346777.sql | Data Script | 1.2 | " | " | " | | " |
| T_MSG_EVENT_IUD.sql | Trigger | 1.2 | " | " | " | | II . |
| DP_INT_TMS_WMS_IN_STUB.sql | TMS-WMS Interface Package | 1.5 | " | " | " | " | 11 |
| MSG_PROCESSING.sql | Message Processing Package | 5.63 | " | " | " | " | II |

| Module | Program Name | Ver | Call/Iss | Client Ref | Pr'ty | Remarks | Reporter |
|---------------------------------|--------------------|-----|----------|----------------|-------|--|----------|
| AT_INT_TMS_WMS_MAINT_346789.sql | Alter Table Script | 1.1 | 346789 | WMS-TMS-IF/015 | 3 | Changes have been made to the TMS-WMS interface including: | Tony |
| | | | | | | | Walker |
| | | | | | | | i l |
| | | | | | | | i I |



| | | | Include parameter DEFAULT_PACKAGE_TYPE for PACK messages when the package type is not known. | |
|----------------------------|------------------------------|-------|--|---|
| | | | Include parameter INC_MANDATED_CARRIER to orders to have a mandated carrier from the carrier of the sales order. Uses import decode WMS_CARRIER_MAPPING. | |
| | | | 3. Set the actual weight not the planned weight an added item at pick/pack. | |
| | | | 4. Set the actual despatched quantity of order lines for pick/pack to then calculate the actual despatched RPE quantity. | |
| | | | Only sets the order unpacked order lines to be zero packed if the order has bee updated with actual pick containers. | n |
| | | | 6. An order line with zero planned quantity will be deleted for ORD/ORDA messages. | |
| | | | 7. An order line with zero planned and packed quantity will be deleted for LOA messages. | |
| DP_INT_TMS_WMS_IN_STUB.sql | TMS-WMS Interface Package | 1.3 " | | " |

Warning: A manual change is required with this release - DP_INT_TMS_WMS_IN v1.5

