CTMS 11.0 ER028-109

Aptean Ltd Copyright © 2011-2025.

Contents

1 CTMS 11.0 ER028-109......1

1 CTMS 11.0 ER028-109





EMERGENCY RELEASE - CTMS 11.0

RELNOTE ER028-109

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks	Reporter
DP_INT_TMS_WMS_IN_STUB.sql	WMS/TMS Interface database package	1.16	351932	-	3	A new WMS parameter for the depots in TMS called RACK_STORAGE has been introduced to assess the marshalling racking for the picking containers for the MAR and PACK messages.	
						If RACK_STORAGE is set to Y, the interface control records will be placed on hold until the picking containers for the sales order have a storage location.	Paul Roscoe
						RACK_STORAGE should be setup at the customer level in TMS to correspond to the owner level in WMS for the RFPC rule to use picking containers for storage.	

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks	Reporter
DP_INT_TMS_WMS_IN_STUB.sql	WMS/TMS Interface database package	1.17	351922	-	3	If an exceptional error occurs during processing the record status of the control record will be updated to FAILURE from PROCESSING and the control record will need to be reprocessed after the error message has been reviewed.	Paul Roscoe

Warning: A manual change is required with this release.

