



Aptean

v4.05.01.14 User Release Notes

Aptean POD - Calidus Edition - Device Application

22/05/2024

Contents

- 1 Introduction.....1**
 - 1.1 Platforms/Databases.....1
 - 1.2 Related Documents.....1
- 2 User Notes.....2**
 - 2.1 Released Incidents / Changes.....2
 - 2.2 Setup.....2
 - 2.3 User Instructions.....2
 - 2.4 Performance Notes.....2
 - 2.5 Related Releases.....2
 - 2.6 Technical Changes & Special Notes.....2

1 Introduction

This document describes the contents of this Aptean POD - *Calidus* Edition device release.

1.1 Platforms/Databases

The release will be tested against & supported only for the following platform/database combinations:

- Android O/S 4.4.x Kit Kat or higher on previously verified devices

1.2 Related Documents

None



2 User Notes

This is a release of the Apteian POD - Calidus Edition device application.

2.1 Released Incidents / Changes

This release contains the following fixes/changes:

586350

- Fixed the setting of the quantity on service products added on the device

2.2 Setup

Details of any system setup required by either Apteian or Client.

By	Reference	Description
None		

2.3 User Instructions

User details and instructions of the new or changed process

Topic	Action	Description
Service	Info	When amending the reg, the reg must be 12 characters or less. The device will validate this when you try to move tabs or save/complete the service.
Service	Add new vehicle	When trying to add a new vehicle, the reg must be 12 characters or less. The device will validate this when you try to add the new vehicle.

2.4 Performance Notes

It is not thought that this change will have any impact on performance although it is our recommendation that the performance of all areas of the application is validated during testing to ensure that performance is still good.

2.5 Related Releases

Android mobile device application release 4.5.0.0 must be active prior to this release.

2.6 Technical Changes & Special Notes

2.6.1 Technical Changes

None

2.6.2 Special Notes

None

