



OBS Logistics

C-Assist User Guide

CALIDUS Assist

13th March 2020 - 1.0
Reference: UG 352360

Contents

1 Assist - Patrolling edits.....	1
1.1 Reference.....	1
1.2 Configuration.....	1
1.3 Patrolling.....	1
2 Assist Clean Up Vertopal Macro.....	2
2.1 Instructions.....	2
2.2 Usage.....	2
2.3 Macro.....	2
3 Assist Cleanup Macro.....	4
3.1 Instructions.....	4
3.2 Usage.....	4
3.3 Macro.....	4
4 Assist Converting Documents into MediaWiki Format.....	6
4.1 Tools.....	6
4.2 Process using On-line Converter.....	6
4.3 Process using AI/Manual.....	8
5 Assist Editing Guide.....	10
5.1 General.....	10
5.2 Document Editing.....	10
5.3 Source Editing.....	10
5.4 Visual Editing.....	11
5.5 Standards.....	12
5.6 Images.....	13
5.7 Templates.....	15
5.8 Transcluding.....	16
5.9 Interwiki.....	17
5.10 Categories.....	17
5.11 Saving your Changes.....	19
5.12 Some Final Notes.....	20
5.13 Issuing Documents to a Client.....	20
6 Assist PDF Production Code.....	21
6.1 Extension:PDFBook.....	21
6.2 Versions of the extension.....	21
6.3 Enabling the extension.....	21
6.4 Structure of code.....	22
6.5 Support.....	23
7 Assist Support Guide.....	25
7.1 Requirements.....	25
7.2 Hosted Systems.....	25
7.3 Updating Data En Mass.....	25
7.4 Viewing BLOB fields.....	25
7.5 Recovering passwords from MYSQL Workbench.....	25
7.6 Common Queries.....	26
7.7 Assist Database Backup.....	26
7.8 Assist Database Restore.....	27
7.9 Creating Users/Resetting User Passwords.....	27
7.10 Upgrading a Wiki from 1.16 Upwards.....	28
7.11 Creating a Brand New Wiki.....	28
7.12 Extracting Hacks.....	29
7.13 Extracting Templates.....	29
7.14 Extracting Common Additional Files.....	30
7.15 Extracting Namespace Files.....	30
7.16 Importing Additional Files, Templates and Hacks into a Wiki.....	30
7.17 Importing Namespace Files.....	31
7.18 Additional Actions.....	31
7.19 Support Issues.....	32

Contents

8 Assist Upgrade Actions.....	33
8.1 Purpose.....	33
8.2 Local Upgrades.....	33
8.3 Fresh Server Installation.....	33
8.4 Upgrading XAMPP PHP.....	35
8.5 Creating a brand new MediaWiki installation.....	35
8.6 Shared Interwiki.....	35
8.7 Upgrading existing MediaWiki.....	36
8.8 Additional Actions.....	40
9 Assist Visual Editor Gadgets.....	42
9.1 Resources.....	42
9.2 Examples.....	42
10 Help:CreateNewWiki.....	49
10.1 Initial Setup.....	49
10.2 Configuration.....	49
10.3 Further Configuration.....	49
10.4 Creating the basic content.....	51
10.5 Creating Users.....	53
11 Did You Know.....	54
11.1 CALIDUS CTMS.....	54
11.2 CALIDUS Assist.....	54
12 Help:PDF Book.....	56
12.1 Single Page.....	56
12.2 Creation of a Book.....	56
12.3 Production of the PDF.....	56
12.4 Setup Requirements.....	56
12.5 Transcluding.....	57
12.6 Interwiki.....	58
12.7 Categories.....	58
12.8 Saving your Changes.....	60
12.9 Some Final Notes.....	61
12.10 Issuing Documents to a Client.....	61
13 Support Tools.....	62
13.1 Requirements.....	62
13.2 Hosted Systems.....	62
13.3 Updating Data En Mass.....	62
13.4 Viewing BLOB fields.....	62
13.5 Recovering passwords from MYSQL Workbench.....	62
13.6 Common Queries.....	63
13.7 Assist Database Backup.....	63
13.8 Assist Database Restore.....	64
13.9 Creating Users/Resetting User Passwords.....	64
13.10 Upgrading a Wiki from 1.16 Upwards.....	65
13.11 Creating a Brand New Wiki.....	65
13.12 Extracting Hacks.....	66
13.13 Extracting Templates.....	66
13.14 Extracting Common Additional Files.....	67
13.15 Extracting Namespace Files.....	67
13.16 Importing Additional Files, Templates and Hacks into a Wiki.....	67
13.17 Importing Namespace Files.....	68
13.18 Additional Actions.....	68
13.19 Support Issues.....	69
14 Appendix A: Document History.....	70

Contents

15 Help:UpgradeWiki.....71
15.1 Software Required.....71
15.2 Prior to Upgrade.....71
15.3 Upgrade.....71

1 Assist - Patrolling edits

It's important that the quality of pages in Assist is high, and we reuse where possible.

Therefore, every edit made by users who are not system administrators are logged and marked as unpatrolled edits.

That allows administrators of Assist to patrol edits to ensure quality and prevent spamming.

Currently this is a manual process, but many elements will be automated with time.

1.1 Reference

https://www.mediawiki.org/wiki/Help:Patrolled_edits

1.2 Configuration

All administrators are naturally granted the autopatrol right (none of their edits require patrolling) and the patrol right (the ability to patrol unpatrolled edits).

Administrators can assign other users to the administrator group, to increase the number of users patrolling changes.

Administrators can add the patrol right to individual users.

The system has been configured to email selected administrators with details of all changes, so that they can be patrolled. To change or remove this:

- Edit `/path/to/Assist/LocalSettingsAdditional.php`
- Change `$wgUsersNotifiedOnAllChanges` with the users to be notified, as an array e.g. `['uid1', 'uid2']`.

1.3 Patrolling

To mark an edit as patrolled

- Access `Special:RecentChanges`
- Changes which are not patrolled display with a red exclamation mark (!).
- Click the (diff) link next to an edit.
- To mark the edit as patrolled, click the Mark as patrolled link.

To mark a new page as patrolled

- Access `Special:NewPages`
- New pages which are not patrolled display with a yellow background.
- To mark a new page as patrolled, visit it and click the `?markaspatrolledlink?` link near the bottom of the page.

To mark a new file as patrolled

- Access `Special:NewFiles`
- If you want to see only unpatrolled files, check "Hide patrolled uploads"
- To mark a new file or new file version as patrolled, visit it and click the `?markaspatrolledlink?` link near the bottom of the file description.

 **Note:** You can't mark a deleted file or page as patrolled.



2 Assist Clean Up Vertopal Macro

Assist requires MediWiki format, and there is an automated conversion called Vertopal. This leaves some undesirable formatting from the Vertopal conversion.

A macro exists within Notepad++ (q.v. npp).

The Macro replaces the undesirable formatting.

2.1 Instructions

Download and install npp.

On a notepad++ default installation, your macros will be stored at %AppData%\Notepad++ in a file called shortcuts.xml.

For example:

C:\Users\youruser\AppData\Roaming\Notepad++

You can edit the macro in npp but changes will not affect until after you save and restart npp.

- Open the macro file above
- Paste in the macro under any existing macros in the <Macros> section, before the final </Macros> tag.
- Save
- Restart npp.
- In Macro menu, there should now be a macro "Assist Clean Up Vertopal"

2.2 Usage

Simply run the macro against converted or pasted in Word documents - this will replace all troublesome characters and also replace up to 3 levels of bulleted lists.

- Macro menu, "Clean Up Vertopal"
- Save

2.3 Macro

```
<Macro name="Clean Up Vertopal" Ctrl="no" Alt="no" Shift="no" Key="0">
  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="<span.*</span>" />
  <Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
  <Action type="3" message="1602" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
  <Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="\[[File\:vertopal_.*?/media/imag" />
  <Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
  <Action type="3" message="1602" wParam="0" lParam="0" sParam="\[[File\:SYS-DESC-" />
  <Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
  <Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="\.png\|.*?\]\]" />
  <Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
  <Action type="3" message="1602" wParam="0" lParam="0" sParam="\.png\|800px\l\]" />
  <Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
  <Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="</?blockquote>" />
```



```

<Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
<Action type="3" message="1602" wParam="0" lParam="0" sParam="" />
<Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
<Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

<Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
<Action type="3" message="1601" wParam="0" lParam="0" sParam="<ol.*>\n<li>" />
<Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
<Action type="3" message="1602" wParam="0" lParam="0" sParam="\n" />
<Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
<Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

<Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
<Action type="3" message="1601" wParam="0" lParam="0" sParam="</li></ol>" />
<Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
<Action type="3" message="1602" wParam="0" lParam="0" sParam="" />
<Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
<Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

<Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
<Action type="3" message="1601" wParam="0" lParam="0" sParam="= <br />\n" />
<Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
<Action type="3" message="1602" wParam="0" lParam="0" sParam="= " />
<Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
<Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

<Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
<Action type="3" message="1601" wParam="0" lParam="0" sParam="\{\}" />
<Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
<Action type="3" message="1602" wParam="0" lParam="0" sParam="\{\} class="wikitable" border="1" />
<Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
<Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

<Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
<Action type="3" message="1601" wParam="0" lParam="0" sParam="!width="\d*%"\" />
<Action type="3" message="1625" wParam="0" lParam="2" sParam="" />
<Action type="3" message="1602" wParam="0" lParam="0" sParam="!" />
<Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
<Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />

</Macro>

```



3 Assist Cleanup Macro

Assist PDF production does not work well with certain extended characters, producing a question mark instead. These must be replaced.

A macro exists within Notepad++ (q.v. npp).

The Macro replaces Word smart characters (such as opening/closing single and double quotes, hyphens) with standard ASCII equivalents.

Also, if converting direct in notepad from Doc, bullet points do not work properly, so this macro replaces them as well.

3.1 Instructions

Download and install npp.

On a notepad++ default installation, your macros will be stored at %AppData%\Notepad++ in a file called shortcuts.xml.

For example:

C:\Users\youruser\AppData\Roaming\Notepad++

You can edit the macro in npp but changes will not affect until after you save and restart npp.

- Open the macro file above
- Paste in the macro under any existing macros in the <Macros> section, before the final </Macros> tag.
- Save
- Restart npp.
- In Macro menu, there should now be a macro "Assist Cleanup"

3.2 Usage

Simply run the macro against converted or pasted in Word documents - this will replace all troublesome characters and also replace up to 3 levels of bulleted lists.

- Macro menu, "Assist Cleanup"
- Save

3.3 Macro

```
<Macro name="Assist Cleanup" Ctrl="no" Alt="no" Shift="no" Key="0">
  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="?" />
  <Action type="3" message="1625" wParam="0" lParam="1" sParam="" />
  <Action type="3" message="1602" wParam="0" lParam="0" sParam="'" />
  <Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
  <Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />
  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="?" />
  <Action type="3" message="1625" wParam="0" lParam="1" sParam="" />
  <Action type="3" message="1602" wParam="0" lParam="0" sParam="'" />
  <Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
  <Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />
  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="-" />
  <Action type="3" message="1625" wParam="0" lParam="1" sParam="" />
  <Action type="3" message="1602" wParam="0" lParam="0" sParam="-" />
  <Action type="3" message="1702" wParam="0" lParam="768" sParam="" />
  <Action type="3" message="1701" wParam="0" lParam="1609" sParam="" />
  <Action type="3" message="1700" wParam="0" lParam="0" sParam="" />
  <Action type="3" message="1601" wParam="0" lParam="0" sParam="?" />
```



[illegible]

4 Assist Converting Documents into MediaWiki Format

This guide is intended to show the processes that can be followed to convert a document (DOCX by preference) into an Assist page.

There are multiple methods and processes, including some not documented here, such as using LibreOffice or a Word extension, neither having produced reasonable results or time savings.

The processes below will automate vast tracts of the process and make the conversion of documents much easier and less time consuming.

4.1 Tools

Recommended initial editing tool - NOTEPAD++

- <https://notepad-plus-plus.org/downloads/>

Create Macro - Assist Cleanup

- See documentation - [Assist Cleanup Macro](#)

Create Macro - Vertopal Cleanup

- See documentation - [Assist Clean Up Vertopal Macro](#)

Recommended - PowerToys

- <https://learn.microsoft.com/en-us/windows/powertoys/install>

AI

- Aurora/Direct ChatGPT
- Gemini

Online Conversion tool:

- <https://www.vertopal.com/en/convert/docx-to-wiki-mediawiki>

4.2 Process using On-line Converter

Convert document using Vertopal online conversion tool

- <https://www.vertopal.com/en/convert/docx-to-wiki-mediawiki>

Use DOC/DOCx - PDF doesn't work very well.

NOTE: This does not convert embedded objects like excel, attachments, Visio or Word diagrams. If your document contains these, then save these as PNG images to add to the document later.

Download and Extract to subfolder

Rename and Edit wiki file

Run Macro - Assist Cleanup

Run Macro - Clean Up Vertopal

Essentially this does the following:

```
<span.*</span> with nothing
\\[File\vertopal_392608dac46847cb99daf0bb8d5090ed/media/image with \\[File\TMM-
.png\|.??\]\ with .png\|800px\]\] (if mostly huge images) or .png\]\] (if mostly small images)
```



```

<\/?blockquote> with nothing

<ol.*>\n<li> with \n


</li></ol> with nothing

= <br />\n with "= " (without the quotes)

\{\| with \{\| class="wikitable" border="1"

!width="\d*%" \| with !

```

 **Note:** Replace in the above - this assumes replacing for a document for TTM - replace TTM- with the name of your Assist and doc being converted e.g. WMS-, PORTAL-TTM-ARCH-, EPOD-DEVICE-, CTLTMS-, etc

The Vertopal Cleanup macro will put in "SYS-DESC-", so replace that.

Go through and ensure images are named with a reasonable name

e.g. if in home section in TTM, change file from TTM-1.png to TTM-HOME-1.PNG

Check all images now have a name - search for File\:

Any inline icons, make size 16px - search for file\: and any that are within paragraphs will need manipulation

Put into Assist

Rename images - Recommend using PowerRename from PowerToys.


- Select all images to be renamed, then right-click and Select Rename with PowerRename.
- If from Vertopal, the images are in a media subdirectory, names as image1, image2, etc.
- Tick "User regular expressions"
- From name: image(.*)
- To name: SYS-DESC-\$1

Example:

- From name: image(.*)
- To name: TTM-WMS-\$1

Results

From	To
Image1	TTM-WMS-1
Image2	TTM-WMS-2
Image10	TTM-WMS-10
Image11	TTM-WMS-11
Image20a-text	TTM-WMS-20a-text

 **Note:** If there is any media in funky formats (like WMF/WMV. Visio or other objects directly embedded), then these will need to be manually converted - use screenshots, paint, etc to achieve that. This is not covered in this guide.

When renamed, use the Upload Multiple Files Special page to upload the files in bulk:

- Go to Special pages
- Click Upload multiple files.
- Enter a description for the images (otherwise this will default to something useless).
- Drag your images to be uploaded to the appropriate place on the page.
- The images will upload automatically, showing the progress on the screen.
- If any images should fail, try re-uploading them - sometimes bulk uploading >40 images at a time will cause some issues.

If you are doing this manually instead, upload the images by clicking on the image in the document and then manually upload the correct "imageX" file using the numbers as guide.

Finally, check the sizes of all pictures - remove or add |800px if necessary.





4.3 Process using AI/Manual

This process does not use an on-line converter process, but instead leverages AI to do a lot of the conversion work for you (after you have trained it appropriately). This is slightly more long-winded than using an online converter, but is much quicker than typing, copying and pasting manually.

Steps:

Convert the text to MediaWiki format


- Open the document
- Get rid of titles and final appendices - these will be added later using templates.
- Break the text down into chunks - it's easier to work with smaller segments
- Ask your favoured AI to convert the text to MediaWiki format.
 - ♦  **Note:** These steps are proven working for the AI's listed.
 - ♦ E.g. Gemini process including prompts:
 - ◊ *Please convert this text to Mediawiki format.*
 - ◊ *Paste in text*
 - ◊ *Please remove the table of contents and the first page before that.*
 - ◊ *Please lose the DIV elements*
 - ◊ *The first heading is level 1, so please reflect that and reduce all other headings by 1 level*
 - ◊ *Please remove the numbering from the headings.*
 - ◊ *Please remove any smart quotes or dashes and replace with plain quotes and hyphens.*
 - ◊ *The text I pasted in had images. Can you identify where those images were and put a placeholder in there of `[[File:SYS-DESC.png|800px]]`*
 - ◊ *Can you make the placeholder count please? e.g. SYS-DESC-1.png, SYS-DESC-2.png, etc*
 - ◊ *Any A.# headings should be level 2. Same for B.#, C.#.*
 - ♦ E.g. Aurora/ChatGPT including prompts:
 - ◊ *Please convert my text into mediawiki format*
 - ◊ *Paste in text*
 - ◊ *Please make sure there are two line breaks between each section*
 - ◊ *The first heading is level 1, so please reflect that and reduce all other headings by 1 level*
 - ◊ *Please remove any smart quotes or dashes and replace with plain quotes and hyphens.*
 - ◊ *The text I pasted in had images. Can you identify where those images were and put a placeholder in there of `[[File:SYS-DESC.png|800px]]`*
 - ◊ *Can you make the placeholder count please? e.g. SYS-DESC-1.png, SYS-DESC-2.png, etc*
 - ♦ More prompts may be required on your document to get the format right, such as numbered lists, tables etc. In my tests, these all converted well, but you may have other preferences. For example:
 - ◊ *Please add "apt-searchable" as a class to the wikitables*
 - ◊ *Please add width="100%" to the tables*
 - ◊ *Please add border="1" to the tables.*
 - ♦ Depending on your document, you may want to make the images start at a particular number. You can ask the AI, for example:
 - ◊ *Please start the image numbering from the last section*
 - ◊ *Please reset image placeholder numbering to 1*
 - ◊ *Please start image placeholder numbering at 3*
 - ♦ The AI may be limited to the amount of text that can be uploaded, or the amount of text that can be output. In the latter case, you may then be able to prompt the AI to give you the next section, piece by piece. E.g., for ChatGPT:
 - ◊ *Please now output the next section of the text, starting where you left off*
 - ◊ *Please continue*
 - ♦ The output may be formatted by the AI renderer (for example, numbered lists look bold and large, line breaks are missing. You can ask for the plain wikitext code as opposed to the rendered output.
 - ◊ *Please display the raw wikitext*
 - ◊ *Please put 3 backticks at the start of the output*
 - ♦ However, when you have trained your AI to give you the correct output, this should stick for further document conversions.
 - ◊  **Warning:** You WILL lose all of your training if you close down the chat with your AI, so keep it open to preserve your requests for formatting.
- Create a new page in Assist
- Copy the converted text into your page, and continue until complete.

Extract Images/Media:

- Make a copy of your DOCX file and rename it to ZIP instead.



- Open the zip
- Go to word/media
- Copy all of the image files from here into folder.

 **Note:** If there is any media in funky formats (like WMF/WMV. Visio or other objects directly embedded), then these will need to be manually converted - use screenshots, paint, etc to achieve that. This is not covered in this guide.

Rename Images:

Recommend using PowerRename from PowerToys.

- Select all images to be renamed, then right-click and Select Rename with PowerRename.
- If from Vertopal, the images are in a media subdirectory, names as image1, image2, etc.
- Tick "User regular expressions"
- From name: image(.*)
- To name: SYS-DESC-\$1

Upload Images

Use Assist batch upload to upload the images:

- Go to Special Pages
- Click Upload multiple files.
- Enter a description for the images (otherwise this will default to something useless).
- Drag your images to be uploaded to the appropriate place on the page.
- The images will upload automatically, showing the progress on the screen.
- If any images should fail, try re-uploading them - sometimes bulk uploading >40 images at a time will cause some issues.

Manual insertion of Images:

If you have not trained the AI to insert image placeholders as suggested above, you may need to manually insert images in the correct place in the document.

- You can use the VisualEditor copy and paste or upload.
- You can instead batch upload the images first.
- You can paste in `[[File:SYS-DESC-1.png|800px]]` for the first image, and then update as you go along.

Finally, check the sizes of all pictures - remove or add |800px if necessary.



5 Assist Editing Guide

5.1 General

Before editing, you should log in - the Assist system will not allow you to edit the documents unless you have, so that all changes can be tracked to the user that made them.

5.2 Document Editing

When you find a page that needs editing, you can do it in one of two ways:

- Source Editing - typing in plain text with WikiText markup language - not too complicated, but a bit of a barrier for new users. Click the *Edit Source* button to start source editing.
- Visual Editing - like a simple version of your favourite document editing application. You can do most things (but not all) with Visual Editing. Click the *Edit* link against a page to start Visual Editing.

You can also flip between visual and source editing when you're in there, so don't worry if you clicked the wrong one.

This guide will show you how to do everything here in each of the editing methods, to help reduce those barriers and make documentation easier.

5.3 Source Editing

WikiText markup can seem daunting, but it's not meant to be. This guide won't try and describe everything that you can do with WikiText markup, but will describe how the tools can make it easier to do.

This section will introduce you to the source editing toolbar and some basic concepts.

When source editing you will have a toolbar for basic edits. So start typing, and when you want to format something, you can use the toolbar.

If I want something in **bold**, I click the **Bold Text** button - the WikiText markup will be put in the editing window for me, with the text in between the markup ready for editing.

The same is true for:

- *Italic text*
- Headings (level 2-5)
- Bulleted lists (like this one) or

1. Numbered list items like this one

- No Wiki formatting (turns off WikiText markup, hugely useful when writing a guide like this one!)
- New Line
- **Big text** or Small text
- Superscript text or Subscript text
- Links to other pages, like [Did You Know](#).
- Code.
- "Noinclude" tags.

You can also highlight the text you want to format and then click the button - the editor will tag the text you highlighted.

You have a **Preview** button - this shows you what you're WikiText changes look like in real formatting in near real time. You can't edit it there. but it's useful to see you're getting it right.

Other essential page formatting is more complicated:



Tables can be inserted easily enough using the **Table** button. Click the button, choose your number of columns and rows (and any properties of the table, like sortable) and click **Insert**. The editor will insert the table for you in shorthand, like below:

Caption text

Header text Header text Header text

Example Example Example

Example Example Example

Example Example Example

Then you can edit it. We typically do not use captions, so you could remove that line if you want. To change the cell content, simply change the text between the vertical bars (or exclamation points, if it's the header row).

Tables also support being searchable - it's not a property that is supported by the Table tool, so you have to edit it in yourself.

- Add "apt-searchable" to the table class

```
{| class="wikitable apt-searchable"
```

- You can then make rows non-searchable by adding a class to the row "|" element as follows:

```
| - class="non-searchable"
```

Images are covered in a following section.


5.4 Visual Editing

Visual editing formats the text like it would do on the final page (in most cases). It's almost completely invisible to you as an editor that in the background this is generating the WikiText markup for you, so makes it much easier. There are however some things that the Visual Editor can't do which source editing is very useful for.

This section will introduce you to the visual editing toolbar and some basic concepts.

When visual editing you will have a toolbar for basic edits. So start typing, and when you want to format something, you can use the toolbar or the provided shortcuts.

If I want something in **bold**, I click the **Style Text** button and choose *Bold* or press CTRL-B - the text I type will be in bold from now on. You can turn it off in the same way.

 **Note:** The visual editor can use keyboard shortcuts, and the editor will tell you the shortcut keys next to the toolbar option you are selecting, if there is one.

Standard shortcut keys are also supported, like cut/copy/paste:

- CTRL-X - Cut.
- CTRL-C - Copy.
- CTRL-V - Paste (formatted).
- CTRL-SHIFT-V - Paste (plain text).

Additional formatting:

- CTRL-I - *Italic text*
- **Big text** or Small text
- Superscript text or Subscript text
- Computer code formatting
- CTRL-U - Underline

and many more.



You can also highlight the text you want to format and then click the button - the editor will tag the text you highlighted.

Similarly with links to other pages, like [Did You Know](#). Either click the Links button in the toolbar, enter the page name and click **Done**. You then have the opportunity to edit alternative text directly over the link. The same is true for an existing link when you click on it.

Bullets and numbered lists (and indentation) can be accessed from the **Structure** button.

- Bulleted lists (like this one). There's no shortcut key, but you can start a bulleted list by entering an asterisk followed by a space.
- 1. Numbered list items like this one. There's no shortcut key, but you can start a numbered list by entering a number followed by a full stop and a space. Or a hash symbol followed by a space for a new numbered list.

Paragraph formatting can be accessed from the **Paragraph Formatting** drop-down list in the toolbar.

- Headings (level 2-5)
- Preformatted Code formatting
- Centre text

and many more.

Warning: You currently can't mark anything as `nowiki` formatting, or as `noinclude`. Sorry - you have to use the Source Editor for that.

You have undo and redo buttons (and their normal shortcut keys (CTRL-Z and CTRL-Y)).

If you are familiar with WikiText markup and start typing in the syntax from WikiText (like `{{` to insert a template), the Visual Editor is going to recognise that and either format the text or popup the dialogue associated to that WikiText markup - in the example above, it will open up the *Insert Template* dialogue for you, so the markup can be used as shortcuts in most cases. It doesn't work for bold and italic or images, but pretty much for everything else, so handy to know.

If you paste WikiText markup from source editing into the Visual Editor, it will convert the text for you, rather than see it as plain text - super useful when copying between pages.

Other essential page formatting is more complicated:

Tables can be inserted easily enough using the **Insert** button and selecting *Table*. Click the button and a table is inserted into the page.

You can use the buttons to add columns and rows. You can also edit the properties of the table with the **Properties** button, for example, to get rid of the caption if you don't want it.

Editing the contents of the table is directly in the cells themselves - much easier.

Warning: Unfortunately, you can't (yet) add searchable tables through the visual editor. Worse, the visual editor may remove your searchable tables code when saving the page, so a bit of a downside.

Images are covered in a following section.

5.5 Standards

To maintain a fairly standard set of documentation, use the following guidelines:

- Buttons should be in **Bold**.



- Tabs and menu options should be in *italics*.
- Keyboard shortcuts or code should be in `Code` or `Preformatted` format.
- Leave two lines between sections.
- Use templates - see [Templates](#) section below.
- Reuse documentation where possible - if there is already a page describing how to use or do something, include that page - see [Transcluding](#) below.

5.6 Images

Images must be uploaded to be used in pages, which is a bit of a pain, but really aids in reusability of images.

Warning: Bear in mind that, with either Source or Visual editing, you can't trim or edit the image when it's uploaded, so make sure what you're uploading is what you want to see in the final document.

Warning: Be very wary of using scalable graphics formats, such as SVG. Although they look fine in the web pages, the images do not render in the PDF print at this time.

When source editing:

These images need to be saved first.

Easiest is to use an image editing application such as MS Paint, which makes this fast and easily editable.

- Take a screenshot of your screen (CTRL-PrtSc) or the active window (ALT-PrtSc).
- Paste into Paint.
- Crop and Save to a local file - use PNG format by preference.

Alternatively, use the Windows Snip and Sketch tool to do the same.

Clicking the **Image** button will show a dialogue to enter:

- **Filename:** enter a filename for an image that has been uploaded, or enter a new name. Keep it relevant, like "VEhub_Login.PNG"
- **Caption:** optional
- **Alternative text:** optional
- **Size:** optional, but any image that you were uploading that is greater than 1000px wide should be reduced to that or 800px, to make them fit in the PDF when produced.
- **Align:** *Left*, *Center*, *Right* or *None*.
- **Format:** Choose *None*.

You have an **Upload** button here, so you can upload the image you have already saved to your PC.

When visual editing:

You have lots of options to create a new image.

- You can take a screenshot of a screen or window as above or copy an image from a document or filesystem, then just paste (CTRL-V) in the editor - the *Image* dialogue will appear, showing a thumbnail, allowing you to name the image, then edit any properties. Steps:
 - ♦ Paste the image - the image popup will appear.
 - ♦ The image will initially be named "image.png" - that's OK, as we will change it in a minute - Check "This is my own work" and then click **Upload**.
 - ♦ Enter a name - make sure that this is unique and relevant, , like "VEhub_Login.png" or "Tesla Order Search 1.png".
 - ♦ Enter a description - the dialogue forces you to enter a description - you could just copy in the filename, or (preferably) enter a description, maybe also a unique ID like the screen name.
 - ♦ Click **Save** - the properties box will be displayed - see below..
- You can drag and drop a local image from your PC straight to the window. When you drop it, the *Image* dialogue will appear, showing a thumbnail, allowing you to name the image (which will default to the name of the file being



- uploaded). From that point, it's similar to the above process, of uploading, naming, saving and editing properties.
- You can choose images you have recently uploaded by selecting the **Insert** button on the toolbar and selecting *Images and Media*. You can then select the image from the *Search* tab, select it, click **Use this image** and then amend the properties. This is super-useful when combined with batch uploading of images (below).
 - You can choose to re-use images that have already been uploaded onto the Assist by anyone - select the **Insert** button on the toolbar and selecting *Images and Media*. You can then search for images by their name from the *Search* tab. When you find an appropriate image, you can select it, click **Use this image** and then amend the properties.
 - You can directly upload a saved image by selecting the **Insert** button on the toolbar and selecting *Images and Media*. You can then select the image from the *Search* tab and then amend the properties.

The properties you can edit are:

- *Caption*: optional
- *Alternative text*: optional
- *Position*: Left, Center, Right or None. Choose Center or None. It will turn itself off if you select a Basic image.
- *Image Type*: Choose Basic.
- *Image Size*: optional, but any image that you were uploading that is greater than 1000px wide should be reduced to that or 800px, to make them fit in the PDF when produced.

Then you can insert the image.

For updating an image that already exists, however, your options are more limited. It's important that we update images, rather than upload new ones. If you attempt to paste in an image and call it the same thing as something that already exists, Visual Editor will throw an error.

To update the image, you have to save as a picture file first:

- From a Word document, right-click, Save as Picture, give it a name and save.
- From printscreen, paste into your paint application and save as PNG.
- From Snip and Sketch, save as PNG.

You can then:

- click on the image link and upload a new version from the upload page.
- click *Upload File* from the Wiki Tools toolbar on the left and upload a new copy.
- batch upload the file - see below for details.

Regardless of which editor you are using, you also have the ability to batch upload images. So, if you have created all the images you need and named them appropriately, you can upload those images using the Special page "*Upload Multiple Files*". From there, you can drag and drop or multi-select all of your images into the system, then use them in your page.

- Save your images to local files in a unique and reasonable filename - if it's reusable for other things, make them relevant, as above.
 - ♦ From a Word document, right-click, Save as Picture, give it a name and save.
 - ♦ From printscreen, paste into your paint application and save as PNG.
 - ♦ From Snip and Sketch, save as PNG.
- Go to the Assist Special pages
- Select *Upload Multiple Files*
- Enter a description if you want - it's optional, but can be useful. For example, if uploading a load of images relating to a Tesla Support document, you might enter "Tesla Support Images". But you can also leave this blank - that's perfectly fine.
- Either
 - ♦ Select all your images in a Windows explorer and drag and drop to the appropriate place on the page
 - ♦ Click the button, multi-select from the popup explorer and confirm.
- The files you selected will be shown in a list on the page.
- As they are uploaded, they will change colour to show whether they uploaded successfully or not
 - ♦ If they turn green, all good.
 - ♦ If they turn red, they didn't upload - check the error reason and correct.
- **Warning:** Uploading a file that already exists will create a new version of that file - you should check where this image has been used before and make sure that the image you have uploaded is appropriate to all pages that use it.



5.7 Templates

Where possible, the templates created for you should be used when creating and within the document.

We use Templates when we want a consistent look to certain things, from simple things like a notation, to more complicated things like a full document.

You can add templates quite easily:

- Source Editing:
 - ♦ Just type in double-curly bracket notation like `{{Warning}}`
 - ♦ Or Click the **Template** button, type the name or part of the name of the template you want to use, for example "War" then select it and **Insert**.
- Visual Editing: click the **Insert** toolbar option, then *Template*. Type the name or part of the name of the template you want to use, for example "War" then select it and **Insert**.





Some more complicated templates have parameters that can be passed to them. In the example above, "Warning" can accept a single parameter of the warning text itself. It's optional in this case, but some really complicated templates (like Doc Title) have lots that are required to be entered - you use it like this:

- Source Editing:
 - ♦ With positional parameters, just vertical bar delimit the parameters like so: `{{Warning|My warning text}}`
 - ♦ Some templates support named parameters, like so:

```
{{Xref
|Type=Example
|Num=1
|Text=The text describing the cross-reference
}}
```

- Or Click the **Template** button, type the name or part of the name of the template you want to use, for example "War" then select it. You can then enter the parameters and **Insert**.
- Visual Editing: click the **Insert** toolbar option, then *Template*. Type the name or part of the name of the template you want to use, for example "War" then select it. You can then enter the parameters and **Insert**.

Some simple templates:

- Note - This provides a note graphic  **Note:** like so
- Warning - This provides a warning graphic  **Warning:** like so
- Hint - this provides a hint note  **Hint:** Like so.
- Xref - this provides a cross-reference in a standard format. Use it like so: `{{Xref|Type=Image|Num=1|Text=An image of something}}`
- Incomplete - this adds a warning that the document is incomplete, and adds the document to an Incomplete category, so it can be easily found and completed. Use it like so: `{{Incomplete}}`
- Generic glossaries have been provided for the *CALIDUS* products -
 - ♦ You will find them in the **Glossaries** category.
 - ♦ These can be added to and amended if required by clicking on the glossary template in the editing screen.
 - ♦  **Note:** All Glossaries are now maintained in this Assist, the Calidus HUB. That means that you can add them to your pages or documents or refer to them, but they are all referred to as part of the "obs" namespace. This is a special bit of functionality known as Interwiki, and is dealt with below.
- Test Plan templates are available to construct test plan cycles - see the Functional Specification template for details on how these work.
- A Comment template has been added to identify comments added to a reviewed document easily

like so

—**User:Anw**, 31/1/2012 16:33:36

Some complicated templates:

- Doc Title - creates a document title page.
- Doc Appendix - creates a document appendix page.



Some full document templates: Document templates have been produced for the following document types:

- Requirements
- Estimates
- Functional Specifications
- Small Change Requests
- Test Plans
- ERs
- Patches

and many more.

Full document templates can also be accessed through the [Help:CreateNewPage](#) page.

The links on that page will help you generate a new document or page.

- Enter the title of the page or document you are creating in the right entry box for the document that you want to create.
- Click the button.

The system will copy everything required in the template into a brand new page created for you, so that you can complete editing it.

There are pretty extensive guides in the [Assist](#) category on creating pages (specifically release notes) from Templates - it is advised that you look there for more information.

5.8 Transcluding

Tranclusion is all about re-using pages that you have already created. We can (and should) do this, as "edit once, edit everywhere" applies, meaning that the pages are updated in every other page or category that uses them, massively reducing the amount of effort required to get changes into the right places.

Say for example, you have documented the Resource Allocation process in a page called "Allocate Resources". That screen is called from the Planning Screen and from the Waterfall screen, which are also documented. You want to describe resource allocation in the documentation of those pages, but you don't want to have to type it all in again, or have to keep updating multiple pages because a small change has happened to that Resource Allocation screen. You could just add it as a like , for example, "see Allocate Resources for more information", but you really want a complete document here. Transclusion helps here.

In the Planning page, you add a Header for "Allocating Resources"

- Source Editing: `== Allocating Resources ==`
- Visual Editing: Choose the *Heading 2* format from the toolbar and type "Allocating Resources".

Then we can transclude the page:

- Source Editing: `{{:Allocating Resources}}`
- Visual Editing: On a new line, click the **Insert** toolbar option, then *Template*. Type a colon, followed by the page e.g. `:Allocating Resources`, then select it and **Insert**.

That's it - the page will be included at that point in your Planning page. Whenever Allocating Resources changes, the planning page will also update.

You can see wherever a page is included or linked to in any other pages really easily. Click "*What links here*" in the "*More*" toolbox section. That will show you a list of all:

- *Transclusions* - directly used in a page.
- *Redirects* - stub pages that immediately redirect to this page
- *Links* - just a link has been added.

That way, when you edit a page, if this edit fundamentally affects a document that is produced from those linked pages, you can edit those if necessary, perhaps to increment a version or modified date, if these pages are producing a PDF



book.

5.9 Interwiki

As you know, the Assist systems are based on MediaWiki, then engine that powers Wikimedia.

Each product has its own instance of this, so we have Assist (wiki) instances of (amongst others):

- OBS - Calidus HUB
- MTS - Calidus TMS
- WCS - Calidus WCS
- WMS - Calidus WMS 3pl
- Portal - Calidus Portal (all types)
- MCS - Calidus MCS

In the interests of reducing duplication and possible out of date guides existing within other pages, each of these Assists can use pages out of the other Assists by using a defined interwiki reference.

What that means is you can link to or transclude ANY page from any other Assist, like you would for any page on your Assist.

So, the interwiki shortcuts are:

- Calidus HUB - "obs"
- Calidus TMS - "ctms"
- Calidus WCS - "cwcs"
- Calidus WMS 3pl - "cwms"
- Calidus Portal - "cportal"
- Calidus MCS - "cmcs"

Essentially, you use the Interwiki prefix before the page or template you want to use.

- To use a template from another wiki, the syntax is `{{iw:TemplateName}}`.
- To link to a page from another wiki, the syntax is `[[iw:PageName]]`.
- To transclude a page from another wiki, the syntax is `{{:iw:PageName}}`.
- To use an interwiki link for a DocLink, the syntax is `{{DocLink|iw:PageName}}`.

As mentioned above, Glossaries for all systems are maintained within the Calidus HUB Assist. The page exists in the local wiki, but it transcludes the Calidus HUB version. So, you can continue to use the template `{{WMS Glossary}}` as normal. But you could also use `{{obs:WMS Glossary}}` instead and get the same result.

Best use cases for Interwiki functionality are:

- Repetitively-maintained and used data, for example Glossaries.
- Technical guides linking to customer-facing guides, for example on this wiki [CTMS Paragon Interface](#), where the customer-facing guide maintained in the CTMS Assist is both linked to and transcluded.
- Product-specific pages linking to technical specs, for example, in WMS, you would find [PoD Guide](#), which links to the Port of Dover SDD on this Assist [SDD 350229 Port of Dover Solution Design](#) as a DocLink to download the PDF i.e. `{{DocLink|obs:SDD 350229 Port of Dover Solution Design}}`

In this way, we further promote the "write once, write everywhere" mentality and reduce effort, which providing a more connected, more up to date documentation set to our customers.

5.10 Categories

Categories are used to group pages together. A category can be used to see all pages in that category, and can also be used to produce a combined PDF book of all pages in that category.

You add categories like this if you are editing the source page: `[[Category:Assist Guides]]`



When using the Visual Editor, you can add Categories from the **Menu** button on the top-right of the Visual Editor toolbar, and click *Categories*.

Any categories already on the page will be listed here. You can remove them, or add to existing ones by searching for the category in the box, or even create new categories - the search box will suggest what to do as you type.

When adding pages to categories that are intended to form part of a PDF book, then we want the pages sorted in a custom way, as opposed to the default, which is alphabetical.

When editing source, you do this as follows:

```
[[Category:Assist Guides|A-099]]
```

Here, we are saying that this page should be sorted in the category as A-099. Other pages will be sorted similarly, and therefore will appear in the correct sequence.

For example:

You have several pages, and you want them in this order on a category "Accounts":

- Accounts Title
- Accounts
- Contracts
- Invoices
- Debrief by Invoice
- Service Offerings
- Internal Recharging
- Accounts Appendix

If these pages were just added to the "Accounts" without sorting like `[[Category:Accounts]]`, they would appear in this sequence:

- Accounts
- Accounts Appendix
- Accounts Title
- Contracts
- Debrief by Invoice
- Internal Recharging
- Invoices
- Service Offerings

So, what we should do is add them with a sort key, for example:

- Accounts Title - added as `[[Category:Accounts|000]]`
- Accounts - added as `[[Category:Accounts|100]]`
- Contracts - added as `[[Category:Accounts|110]]`
- Invoices - added as `[[Category:Accounts|120]]`
- Debrief by Invoice - added as `[[Category:Accounts|130]]`
- Service Offerings - added as `[[Category:Accounts|140]]`
- Internal Recharging - added as `[[Category:Accounts|150]]`
- Accounts Appendix - added as `[[Category:Accounts|999]]`

The numbering leaves sufficient room to insert more pages in the place that we want them.

A page might (and very much should) be part of several categories.

For example, the Accounts page above is a page that is used as follows:

- Part of the Accounts PDF book
- Part of the CTMS Modules PDF Book
- Part of the CTMS User Guide PDF Book

So that page can be categorised into multiple categories like so:

```
[[Category:Accounts|100]]
[[Category:C-TMS Modules|C-100]]
```




```
[[Category:C-TMS User Guide|BC-100]]
```

Warning: When you add categories to a page, and then you use that page in another page (see Transcluding), the other page will by default inherit the sub-page categories - we don't want this.

So, by default, categories should be included within a `<noinclude>...</noinclude>` tag, like so:

```
<noinclude>
[[Category:Accounts|100]]
[[Category:C-TMS Modules|C-100]]
[[Category:C-TMS User Guide|BC-100]]
</noinclude>
```

Pages that have been added to categories will be shown in the *Categories* section of the toolbar - clicking these links will take you to all pages in that category.

5.11 Saving your Changes

Each change you make, however small, is included in the document's history. To ensure that these comments are not included, you should mark the change as minor when saving your changes. However, this should not be marked as minor if the edit fundamentally changes the document.

Comments should be added whenever saving edits. If you have edited a section directly, rather than the whole document, a comment will already be entered for you. You can leave this there, replace with a new comment or add your comment after this one.

Your comments should reflect the changes. It's good practice to reference any call numbers or system versions associated to the change of you know them. Avoid client names if you can - remember this is standard documentation! For example, for a Salesforce or DevOps change 123465 for customer ABC Travel, adding a new Customer Ref field to a screen, consider entering your comment as follows:

```
Added new Customer Ref field (123456)
```

As documentation should always be updated when software patches or releases are made available or released to a customer system, then consider using the ER/patch/release number in the comment, for example:

```
ER CTMS 047-101 - Added (some functionality) to the screen
```

When a document is going to be changed to a new version, you **should** change the version and date within the document, and add the version number to the start of the comment. For example:

- v0.02 - Draft issue for review
- v1.00 - Ready for Issue.

How this works is slightly different for each editor.

For Source Editing:

- Enter a summary comment.
- Check whether this is a *Minor edit*.
- Optionally you can *Watch this page* - if anyone edits it in the future, you'll get an email. You can manage your watchlist from user preferences accessed from your user name.

Once you have selected, you can do the following:

- **Save changes** - if you haven't entered a summary comment you will be reminded, or the changes will just be saved.
- **Show preview** - as you are probably using realtime previews, probably not required. If you do use it, the changes will be shown on the top of the page, but remember your changes have not yet been saved - use the **Save changes** button as above to commit them.



- **Show changes** - show all changes in text differences showing each line changed, added or modified in a list. Remember your changes have not yet been saved - use the **Save changes** button as above to commit them.

From Visual Editing:

- Click **Save Changes**
- You will be shown a popup - enter your summary here.
- Check whether this is a *Minor edit*.
- Optionally you can *Watch this page* - if anyone edits it in the future, you'll get an email. You can manage your watchlist from user preferences accessed from your user name.

You then have options.

- **Save changes** - if you haven't entered a summary comment you will be reminded, or the changes will just be saved.
- **Review your changes** - show all changes in differences. The changes will be shown in Visual ode with colour highlighting - you can switch to the text differences above as well if that suits you better. Remember your changes have not yet been saved - use the **Save changes** button as above to commit them.

5.12 Some Final Notes



Note:

- When creating a new document, you should ensure that the Category tags are added relevant to that document type and client. This allows for easy searching of documents. See the following section on Categories.
- A document should be checked that it exports to PDF correctly - in most cases, documents will export with no issues. However, it has been known that a document does not correctly format into PDF. If this is the case, the document should be referred to the Assist maintainer for checking. Documents can be exported to PDF from the toolbar.

5.13 Issuing Documents to a Client

- Documents should be issued in PDF form.
- The document title should follow the standard document template, with a version number, so:
 - ♦ EST 123456 CUSTREF Title v1.0.pdf
- If you use the standard document template with the Doc_Title title page and you specify a version, when you download the PDF, the document will be appended with the version number automatically.
- Whilst the Assist system is being adopted, these documents should be held in the standard development or project document folder - please consult your project or product documentation for details.



6 Assist PDF Production Code

The extension adds the ability to export Wiki pages as PDF, as well as combining pages in categories into a single PDF.

The intention is that, when extracting a PDF document, the application will:

- Prompt for the download of the PDF. This will include a version number if one is provided.
- User saves and the download will appear in the downloads list in the browser.

The process allows for:

- Downloading any single page as a PDF.
- Downloading any category as a book, where the first page in the category is seen as the title page.

Assist also implements the ability to directly access and download a PDF version of a category or page through the use of the [DocLink](#) template.

6.1 Extension:PDFBook

The extension used in Aptean Assist is a heavily-modified version of the extension publicly available.

Note that the version on MediaWiki is out of date and doesn't work properly. The latest version should be downloaded from the git repository, and then amended.

6.2 Versions of the extension

Versions exist in extensions/Old Extensions for MediaWiki versions 1.16 and 1.34.

The latest version in extensions works for 1.39+

6.3 Enabling the extension

- Copy the extension from an existing wiki or codebase.
- Enable in LocalSettings.php

```
<code>
wfLoadExtension( 'PdfBook' );
</code>
```

- Configure in LocalSettings.php

```
<code>
$wgPdfBookTab      = true; # Whether or not an action tab is wanted for printing to PDF
$wgPdfBookLeftMargin  = "1cm";      # Left page margin
$wgPdfBookRightMargin = "1cm";      # Right page margin
$wgPdfBookTopMargin   = "1cm";      # Top page margin
$wgPdfBookBottomMargin = "1.5cm";   # Bottom page margin
$wgPdfBookFont        = "Arial";    # Default font to use if unspecified in content
$wgPdfBookFontSize     = 12;        # Point size of default font
$wgPdfBookLinkColour   = "217A28";  # Colour to use when rendering hyperlinks in text
$wgPdfBookTocLevels    = 2;         # Number of outline levels to use when building the table of contents
#$wgPdfBookExclude     empty      # List of article titles which should not be included in the book
$wgPdfBookFormat       = "single";
$wgPdfBookWidth        = "1000";
$wgPdfBookDebug        = false; // writes extra debugging statements
$wgPdfBookExtDebug     = false; // Extra debugging - Leaves produced HTML files behind so they can be viewed
</code>
```



6.4 Structure of code

There are 3 main files:

- extension.json - the declaration of the extension and the dependencies.
- PdfBookAction.php - the main code
- PdfBookHooks.php - adds hooks to the skins i.e. the links for download/print as PDF.

6.4.1 extension.json

Modified PHP requirement to 7.4 - works fine.

6.4.2 PdfBookHooks.php

Modified function actionLink to call the default as singlebook rather than single, as the changes below format the book better.

6.4.3 PdfBookAction.php

All important code and changes are in public function show.

6.4.3.1 Structure

- Sets up environment and settings
- Extracts all articles
- Creates a cache from the articles, code and querystring
- If cache does not exist,
 - ◆ create content of cache from pages, sorted in category sort sequence if part of a category
 - ◆ Replaces are made for various purposes.
 - ◆ Version of the document is extracted from the pages if present
 - ◆ Splits into title page and content pages
 - ◇ If a single page, splits as the TOC comment
 - ◇ If multiple pages from a category, first page is title, every other page is content
 - ◇ Adds HTML Headers
 - ◇ Builds the HTMLDoc commend.
 - ◇ Converts the articles into a PDF using the HTMLDoc command into the stored cache file.
- If cache does exist,
 - ◆ Version of the document is extracted from the pages if present
- Output the cache file

6.4.3.2 Changes

Added Debug control. Also adds lots of debugging statements. You can view the debug statements in the database - see [Assist Support Guide](#) for some information on how to do that. Also, you can just click Page Logs from the page to see the logs associated to the extraction.

Fixed some bugs in how it refers to \$title in some sections, to ensure that the debugging is correct (now uses \$doctitle instead in debugging and throughout the code where the original document is referenced).

Added formatting checks based on start of title of page being produced. If they start with standard formatting e.g. FS, SDD, OV, UG, then changes format to singlebook. Note this is now the default anyway, so largely redundant.

Adds body and header/footer images, which must be present in the upload directory - they should be anyway:

<code>

```
$bodyimagefile = "$wgUploadDirectory/ApteanPageBk$width.png";
$bodyimagefile = "$wgUploadDirectory/ApteanPageBk$width.png";
```



```

$hfimagefile1 = "$wgUploadDirectory/ApteanHF1.png";
$hfimagefile2 = "$wgUploadDirectory/ApteanHF2.png";
$hfimagefile3 = "$wgUploadDirectory/ApteanHF.png";
</code>

```

Resizes fonts and declares whether there is a title based on the start of the title of the page being produced, like above.

Added code to make DISPLAYTITLE work, although this is commented out in latest version.

Removed reference to HTMLDoc application path - in my tests, this didn't work properly, so removed and hardcoded.

Added code to remove borders around images - doesn't look great in PDF.

Added support for NEW_PAGE span tags - these are added through using NewPage template in pages.

Added attempt to remove smart quotes from produced test - doesn't work.

Added code to remove DocLink templates

Added version to the produced file served back to the user, if the version is in the documents.

Changed lots about how the HTMLDoc command is built.

Added ability to keep produced files for debugging.

6.5 Support

6.5.1 Logging

As mentioned above, when PDF code is run, debug statements will be added to the page logs. These can be accessed from the database directly (see Assist Support Guide) and can also be accessed on the page itself (through the *Page logs* link in the *More* section of the toolbox).

You can extend the debug logging by editing the Assist system's LocalSettings.php or LocalSettingsAdditional.php file and setting extended debugging. This will ensure that the PDF production code saves any files it produces (logging the location), and logs the command used to perform the PDF conversion, which can then be moved and saved locally and tested to find the issue.

6.5.2 Zero Bytes PDF

Problems typically display as the PDF being downloaded is zero bytes or cannot be opened.

The most common issues are with single page PDFs. The normal solutions are:

- For full documents, ensure that there is a heading 1 element in the file being downloaded.
- If you are transcluding pages into a document, there is typically a limit of around 15 transcluded pages before the document will not produce. Instead, consider grouping the pages into a category and extracting that instead of creating a single document.

6.5.3 '?' characters

Occasionally, PDFs will be produced with '?' characters in unusual places. This represents an unprintable character in the PDF. Typically, this is because of smart quotes or hyphen characters, usually because text has been pasted in from a Word document that has "helpfully" automatically changes all hyphens, quotes and single quotes into extended characters. The PDF conversion routine does not support these characters at this time. To solve this, edit the page in question and replace the quotes and hyphens with plain equivalents.

6.5.4 Unexpected Pages in PDF Books

When PDF books are created from Categories, sometimes there are pages included that are not expected.



Most of the time this is caused by inheritance of categories. If a page has a category and this is transcluded into another page, the default is that the page transcluding will inherit the categories listed in the transcluded page.

Check the category list of pages in Assist - usually you will see the offending page, and then the categories can be amended to resolve the issue.

Either remove the categories of the page if it is in the wrong category, or ensure that the categories are surrounded by NOINCLUDE tags. You should use the source editor to do this, as the Visual Editor does not handle this kind of meta data very well.



7 Assist Support Guide

The intention of this guide is to provide support information, and a general knowledge base and tips for the ongoing maintenance of Assist implementations.

7.1 Requirements

MySQL WorkBench

Access to the Assist server.

7.2 Hosted Systems

All hosted systems are documented in SharePoint, along with users and passwords.

You must have access to the SharePoint to read this document.

[https://apteanonline.sharepoint.com/teams/CALIDUS-CONNECTIONS/Shared%20Documents/Forms/AllItems.aspx?id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms/AllItems.aspx&id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx&id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx](https://apteanonline.sharepoint.com/teams/CALIDUS-CONNECTIONS/Shared%20Documents/Forms/AllItems.aspx?id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx&id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx&id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx)

7.3 Updating Data En Mass

By default, MySQL will not allow updating of data without explicit WHERE or LIMIT clauses. To enable this:


- Go to "Edit/Preferences"
- Choose "SQL Editor" Under "Query Results"
- Check "Safe Updates"
- Restart MySQL WorkBench.

 **Warning:** You will then be able to (for example) delete all data inadvertently, so enable this option with care.

7.4 Viewing BLOB fields

By default, MySQL WorkBench displays all text fields as "BLOB", which you must then right-click and choose "Open Value in Editor". To enable viewing the text directly in the results, do the following:

- Go to "Edit/Preferences"
- Choose "SQL Editor" Under "Query Results"
- Check "Treat BINARY/VARBINARY as nonbinary character string"
- Restart MySQL WorkBench.

 **Note:** Enabling this option comes with a performance hit - some text fields contain the entire page data, so enable this with care.

7.5 Recovering passwords from MYSQL Workbench

First go check where your encrypted file is. Usually it is stored at %AppData%\MySQL\Workbench\workbench_user_data.dat

If different, amend the commands below.

Use Powershell



```
Add-Type -AssemblyName System.Security
$cipher = Get-Content $env:APPDATA\MySQL\Workbench\workbench_user_data.dat -Encoding Byte -Raw
$scope = [System.Security.Cryptography.DataProtectionScope]::CurrentUser
$mysqlpwd = [System.Security.Cryptography.ProtectedData]::Unprotect( $cipher, $null, $scope )
[System.Text.UTF8Encoding]::UTF8.GetString($mysqlpwd)
```

7.6 Common Queries

```
-- Assist SQL

-- Find the page ID
SELECT * FROM obs_assist.obs_page
WHERE PAGE_TITLE LIKE '%SDD_366558%';

-- Find all revisions (to change comments)
SELECT * FROM obs_assist.obs_revision
where rev_page IN
(SELECT page_id FROM obs_assist.obs_page
WHERE PAGE_TITLE LIKE '%SDD_366558%'
);

-- Find unpatrolled pages to set them patrolled
SELECT *
FROM obs_assist.obs_recentchanges
where rc_patrolled = 0;

UPDATE obs_assist.obs_recentchanges
SET rc_patrolled = 1
where rc_user_text = 'StylesC'
and rc_patrolled = 0;

-- Check the logs for details of PDF production
SELECT * FROM mts_assist.oh_logging
where log_action = 'PdfBook'
order by log_id desc;

-- For v1.34 and later, comments have changed:
SELECT log.*, CONVERT(comment.comment_text USING utf8) comment
FROM epod_assist.epodlogging log
left join epod_assist.epodcomment comment
on comment.comment_id = log.log_comment_id
where log_action = 'PdfBook'
ORDER BY log_id DESC
LIMIT 20;
```

7.7 Assist Database Backup

Backup each database separately.

Use MySQL Administrator Data Export option.

Always check boxes as follows:

- Dump Stored Procedures and Functions
- Dump Events
- Dump Triggers
- Export to Self-contained File
 - ◆ Name with the name of the Assist on the start of the dump.
- Include Create Schema

Advanced Options button

- Comments
- Create-options
- quote-names



- lock-tables
- dump-date
- disable-keys
- tz-utc
- add-locks
- extended-insert

Start Export

7.8 Assist Database Restore

If required, drop the database from MySQL Administrator:

- On Schema explorer, right click on schema and select Drop Schema.

Use MySQL Administrator Data Import/Restore option.

- Import from self-contained file
- Select the database backup dump
- Click Start Import
- Refresh the schema explorer when done - the database should be present.

Restore database users, passwords and permissions when complete.

Will need to create the assist owner with username and password from LocalSettings.php

- From MySQL Admin Management Explorer
 - Users and Privileges
 - Add Account
 - ◆ Login Name and Password - as per LocalSettings.php
 - Administrative Roles tab - check DBA, which checks everything
 - Schema Privileges - add entry
 - ◆ Selected Schema
 - ◆ Check everything (click Select 'ALL' button)
- Click Apply

Normal Assist users will need to be reset either by the users through 2FA, or through [#Resetting User Passwords](#).

7.9 Creating Users/Resetting User Passwords

It is ALWAYS better to create a new user on the Wiki from the Special page "Create Account". In here, you should create the user and enter the email. This will send an email to the user to reset their own password.

However, in the event of coreecting a problem, this can be done from the command line:

```
{InstallDrive}:\xampp\php\php.exe {InstallDrive}:\xampp\htdocs\calidus-assist\{wikiname}\maintenance\createUser.php
```

⚠ Warning: You must change to the root of the install drive or this will not work e.g. enter "{InstallDrive}:" at the command prompt BEFORE the previous command.

You can also add some parameters to promote the user with group rights, as follows:

```
--bureaucrat      Add the account to the bureaucrat group
--sysop           Add the account to the sysop group
--interface-admin Add the account to the interface-admin group
--custom-groups   Comma-separated list of groups to add the user to. This allows adding the user to any custom group.
Since MW 1.27, a user is only added to a custom group, if this group actually exists according to $wgGroupPermissions.
--force           If account already exists, just grant it rights or change password. Do not create a new account in
```



In the event of needing to change a password, it is ALWAYS better to get the user to do it themselves - if the email has been set up, they can access the reset from there.

System admins can also force the sending of the reset password link from Special:ResetPassword.

In the event that this is simply correcting a previously set password, you can use the command line:

```
{InstallDrive}:\xampp\php\php.exe {InstallDrive}:\xampp\htdocs\calidus-assist\{wikiname}\maintenance\change
```

⚠ Warning: You must change to the root of the install drive or this will not work e.g. enter "{InstallDrive}:" at the command prompt BEFORE the previous command.

7.10 Upgrading a Wiki from 1.16 Upwards

The following is a checklist of actions.

{SYSTEM}

- Extracted - INCOMPLETE
- DB Import - INCOMPLETE
- DB User - INCOMPLETE
 - ◆ {SYSTEM}_owner/{PASSWORD}
- Version 1.31.6 - INCOMPLETE
 - ◆ Move old extensions to old folder - INCOMPLETE
 - ◆ Recreate LocalSettings.php
 - ◆ Update password sender and emergency contact
- Version 1.34.4 - INCOMPLETE
 - ◆ Leave LocalSettings.php
 - ◆ May need to remove some extensions like numberformat and variables
- Version 1.39.8 - INCOMPLETE
 - ◆ Leave LocalSettings.php
- New Extensions and files - INCOMPLETE
 - ◆ Overwrite MW-add-files - INCOMPLETE
- LocalSettings.php - INCOMPLETE
 - ◆ require_once "\$IP/LocalSettingsAdditional.php";
- Gadgets and MediaWiki css/js hacks - INCOMPLETE
 - ◆ Import MW-hacks.xml file - INCOMPLETE
- Templates - INCOMPLETE
 - ◆ Import MW-Templates.xml - INCOMPLETE
- Additional Files - INCOMPLETE
 - ◆ C:\Users\twalker\OneDrive - Aptean-online\Documents\Work\Assist\OBS Templates Export
 - ◇ Aptean_Logo.png
 - ◇ Attention_niels_epting.png
 - ◇ Bulbgraph.png
 - ◇ Hint.png
- About/General Disclaimer/Privacy Policy - INCOMPLETE
- Users - INCOMPLETE
 - ◆ admin/Liverpool123
 - ◆ anw/Liverpool123
- Problems
 - ◆ NONE

7.11 Creating a Brand New Wiki

The following is a checklist of actions.

- Copy version 1.39.8 to a WIKI name - INCOMPLETE
 - ◆ Create LocalSettings.php
 - ◆ xxx_owner with appropriate password



- ◆ Note the password!
- New Extensions and files - INCOMPLETE
 - ◆ Overwrite MW-add-files - INCOMPLETE
- LocalSettings.php - INCOMPLETE
 - ◆ require_once "\$IP/LocalSettingsAdditional.php";
- Gadgets and MediaWiki css/js hacks - INCOMPLETE
 - ◆ Import MW-hacks.xml file - INCOMPLETE
- Templates - INCOMPLETE
 - ◆ Import MW-Templates.xml - INCOMPLETE
- Additional Files - INCOMPLETE
 - ◆ C:\Users\twalker\OneDrive - Aptean-online\Documents\Work\Assist\OBS Templates Export
 - ◆ Aptean_Logo.png
 - ◆ Attention_niels_epting.png
 - ◆ Bulbgraph.png
 - ◆ Hint.png
- About/General Disclaimer/Privacy Policy - INCOMPLETE
- Users - ensure that there is at least an Admin user with full user rights. Note the password:
 - ◆ Log in as administrative user
 - ◆ Special:Create Account
 - ◆ Create admin account - note the password.
 - ◆ Special:User Rights
 - ◆ Check Administrator, Interface Administrator, Bureaucrat and Suppressor
 - ◆ Save user groups

7.12 Extracting Hacks

- Extract from MTS Assist
- Special Pages
- Export Pages
- Add the pages specifically below

```
MediaWiki:Common.js
MediaWiki:Group-user.css
MediaWiki:Common.css
MediaWiki:Vector.css
MediaWiki:Timeless.css
MediaWiki:Gadget-veCenterLoader.js
MediaWiki:Gadget-autonum
MediaWiki:Gadget-autonum.js
MediaWiki:Gadget-autonum.css
MediaWiki:Gadget-veCenterLoader
MediaWiki:Gadget-veCenter.js
MediaWiki:Gadgets-definition
```

- Ensure the following are checked/unchecked:
 - ◆ Include only the current revision, not the full history - CHECKED
 - ◆ Include templates - UNCHECKED
 - ◆ Save as file - CHECKED
- Export to MW-hacks.xml

7.13 Extracting Templates

- Extract from MTS Assist
- Special Pages
- Export Pages
- Add the pages specifically below

```
Template:DocLink
Template:Doc_Title
Template:Comment
Template:Incomplete
Template:Note
Template:Hint
```



```

Template:Warning
Template:Xref
PageTemplate
DocTemplate

```

- Ensure the following are checked/unchecked:
 - ◆ Include only the current revision, not the full history - CHECKED
 - ◆ Include templates - UNCHECKED
 - ◆ Save as file - CHECKED
- Export to MW-Templates.xml

7.14 Extracting Common Additional Files

Take the following from an Assist implementation that has them:

```

Aptean_Logo.png
Attention_niels_epting.png
hint.png
Bulbgraph.png

```

- Special:All Pages
- Enter start of file name in "Display pages starting at:"
- Select File Namespace from drop-down list and then click Go.
- Click on the file until a full-screen version appears.
- Right-click, Save Image As
- Save to your chosen directory.

7.15 Extracting Namespace Files

- Extract from an existing Assist
- Special Pages
- Export Pages
- Add the pages specifically below, replacing the namespace with the namespace of the Assist system - in this case this is from CTMS Assist:

```

CTMS:Privacy_policy
CTMS:General_disclaimer
CTMS:Copyrights
CTMS>About

```

- Ensure the following are checked/unchecked:
 - ◆ Include only the current revision, not the full history - CHECKED
 - ◆ Include templates - UNCHECKED
 - ◆ Save as file - CHECKED
- Export to MW-Namespaces.xml



Note: You will then need to amend the About page to change the product name and copyright dates.

7.16 Importing Additional Files, Templates and Hacks into a Wiki

- Ensure that all additional files from MW-add-files have been added.
- Upload additional files:
 - ◆ Special:Upload Multiple Files
 - ◆ Add a description if you want
 - ◆ Select the following files:

```

Aptean_Logo.png
Attention_niels_epting.png
hint.png
Bulbgraph.png

```



- As soon as you select the files, the files will be uploaded. The page will indicate if there is any error uploading the files (for example if they already exist)
- Upload hacks and templates:
 - ◆ Special Pages
 - ◆ Import Pages
 - ◆ Browse for the file to import, one of (do both)
 - ◇ MW-hacks.xml
 - ◇ MW-Templates.xml
 - ◆ Set InterWiki prefix to the name of the Wiki e.g. MTS, Portal, CTLTMS, etc
 - ◆ Add a comment if you want.
 - ◆ Ensure option "Import to original namespace" is selected
 - ◆ Upload File.

7.17 Importing Namespace Files

- Special Pages
- Import Pages
- Browse for the file to import
 - ◆ MW-Namespaces.xml
- Set InterWiki prefix to the name of the Wiki e.g. MTS, Portal, CTLTMS, etc
- Add a comment if you want.
- Ensure option "Import to a namespace" is selected
- Select the namespace from the drop-down list that matches the Assist being imported into, for example, MTS for CTMS, EPOD for C-ePOD, etc
- Upload File.

7.18 Additional Actions

The following are additional actions that are required, with some sample pages.

- MediaWiki:Pagetitle-view-mainpage - change this text to define the title of the wiki e.g. Assist - OBS Hub
- Update the main page - the MTS one is the one with all the best notes in.
- Update the Did You Know page with the common Assist-based help topics - there is an example in this Assist of a Did You Know page which can be copied or exported, imported and then edited.
- "Download as PDF" to "Print as PDF" - e.g. "Print as PDF" tab in the tab bar, typically on the top of the screen".

7.18.1 About

`''CALIDUS'' TMS System Copyright © 2000-{{CURRENTYEAR}} [https://aptean.com/ Aptean]. All Rights Reserved.`

`''CALIDUS'' Assist System Copyright © 2011-{{CURRENTYEAR}} [https://aptean.com/ Aptean]. All Rights Reserved.`

`The information contained herein is the property of Aptean and is supplied without liability for errors or omissions.`

7.18.2 Disclaimer

`Copyright Aptean © 2011-{{CURRENTYEAR}}`

`The information contained herein is the property of Aptean and is supplied without liability for errors or omissions.`

`It is also added to and maintained from various other sources outside of Aptean and may be from but not limited to.`

`No part may be reproduced or used except as authorised by contract or other written permission. The copyright remains the property of Aptean.`

7.18.3 Privacy Policy

`All content submitted to this documentation is the property of Aptean and will be made available to all customers.`



7.18.4 Copyrights

```
== Content ==
{{:{{NAMESPACE}}:General_disclaimer}}

== MediaWiki ==
You can find the MediaWiki license, contributors, FOSS attributions and components here:
* [[Special:Version]].
```

7.19 Support Issues

7.19.1 Seeing a Cat in the Background

There is a cat.svg linked from Timeless skin. (/calidus-assist/OBS/skins/Timeless/resources/images/cat.svg). This is the default.

This is configurable in skin.json in the Timeless directory for your Wiki. i.e.
D:\xampp\htdocs\calidus-assist\OBS\skins\Timeless\skin.json

Solution: Set this to user-grey.svg instead.

```
"config": {
  "TimelessBackdropImage": {
    "value": "user-grey.svg",
    "description": "Set it as you would $wgLogo to an appropriate background image. Rec
  },
```

With multiple wiki installs, this is onerous. To facilitate changing multiple wiki installs, there is a directory in D:\Assist Install Files\MW-add-files called skins.

To apply:

- Copy the directory skins.
- Navigate to your Assist main folder e.g. D:\xampp\htdocs\calidus-assist\WMS
- Paste - this will overwrite the config file with the corrected one.

⚠ Warning: This file is delivered with MediaWiki. A new install will overwrite this file. If you have updated MediaWiki or installed a new version of the Timeless skin, then compare the saved skin.json file with the new one and update with any new/changed attributes.



8 Assist Upgrade Actions

8.1 Purpose

Reasons

- Assist server (online-help) will be sunsetted.
- Some Assist wikis are 16 years out of date and versions are not supported by MediaWiki for any further bug fixes.
- Version of XAMPP (including Apache and PHP) have security vulnerabilities that cannot be resolved without upgrading.
- QoL improvements.

What do we get:

- Technical
 - ◆ Latest security patched Apache, MariaDB and PHP installations.
 - ◆ Latest security patched MediaWiki installations.
 - ◆ New server with supported Windows, hosted on new farm, security enhanced.
 - ◆ Enhanced security of edits through CAPTCHA.
- Maintenance
 - ◆ Easier upgrade path in the future to maintained LTS MediaWiki releases.
 - ◆ Batch Editing/Replacement - through Extension:Nuke/Extension:ReplaceText
 - ◆ Code syntax and error highlighting - through Extension:CodeEditor/Extension:SyntaxHighlight
 - ◆ Email/2FA account registration
 - ◆ Easier page/document creation - through Extension:InputBox
 - ◆ Batch upload of images, easing creation of new pages - through Extension:SimpleBatchUpload.
- QoL
 - ◆ Improved editor
 - ◇ On-line preview - through Extension:WikiEditor
 - ◇ Template inserting - through Extension:TemplateWizard and Extension:TemplateData
 - ◇ Visual Editor - through Extension:VisualEditor and Extension:Gadgets
 - ◇ Visual Differences in edits and history - through Extension:VisualEditor
 - ◆ Easier category navigation - through Extension:CategoryTree
 - ◆ Cleaner modern layout, compatible with Mobile - through Timeless/Vector skin
 - ◆ Searching of tables - through bespoke code
 - ◆ Better exporting to PDF in Aptean format- through Extension:PdfBook
 - ◆ Online translation of pages to multiple languages - through Extension:GoogleTranslator
 - ◆ "Peek" at linked pages by hovering over the link. Includes an appropriate thumbnail picture if there is one - through Extension:Popups

8.2 Local Upgrades

See existing system locally hosted

http://localhost:8080/EPOD/index.php/Main_Page

U/P: anw/Liverpool123

Database password is blank!

8.3 Fresh Server Installation

8.3.1 Preparation

- IIS
 - ◆ If IIS is installed, change the default port from 80/443 so it doesn't interfere with Apache. Or change Apache to 8080/41443 - see later, but recommended that 443 remains the SSL port.
- Download the MSI installer - required for VC components. Download from Bitnami
- Download the Visual C++ 2000 SP1 redistributable
- Download Notepad++ - latest version



- Download MySQL WorkBench - latest version.

8.3.2 Installation

- Install Notepad++
- Install MySQL WorkBench
- Install VCredist.exe
- Install xampp
- Run setup_xampp.bat
 - ◆ Update settings if asked.

8.3.3 Configuration

See X:\xampp\readme_en.txt for details

- Right-click xampp-control.exe and Run as Administrator.
- Change config
 - ◆ Click topmost Config button
 - ◇ Change editor to Notepad++
 - ◇ Autostart Apache and MySQL
 - ◇ Change default ports to 8080 and 41443
 - ◇ Apply
 - ◆ Click Config against Apache
 - ◇ Replace 80 with 8080 in httpd.conf
 - ◇ Replace 443 with 41443 in httpd-ssl.conf - should not do this on properly hosted systems
 - ◇ On properly hosted systems, in the VirtualHost section in httpd-ssl.conf, add this line before the end of the definition

```
RedirectMatch ^/$ /calidus-assist/

</VirtualHost>
```

- Enable Intl and openssl packages for 1.39:
 - ◆ On XAMPP (Windows) open the php.ini by opening the control panel, selecting config on apache section and selecting PHP
 - ◆ Then add extension=intl
 - ◆ Then add extension=openssl
- Change memory limit
 - ◆ php.ini - memory_limit = 128M, all the way up to 512 depending on the size of PDF documents. For example, CTMS User Guide PDF size when produced is nearly 60Mb.
- Click the Service button on the left to install as a service, for Apache and MySQL
- Start (or Restart) Apache and MySql processes - if they were already started, configuration changes will not apply correctly.

8.3.4 HTMLDoc

Install HTMLDoc 1.9.8 into default directory on C drive.

8.3.5 Additional Configuration

If copying an Assist from another machine, where the Apache port number is different to the port number on the new server, you will likely have to change the port number in the LocalSettings.php file

On local servers:



```
$wgServer = "http://localhost:8080";
```

On properly hosted servers:

```
$wgServer = "http://calidusassist.adcservices.apteancloud.com";
```

However, on most installations, the following will work for all types of URL (local or cloud):

```
$wgServer = $wgServer = WebRequest::detectServer();
```

8.4 Upgrading XAMPP PHP

Requires upgrade to PHP to 7.4.3 - current version of the XAMPP that I have is 7.4.2

- Start with a XAMPP version that is compatible (see below) or start with the requirements from 1.34 and upgrade PHP
- Upgrading PHP
 - ◆ Download the version of XAMPP with the version you're after (in this case xampp-portable-windows-x64-7.4.4-2-VC15.7z) - use latest v7.X installer
 - ◆ Rename xampp/php folder to keep it safe.
 - ◆ Extract php folder into xampp
 - ◆ Compare php.ini and make necessary changes for Assist/Wiki
 - ◆ Stop and start Apache.
 - ◆ Note: 7.4.4 works fine with 1.34 - tested locally

8.5 Creating a brand new MediaWiki installation

- Just extract the MW zip file into a new folder under calidus-assist, rename to what you want
- Run configuration (navigate to the site)
 - ◆ database name
 - ◆ table prefix (including underscore e.g. "oh_", "epod_")
 - ◆ Enter your DB password
 - ◆ Regenerate localSettings.php
 - ◆ Enter owner u/p
- Enter the same username/password for the site for the admin user.
- Default skin: Timeless (mobile-friendly)

If you are setting up a shared interwiki (which is standard in a new wiki set up following the instructions and templates below), then you need to follow the instructions in Shared Interwiki below.

Then follow MediaWiki Configuration and following sections

8.6 Shared Interwiki

In order for shared Interwiki to work (which is standard in a new wiki set up following the instructions and templates below), you must then update the user just created to have access to database obs_assist:

- Using MySQL Administrator:
- Open connection to database.
- Click on Administration tab
- Click on Users and Privileges
- Click on your user above.
- Click Schema Privileges
- Click Add Entry...
- Click Selected Schema.
- Select obs_assist from the DDL.
- Click OK
- Check all boxes in Object Rights section.
- Click Apply.



8.7 Upgrading existing MediaWiki

8.7.1 Copying

- Pull HTDOC for wiki systems into server from existing implementation.
- Also favicons and index.html (gateway).
 - ◆ Update the favicon to Aptean - use the one in my MTS wiki - C:\xampp\htdocs\favicon.ico
- Copy all the images from the ROOT images folder (not the subfolders) e.g. C:\xampp\htdocs\MTS\images
 - ◆ ApteanPageBk.png
 - ◆ ApteanPageBk800.png
 - ◆ ApteanPageBk1000.png
 - ◆ Clear_Icon.png
 - ◆ ApteanHF.png
 - ◆ ApteanHF1.png
 - ◆ ApteanHF2.png
 - ◆ pdf.png
- Also images from \$wgResourceBasePath/resources/assets/
 - ◆ Aptean.png
- Pull databases into MariaDB.

8.7.2 Upgrade MediaWiki

- Upgrade MediaWiki
 - ◆ Download the version your after (in this case mediawiki-1.39.8.zip from <https://releases.wikimedia.org/mediawiki/1.39/>)
 - ◆ Backup the database with all procedures and users. Note your root password.
 - ◆ Backup your XAMPP\htdocs folder that you are upgrading e.g. htdocs/MTS)
 - ◆ Backup your localsettings.php to localsettings.v1.34.old (belt and braces - you can use the one in your backup instead if you like)
 - ◆ Extract new MW version to a local folder (you'll need it again for all your wikis, and it's faster this way)
 - ◆ Copy new MW version over existing MW folder e.g. htdocs/MTS
 - ◆ Put the localsettings.php back in place.
 - ◆ Go to your URL, plus mw-config e.g. <http://localhost:8080/calidus-assist/MTS/mw-config/>
 - ◆ Follow the instructions as before - stages as below:
 - ◇ Language - select language.
 - Existing Wiki - copy the \$wgUpgradeKey value from localsettings.php into the screen
 - ◇ Welcome to MediaWiki! - does checks - resolve any issues, but should be OK to continue
 - ◇ Connect to database - not required when upgrading an existing wiki
 - ◇ Upgrade existing installation - click Continue - that should be it. Any error, you can probably just continue again
 - ◇ Database settings
 - ◇ Name
 - ◇ Options
 - ◇ Install
 - ◇ Complete!

Notes from previous upgrades:

- (May need to recreate users, specifically the owner from the previous site, as well as all other users.)
 - ◆ Create user, assign all privs for all databases to the admin user, other users don't need as much privilege - check an existing wiki for details
- Reset passwords (must now be 10 mixed characters). Use either of the following:
 - ◆ Special:PasswordReset - enter username and email address.
 - ◆ "C:\xampp\php\php.exe" changePassword.php --user=example --password=example
- Place wiki.png from skins/common/images into resources/common

8.7.3 MediaWiki Configuration

- Enable all extensions, but be aware that some may need to be upgraded/have been upgraded by the wiki.
 - ◆ #wfLoadExtension('Variables'); - doesn't work - not needed - comment out in the LocalSettings.php file



- ♦ #wfLoadExtension('PdfBook'); - doesn't work - needed - you will have to manually upgrade the PDF extension - see notes below.
- Fix the logo and copyright icons again if required:
 - ♦ LocalSettings.php
 - ◇ \$wgRightsIcon = "\$wgResourceBasePath/resources/assets/Aptean.png";
 - ◇ \$wgLogo = "\$wgResourceBasePath/resources/assets/Aptean.png";
 - ◇ \$wgRightsText = "Copyright ".html_entity_decode('©')." 2008-". date("Y")." Aptean ";
 - ◇ localSettings.php to override mail, for using gmail, check settings in C:\xampp\htdocs\EPOD\LocalSettings.php. Also have to set up an apppassword against the gmail account.
 - Add under \$wgShowExceptionDetails: \$wgDeprecationReleaseLimit = '1.0'; # Removes deprecation warnings from the system
- Create the Privacy Policy page if it doesn't exist.
 - ♦ All content submitted to this documentation will be available to all customers of Aptean.
- Use new version of PdfBook (see my MTS folder - old compatible versions are in Old Versions folder)
 - ♦ New PDF Book requires PHP8+ -
 - ◇ Reset the requirement to 7.4 in extension.json
- MediaWiki:Pagetitle-view-mainpage - change this text to define the title of the wiki e.g. Assist - Calidus HUB
- Update the main page - the MTS one in my PC is the one with all the best notes in.
- Update the Did You Know page with the common Assist-based help topics - the MTS one in my PC is the one with all the best notes in, including reference to searchable tables below.
- Create PageTemplate and DocTemplate pages - see local MTS assist for details
- MediaWiki:Common.js - add searchable tables code

```

/* Any JavaScript here will be loaded for all users on every page load. */

// Javascript/jquery code for searching tables
function search_table(tableID, value){
    $('#'+tableID+' tr').each(function(){
        var found = 'false';
        if (!$(this).hasClass('non-searchable')) {
            $(this).each(function(){
                if ($(this).find('td.non-searchable').length > 0) {
                    found = 'true';
                } else if (!$$(this).find('th').length > 0) {
                    if($(this).text().toLowerCase().indexOf(value.toLowerCase()) >= 0)
                    {
                        found = 'true';
                    }
                } else {
                    // Always keep the header row
                    found = 'true';
                }
            });
            if(found == 'true')
            {
                $(this).show();
            }
            else
            {
                $(this).hide();
            }
        }
    });
}

$(document).ready(function(){
// Alternative method - makes all tables with 10 or more rows (including header) searchable automatically
//      $("table > tbody > tr:nth-child(10)").closest("table").each(function(index, element) {
//          $("table.appt-searchable").each(function(index, element) {
//              var tableID = this.id;
//              if (tableID == '') {
//                  tableID = "apptSearchableTable_" + (index + 1);
//                  $(this).attr("id", tableID);
//              }
//              $('<input type="text" id="'+tableID+'_'+index+'" onkeyup="search_table(\''+tableID+'\',$('th
//          });
//      });
});

```

- MediaWiki:Group-user.css - add user-show stuff

```
.appt-user-show {display: block !important;} // code to hide creation of pages on main page if not 1
```



- MediaWiki:Common.css - add searchable tables code and DocLink styles

```
.apt-search-clear {background: url("images/Clear_Icon.png") no-repeat 5px center; padding:5px 5px 5px 30px;
.apt-doclink {box-sizing: border-box;font-family: "Google Sans", Roboto, Arial, sans-serif;line-height: nor
```

- Change Template:DocLink to use class rather than inline style - see version in my MTS.
- "Download as PDF" to "Print as PDF" - e.g. "*Print as PDF*" tab in the tab bar, typically on the top of the screen".
- Change Templates:
 - ◆ All templates - add TemplateData - see my wiki for annotated templates.
 - ◆ Doc_Title - new format.
 - ◇ Doc_TitleNew - change OBS logo so it has "|Logo|link=" at the end.
 - ◇ Doc_Title - change OBS logo so it has "|Logo|link=" at the end.
- MediaWiki:Common.js - remove any editing toolbar js.
- MediaWiki:Vector.js - fix left panel - check the existing code in EPOD
- MediaWiki:Vector.css - h1, h2, h3, h4 {font-family: sans-serif !important;}.
- MediaWiki:Timeless.css - h1,h2,h3,h4, #p-logo-text a {font-family: 'Segoe UI','Segoe UI Emoji','Segoe UI Symbol','Lato','Liberation Sans','Noto Sans','Helvetica Neue','Helvetica',sans-serif !important;} #p-logo-text a {font-variant: normal !important;}.
- Site:About/General Disclaimer/Privacy Policy (from link in footer) - make sure links Aptean, including images. Copy from new MTS site.
- Batch upload the following images from "...MW-add-files\Images to Upload":
 - ◆ Geographylogo.png
 - ◆ hint.png
 - ◆ pdf.png
 - ◆ Attention_niels_epting.png
 - ◆ Bulbgraph.png

Extensions to enable in LocalSettings:

- wfLoadExtension('CategoryTree');
- wfLoadExtension('CodeEditor');
- wfLoadExtension('ConfirmEdit');
- wfLoadExtension('InputBox');
- wfLoadExtension('Nuke');
- wfLoadExtension('PageImages');
- wfLoadExtension('ParserFunctions');
- wfLoadExtension('PdfHandler');
- wfLoadExtension('Renameuser');
- wfLoadExtension('TextExtracts');
- wfLoadExtension('WikiEditor');

The following will be enabled later

- wfLoadExtension('PdfBook');
- wfLoadExtension('Variables');
- require_once "\$IP/extensions/NumberFormat/NumberFormat.php";
- require_once "\$IP/extensions/GoogleTranslator/GoogleTranslator.php";
- wfLoadExtension('TemplateData');
- wfLoadExtension('TemplateWizard');
- wfLoadExtension('VisualEditor');
- wfLoadExtension('Gadgets');
- wfLoadExtension('ReplaceText');
- wfLoadExtension('InterWiki');
- wfLoadExtension('NativeSvgHandler');

Including all necessary settings for each - see MTS LocalSettings for details

Extensions to remove if enabled and move to old subdirectory for safekeeping:

- HistoryOfPage - just doesn't work - affects OBSHUB.
- MakeArticle - replaced with InputBox
- CreateArticle - replaced with InputBox



- JSpoiler - partially replaced with Group-user.css
- PasswordReset - doesn't work, archived
- LocalisationUpdate - not used
- FCKEditor - not used
- NumberFormat - will be replaced with new version
- WikiForum
- DocumentApproval
- MetaKeywordsTag

Extensions to update if enabled:

- PdfBook
- Variables (will eventually be a problem as is deprecated, but not now)
- NumberFormat

Extensions to add if not present:

- GoogleTranslator
- TemplateWizard
- VisualEditor - should be present in 1.39+
- Gadgets - should be present in 1.39+
- SimpleBatchUpload
- NumberFormat
- Variables
- PdfBook
- PageImages
 - ◆ When upgrading, it is necessary to run the following to generate the page images. It will take a while:

```
C:\xampp\php\php.exe C:\xampp\htdocs\calidus-assist\{wikiname}\extensions\PageImages\maintenance\phpinitImage.php
```

- TextExtracts
- Popups

Consider the following new extensions:

- Extension:InlineComments - could use in OBS HUB
- Extension:SmartComments - could use in OBS HUB
- https://m.mediawiki.org/wiki/Extension:Restrict_access_by_category_and_group#:~:text=Even%20though%20MediaWik
 - ◆ Could use to create customer-specific pages or guides
 - ◆ create customer pages, categorise them into the group and then make those groups private, then assign those groups to users so that they can see their own pages.
 - ◆ E.g. create a group DHL. Add DHL to Groups.php file. Restrict access to DHL group. Make private through LocalSettings. Create a page into category DHL. Only users given the group permission DHL will be able to see pages in that category.
 - ◆ Or consider <https://www.mediawiki.org/wiki/Extension:AccessControl> instead.
- VECancelButton
- Extension:VersionCompare
- Extension:GuidedTour
- Extension:GroupManager
- Extension:GoogleCustomWikiSearch
- Extension:GoogleTranslate - can also save subpages
- (Not yet checked A-F extensions in https://www.mediawiki.org/w/index.php?title=Category:Stable_extensions - there may be others that are useful there.

8.7.4 Gadgets

See [Assist Visual Editor Gadgets](#) for details of how to do this.

Add the following gadgets:



- center
- autonumber

8.7.5 Hack Fixes

These are a number of things that may be required on some or all Assists, but commonly OBSHUB is the one that will require most hacks.

- SectionProfiler. Compare current local MW version to that on the install to see what this needs doing.
SectionProfiler.php Location: includes/profiler/
 - ◆ Actually resolved when moving to 1.34, so no issues there.
- OBS Hub:
 - ◆ Massive issues - Extension: variables might not work now or in the future. Will require a change to all existing specs to replace - a work in progress and can be ignored for now.
 - ◇ See <https://www.mediawiki.org/wiki/Extension:Variables> for notes on getting this to work
 - ◆ bulk replace (excluding templates):
 - ◇ `"[[Category:{{#var:Client}} FS]]" with "[[Category:{{#var:Client}} FS]]\r\n[[Category:{{#vardefine:System|'CALIDUS' ePOD}}]" with "[[Category:{{#vardefine:System|'CALIDUS' ePOD}}]"`
 - ◇ `"{{#vardefine:System|'CALIDUS' ePOD}}" with "[[Category:{{#vardefine:System|'CALIDUS' ePOD}}]"`
 - ◇ Force the bulk edits through from commandline. See extension Extension:Replace Text notes for how to do this (you can access this from Special:Version). Essentially, execute RunJobs.php (perhaps multiple times).
 - ◇ Update all FS/SDD/REQ with new appendix, or will not produce properly. Note that this may only be required on OBS Hub - others don't use HistoryOfPage.
 - ◇ Change Templates:
 - Doc_Appendix - remove HOP.
 - Doc_AppendixNew - remove HOP.
 - EstimateCostDetails2020 - £ sign.

8.8 Additional Actions

The following are additional actions that are required, with some sample pages.

- MediaWiki:Pagetitle-view-mainpage - change this text to define the title of the wiki e.g. Assist - OBS Hub
- Update the main page - the MTS one is the one with all the best notes in.
- Update the Did You Know page with the common Assist-based help topics - there is an example in this Assist of a Did You Know page which can be copied or exported, imported and then edited.
- "Download as PDF" to "Print as PDF" - e.g. "Print as PDF tab in the tab bar, typically on the top of the screen".
- MediaWiki:Editundo might be in a different language - reset to "undo" if it is. This was an old upstream problem that seems to regress fairly regularly.

8.8.1 About

CALIDUS TMS System Copyright © 2000-2025 Aptean. All Rights Reserved.

CALIDUS Assist System Copyright © 2011-2025 Aptean. All Rights Reserved.

The information contained herein is the property of Aptean and is supplied without liability for errors or omissions. No part may be reproduced or used except as authorised by contract or other written permission. The copyright and foregoing restriction on reproduction and use extend to all media in which the information may be embodied.

8.8.2 Disclaimer

Copyright Aptean © 2011-2025

The information contained herein is the property of Aptean and is supplied without liability for errors or omissions.

It is also added to and maintained from various other sources outside of Aptean and may be from but not limited to customers of Aptean. No declaration is made that this documentation is up to date or valid for the version of the



application being described here, as pertains to the version of the software installed for the customer.

No part may be reproduced or used except as authorised by contract or other written permission. The copyright and foregoing restriction on reproduction and use extend to all media in which the information may be embodied.

8.8.3 Privacy Policy

All content submitted to this documentation is the property of Apteau and will be made available to all customers of Apteau.



9 Assist Visual Editor Gadgets

9.1 Resources

- <https://www.mediawiki.org/wiki/VisualEditor/Gadgets>
- <https://www.mediawiki.org/wiki/Extension:Gadgets#Usage>
- https://www.mediawiki.org/wiki/VisualEditor/Gadgets/Add_a_tool

List of common gadgets

- <https://meta.wikimedia.org/wiki/Gadgets>
- https://meta.wikimedia.org/wiki/Wikimedia_Blog/Drafts/VisualEditor_gadgets
- <https://www.mediawiki.org/wiki/VisualEditor/Gadgets>

List of common snippets

- <https://www.mediawiki.org/wiki/Snippets>

Example of replace:

- <https://en.wikipedia.org/wiki/User:%D7%A2%D7%A8%D7%9F/veReplace.js>
- <https://en.wikipedia.org/wiki/User:%D7%A2%D7%A8%D7%9F/veReplace>

First, the gadgets extension must be installed - see Extension:Gadgets.

In general, you have to

- create the Gadget loader js with a unique name e.g. MediaWiki:Gadget-veNAMELoader.js

```
mw.libs.ve.addPlugin( 'ext.gadget.veNAME' );
```

- Add a description to the loader e.g. MediaWiki:Gadget-veNAMELoader

```
Adds SOME FUNCTIONALITY to VisualEditor
```

- Create the gadget js e.g. MediaWiki:Gadget-veNAME.js
- Actually load the gadgets into MediaWiki:Gadgets-definition

```
* veNAMELoader[ResourceLoader|default|dependencies=ext.visualEditor.desktopArticleTarget.init]|veNAMELoader
* veNAME[ResourceLoader|default|rights=hidden|hidden|dependencies=ext.visualEditor.core]|veNAME.js
```

9.2 Examples

9.2.1 Center

- MediaWiki:Gadget-veCenterLoader.js

```
mw.libs.ve.addPlugin( 'ext.gadget.veCenter' );
```

- MediaWiki:Gadget-veCenterLoader

```
Add Center to the Format list in VisualEditor
```

- MediaWiki:Gadget-veCenter.js

```
mw.loader.using( [ 'ext.visualEditor.core', 'ext.visualEditor.mwtransclusion' ] ).then(function () {
// ----- (start of ve.ui.CenterAction definition) -----
// This is based on [lib/ve/src/ui/actions/ve.ui.BlockquoteAction.js] from Extension:VisualEditor.

    ve.ui.CenterAction = function VeUiCenterAction() {
        ve.ui.CenterAction.super.apply( this, arguments );
    };
});
```



```

OO.inheritClass( ve.ui.CenterAction, ve.ui.Action );

ve.ui.CenterAction.static.name = 'center';
ve.ui.CenterAction.static.methods = [ 'wrap', 'unwrap', 'toggle' ];

ve.ui.CenterAction.prototype.isWrapped = function () {
    var fragment = this.surface.getModel().getFragment();
    return fragment.hasMatchingAncestor( 'center' );
};
ve.ui.CenterAction.prototype.toggle = function () {
    return this[ this.isWrapped() ? 'unwrap' : 'wrap' ]();
};
ve.ui.CenterAction.prototype.wrap = function () {
    var
        surfaceModel = this.surface.getModel(),
        selection = surfaceModel.getSelection(),
        fragment = surfaceModel.getFragment( null, true ),
        leaves, leavesRange;

    if ( !( selection instanceof ve.dm.LinearSelection ) ) {
        return false;
    }

    leaves = fragment.getSelectedLeafNodes();
    leavesRange = new ve.Range(
        leaves[ 0 ].getRange().start,
        leaves[ leaves.length - 1 ].getRange().end
    );
    fragment = surfaceModel.getLinearFragment( leavesRange, true );
    fragment = fragment.expandLinearSelection( 'siblings' );

    while (
        fragment.getCoveredNodes().some( function ( nodeInfo ) {
            return !nodeInfo.node.isAllowedParentNodeType( 'center' ) || nodeInfo.node.
        } )
    ) {
        fragment = fragment.expandLinearSelection( 'parent' );
    }

    // Wrap everything in a <center> tag
    fragment.wrapAllNodes( { type: 'center' } );

    return true;
};
ve.ui.CenterAction.prototype.unwrap = function () {
    var
        surfaceModel = this.surface.getModel(),
        selection = surfaceModel.getSelection(),
        fragment = surfaceModel.getFragment( null, true ),
        leaves, leavesRange;

    if ( !( selection instanceof ve.dm.LinearSelection ) ) {
        return false;
    }

    if ( !this.isWrapped() ) {
        return false;
    }

    leaves = fragment.getSelectedLeafNodes();
    leavesRange = new ve.Range(
        leaves[ 0 ].getRange().start,
        leaves[ leaves.length - 1 ].getRange().end
    );
    fragment = surfaceModel.getLinearFragment( leavesRange, true );

    fragment
        // Expand to cover entire <center> tag
        .expandLinearSelection( 'closest', ve.dm.CenterNode )
        // Unwrap it
        .unwrapNodes( 0, 1 );

    return true;
};
ve.ui.actionFactory.register( ve.ui.CenterAction );

// ----- (end of ve.ui.CenterAction definition) -----

```



```

ve.ui.CenterFormatTool = function VeUiCenterFormatTool() {
    ve.ui.CenterFormatTool.super.apply( this, arguments );
};
OO.inheritClass( ve.ui.CenterFormatTool, ve.ui.FormatTool );

ve.ui.CenterFormatTool.static.name = 'center';
ve.ui.CenterFormatTool.static.group = 'format';
ve.ui.CenterFormatTool.static.title = 'Center';
ve.ui.CenterFormatTool.static.format = { type: 'center' };
ve.ui.CenterFormatTool.static.commandName = 'center';
ve.ui.toolFactory.register( ve.ui.CenterFormatTool );

ve.ui.commandRegistry.register(
    new ve.ui.Command(
        'center', 'center', 'toggle',
        { supportedSelections: [ 'linear' ] }
    )
);
ve.ui.triggerRegistry.register(
    'center', {
        mac: new ve.ui.Trigger('cmd+j'),
        pc: new ve.ui.Trigger('ctrl+j')
    }
);
} );

```

- MediaWiki:Gadgets-definition

```

*veCenterLoader[ResourceLoader|dependencies=ext.visualEditor.desktopArticleTarget.init]|veCenterLoader.js
*veCenter[ResourceLoader|rights=hidden|hidden|dependencies=ext.visualEditor.core]|veCenter.js

```

9.2.2 Replace - not required - already enabled in latest VE

- MediaWiki:Gadget-veReplaceLoader.js

```
mw.libs.ve.addPlugin( 'ext.gadget.veReplace' );
```

- MediaWiki:Gadget-veReplaceLoader

Adds replace button to VisualEditor

- MediaWiki:Gadget-veReplace.js

```

/* Translate the following to your language: */
mw.loader.using( 'ext.visualEditor.core' ).then( function () {

if ( !mw.messages.exists( 've-SearchAndReplaceDialog-title' ) ) {
    mw.messages.set( {
        've-SearchAndReplaceDialog-title': 'Search and replace',
        've-SearchAndReplaceDialog-from-label': 'From:',
        've-SearchAndReplaceDialog-to-label': 'To:',
        've-SearchAndReplaceDialog-from-placeholder': 'From text',
        've-SearchAndReplaceDialog-to-placeholder': 'To text',
        've-SearchAndReplaceDialog-replaceAll': 'Replace all',
        've-SearchAndReplaceDialog-replace': 'Replace',
        've-SearchAndReplaceDialog-matchcase': 'Match case',
        've-SearchAndReplaceDialog-replace-complete': 'Found and replaced $1 occurrences',
        've-ReplaceTool-ToolbarButton': 'Replace'
    } );
}
/* end of translations */

/*!
 * VisualEditor replace gadget
 *
 * @copyright [[User:???|Eranroz]] and [[User:Ravid ziv|Ravid ziv]]
 * @license The MIT License (MIT)
 */
function extractText() {
    var nodes = [];
    var model = ve.init.target.getSurface().getModel();
    function getTextNodes( obj ) {

```




```

        var i;

        for ( i = 0; i < obj.children.length; i++ ) {
            if ( obj.children[i].type == 'text'){
                nodes.push(obj.children[i]);
            }

            if ( obj.children[i].children ) {
                getTextNodes( obj.children[i] );
            }
        }
        getTextNodes(ve.init.target.getSurface().getModel().getDocument().getDocumentNode());
        return nodes;
    }

    function searchAndReplace( fromText, toText, replaceAll, matchCase ) {
        var textNodes = extractText();
        var model = ve.init.target.getSurface().getModel();
        var firstIndex = 0;
        var numReplacements = 0;
        for (var nodeI = 0; nodeI < textNodes.length; nodeI++) {
            var node = textNodes[nodeI];
            var nodeRange = node.getRange();
            var nodeText = model.getLinearFragment(nodeRange).getText();

            var fromIndex = matchCase? nodeText.toUpperCase().indexOf( fromText.toUpperCase(), firstIndex ) :
            if ( fromIndex == -1 ) {
                firstIndex = 0;
                continue;
            }
            var start = nodeRange.from+fromIndex;
            var end = start+fromText.length;
            if (!replaceAll && model.selection.start > start) {
                continue;//skip replacements before selection
            }
            var removeRange = new ve.Range( start, end );
            var transaction = ve.dm.Transaction.newFromReplacement(
                ve.init.target.getSurface().getView().getDocument().model,
                removeRange,
                toText
            );
            var newSelection = new ve.Range(0,0);
            if (!replaceAll) {
                newSelection = new ve.Range( start, start+toText.length );
            }
            ve.init.target.getSurface().getView().changeModel(transaction, newSelection);
            numReplacements++;
            if (!replaceAll) {
                break;
            }
            firstIndex = fromIndex + toText.length;
            nodeI = nodeI -1;
        }
        if (numReplacements==0 || replaceAll) {
            mw.notify( mw.msg( 've-SearchAndReplaceDialog-replace-complete', numReplacements ) );
        }
    }

    ve.ui.SearchAndReplaceDialog = function( manager, config ) {
        // Parent constructor
        ve.ui.SearchAndReplaceDialog.super.call( this, manager, config );
    };
    /* Inheritance */

    OO.inheritClass( ve.ui.SearchAndReplaceDialog, ve.ui.FragmentDialog );

    ve.ui.SearchAndReplaceDialog.prototype.getActionProcess = function ( action ) {
        var fromVal = this.fromInput.getValue(),
            toVal = this.toInput.getValue(),
            matchCase = this.matchCaseCheckbox.getValue();

        if ( action === 'replace' ) {
            return new OO.ui.Process( function () {
                searchAndReplace( fromVal, toVal, false, matchCase );
            }, this );
        } else if ( action === 'replace-all' ) {

```



```

        return new OO.ui.Process( function () {
            searchAndReplace( fromVal, toVal, true, matchCase );
            this.close( );
        }, this );
    }
    return ve.ui.MWMediaDialog.super.prototype.getActionProcess.call( this, action );
};

ve.ui.SearchAndReplaceDialog.prototype.getBodyHeight = function () {
    return 200;
};

/* Static Properties */
ve.ui.SearchAndReplaceDialog.static.name = 'search';
ve.ui.SearchAndReplaceDialog.static.title = mw.msg( 've-SearchAndReplaceDialog-title' );
ve.ui.SearchAndReplaceDialog.static.size = 'medium';

ve.ui.SearchAndReplaceDialog.static.actions = [
    {
        'action': 'replace',
        'label': mw.msg( 've-SearchAndReplaceDialog-replace' ),
        'flags': [ 'constructive' ],
        'modes': 'insert'
    },
    {
        'label': OO.ui.deferMsg( 'visualeditor-dialog-action-cancel' ),
        'flags': 'safe',
        'modes': [ 'edit', 'insert', 'select' ]
    },
    {
        'action': 'replace-all',
        'label': mw.msg( 've-SearchAndReplaceDialog-replaceAll' ),
        'flags': [ 'constructive' ],
        'modes': 'insert'
    }
];

ve.ui.SearchAndReplaceDialog.prototype.initialize = function () {
    ve.ui.SearchAndReplaceDialog.super.prototype.initialize.call( this );
    this.panel = new OO.ui.PanelLayout( { '$': this.$, 'scrollable': true, 'padded': true } );
    this.inputsFieldset = new OO.ui.FieldsetLayout( {
        '$': this.$
    } );
    // input from
    this.fromInput = new OO.ui.TextInputWidget(
        { '$': this.$, 'multiline': false, 'placeholder': mw.msg( 've-SearchAndReplaceDialog-from-p' )
    });
    //input to
    this.toInput = new OO.ui.TextInputWidget(
        { '$': this.$, 'multiline': false, 'placeholder': mw.msg( 've-SearchAndReplaceDialog-to-pla' )
    });
    this.fromField = new OO.ui.FieldLayout( this.fromInput, {
        '$': this.$,
        'label': mw.msg( 've-SearchAndReplaceDialog-from-label' )
    } );
    this.toField = new OO.ui.FieldLayout( this.toInput, {
        '$': this.$,
        'label': mw.msg( 've-SearchAndReplaceDialog-to-label' )
    } );

    this.matchCaseCheckbox = new OO.ui.CheckboxInputWidget( {
        '$': this.$
    } );
    var matchCaseField = new OO.ui.FieldLayout( this.matchCaseCheckbox, {
        '$': this.$,
        'align': 'inline',
        'label': mw.msg( 've-SearchAndReplaceDialog-matchcase' )
    } );

    this.inputsFieldset.$element.append(
        this.fromField.$element,
        this.toField.$element,
        matchCaseField.$element
    );
    this.panel.$element.append( this.inputsFieldset.$element );
    this.$body.append( this.panel.$element );
};

```



```

};

ve.ui.windowFactory.register( ve.ui.SearchAndReplaceDialog );

//----- replace tool -----

function ReplaceTool( toolGroup, config ) {
    OO.ui.Tool.call( this, toolGroup, config );
}

OO.inheritClass( ReplaceTool, OO.ui.Tool );

ReplaceTool.static.name = 'ReplaceTool';
ReplaceTool.static.title = mw.msg( 've-ReplaceTool-ToolbarButton' );

ReplaceTool.prototype.onSelect = function () {
    this.toolbar.getSurface().execute( 'window', 'open', 'search', null );
};

ReplaceTool.prototype.onUpdateState = function () {
    this.setActive( false );
};

ve.ui.toolFactory.register( ReplaceTool );
});

```

• MediaWiki:Gadgets-definition

```

*veReplaceLoader[ResourceLoader|dependencies=ext.visualEditor.viewPageTarget.init]|veReplaceLoader.js
*veReplace[ResourceLoader|rights=hidden|hidden|dependencies=ext.visualEditor.core]|veReplace.js

```

Note: may need to be desktopArticleTarget for the loader, as follows:

```

*veReplaceLoader[ResourceLoader|dependencies=ext.visualEditor.desktopArticleTarget.init]|veReplaceLoader.js

```

9.2.3 Autonumber Headings

The settings for autonumbering of sections has been removed from user preferences in later versions.

The following re-enables it as a gadget.

MediaWiki:Gadgets-definition:

```

* autonum[ResourceLoader]|autonum.css|autonum.js

```

MediaWiki:Gadget-autonum

Allow ability to auto-number headings when viewing pages (replacing setting removed from MediaWiki v1.39)

MediaWiki:Gadget-autonum.js

```

/**
 * Auto-number headings
 *
 * @source https://www.mediawiki.org/wiki/Snippets/Auto-number_headings
 * @author Krinkle
 * @version 2024-07-28
 */
var toc = document.querySelector( '#toc' );
if ( toc ) {
    document.body.classList.add( 'tpl-autonum-attr' );
    // Support legacy Parser: <h2><span class=mw-headline id=?>
    // Support Parsoid: <section><div class=mw-heading><h2 id=?>
    document.querySelectorAll( '.mw-parser-output :is(h1,h2,h3,h4,h5,h6) .mw-headline[id], .mw-parser-output .
        var num = toc.querySelector( 'a[href="#' + CSS.escape( headline.id ) + '"] .tocnumber' );
        if ( num ) headline.setAttribute( 'data-autonum', num.textContent );
    });
} else {
    document.body.classList.add( 'tpl-autonum' );
}

```



MediaWiki:Gadget-autonum.css

```

/**
 * Auto-number headings
 *
 * @source https://www.mediawiki.org/wiki/Snippets/Auto-number_headings
 * @author Krinkle
 * @version 2024-07-28
 */

/**
 * CSS mode:
 * Insert numbers on pages without a TOC. This could in principle work for all pages,
 * but to ensure consistency between the TOC and heading numbers we let JS follow
 * the TOC if there is one.
 */
.tpl-autonum .mw-parser-output {
  counter-reset: autonum-h2 autonum-h3 autonum-h4 autonum-h5 autonum-h6;
}
.tpl-autonum .mw-parser-output h2 {
  counter-reset: autonum-h3 autonum-h4 autonum-h5 autonum-h6;
}
.tpl-autonum .mw-parser-output h3 {
  counter-reset: autonum-h4 autonum-h5 autonum-h6;
}
.tpl-autonum .mw-parser-output h4 {
  counter-reset: autonum-h5 autonum-h6;
}
.tpl-autonum .mw-parser-output h5 {
  counter-reset: autonum-h6;
}
.tpl-autonum .mw-parser-output h2 .mw-headline:before,
.tpl-autonum .mw-parser-output .mw-heading h2:before {
  counter-increment: autonum-h2;
  content: counter(autonum-h2) " ";
}
.tpl-autonum .mw-parser-output h3 .mw-headline:before,
.tpl-autonum .mw-parser-output .mw-heading h3:before {
  counter-increment: autonum-h3;
  content: counter(autonum-h2) "." counter(autonum-h3) " ";
}
.tpl-autonum .mw-parser-output h4 .mw-headline:before,
.tpl-autonum .mw-parser-output .mw-heading h4:before {
  counter-increment: autonum-h4;
  content: counter(autonum-h2) "." counter(autonum-h3) "." counter(autonum-h4) " ";
}
.tpl-autonum .mw-parser-output h5 .mw-headline:before,
.tpl-autonum .mw-parser-output .mw-heading h5:before {
  counter-increment: autonum-h5;
  content: counter(autonum-h2) "." counter(autonum-h3) "." counter(autonum-h4) "." counter(autonum-h5) " ";
}
.tpl-autonum .mw-parser-output h6 .mw-headline:before,
.tpl-autonum .mw-parser-output .mw-heading h6:before {
  counter-increment: autonum-h6;
  content: counter(autonum-h2) "." counter(autonum-h3) "." counter(autonum-h4) "." counter(autonum-h5) "."
}

/**
 * JS mode: When a TOC is present, autonum.js sets the data-autonum attribute
 * and we display that instead of an automatic counter.
 */
.tpl-autonum-attr .mw-parser-output .mw-headline[data-autonum]:before,
.tpl-autonum-attr .mw-parser-output h2[data-autonum]:before ,
.tpl-autonum-attr .mw-parser-output h3[data-autonum]:before ,
.tpl-autonum-attr .mw-parser-output h4[data-autonum]:before ,
.tpl-autonum-attr .mw-parser-output h5[data-autonum]:before ,
.tpl-autonum-attr .mw-parser-output h6[data-autonum]:before {
  content: attr(data-autonum) " ";
}

```



10 Help:CreateNewWiki

Warning: This page has been superseded by [Assist Upgrade Actions](#). See there for more information. However, this old version might contain some useful information, so is preserved.

10.1 Initial Setup

- Copy an existing WIKI folder to a new folder and rename to your Wiki.
- In this folder:
 - ♦ Rename the LocalSettings.php to *.old.php
 - ♦ Remove config/LocalSettings.php

10.2 Configuration

Connect to the site in a browser, and click the 'Set up the Wiki' link to configure and enter all the details required:

10.2.1 Site config

- Wiki name: Must not be blank or "MediaWiki" and may not contain "#". Enter the Product name here e.g. WCS, EPOD, TTM, etc
- Contact e-mail: Your email address.
- Language: en
- Copyright/license: No license metadata
- Admin username: Usually this is set to <wiki>_owner
- Password: Any password you like, but don't forget it. The password cannot be the same as the username.
- Object caching: No caching

10.2.2 E-mail, e-mail notification and authentication setup

- E-mail features (global): Enabled
- User-to-user e-mail: Enabled
- E-mail notification about changes: Enabled for changes to user discussion pages, and to pages on watchlists
- E-mail address authentication: Enabled

10.2.3 Database config

- Database type: MySQL
- Database host: localhost
- Database name: <wiki>_assist
- DB username: <wiki>_owner
- DB password: Any password you like, but don't forget it.
- Superuser account: Use superuser account if you have it
- Superuser name:
- Superuser password:

10.2.4 MySQL-specific options

- Database table prefix: <wiki>_
- Storage Engine: InnoDB
- Database character set: MySQL 4.1/5.0 binary

Click the **Install MediaWiki** button to create the configuration file.

Once complete, copy the config/LocalSettings.php to the root directory of this new wiki.

10.3 Further Configuration

Edit the LocalSettings.php file created above and paste the following at the bottom of the file:

```
# Restrictions
```



```

#Restrict anonymous editing
$wgGroupPermissions['*']['edit'] = false;
# Prevent new user registrations except by sysops
$wgGroupPermissions['*']['createaccount'] = false;
# Add permissions to autoconfirmed users
$wgGroupPermissions['creator']['delete'] = true;
$wgGroupPermissions['creator']['autopatrol'] = true;
# True Anonymous access
$wgShowIPinHeader = false;

# Settings for PDFBook
require_once( "$IP/extensions/PdfBook/PdfBook.php" );
$wgPdfBookLeftMargin = "2cm";           #Left page margin
$wgPdfBookRightMargin = "2cm";          #Right page margin
$wgPdfBookTopMargin = "2cm";            #Top page margin
$wgPdfBookBottomMargin = "1cm";         #Bottom page margin
$wgPdfBookFont = "Arial";               #Default font to use if unspecified in content
$wgPdfBookFontSize = "11";              #Point size of default font
$wgPdfBookLinkColour = "217A28";        #Colour to use when rendering hyperlinks in text
$wgPdfBookTocLevels = "2";              #Number of outline levels to use when building the table of content
$wgPdfBookExclude = empty List of article titles which should not be included in the book

# Settings to get the Help extensions working
require_once( "$IP/extensions/ParserFunctions/ParserFunctions.php" );
#$wgPFEnableStringFunctions = true;
require_once( "$IP/extensions/NumberFormat/NumberFormat.php" );

# Settings to enable SVG - doesn't work
#$wgFileExtensions[] = 'svg';
#$wgAllowTitlesInSVG = true;

# WikiForum settings
#require_once( "$IP/extensions/WikiForum/WikiForum.php" );

# Document Approval settings
#require_once( "$IP/extensions/DocumentApproval.php" );

# MakeArticle settings
require_once( "$IP/extensions/makearticle/makearticle.php" );

# CreateArticle settings
require_once( $IP . "/extensions/CreateArticle.php" );

#Collapsible Text settings
require_once( "$IP/extensions/JSpoiler.php" );

#UDEF Variables settings
require_once( "$IP/extensions/Variables/Variables.php" );

#WYSIWYG editor
#require_once( "$IP/extensions/FCKeditor/FCKeditor.php" ); //works but it breaks the Special:Version page

# Settings to get full error details from Wiki
$wgShowExceptionDetails = true;

#Display Webpages in Wikis
include( "extensions/anywebsite.php" );

$wgCopyrightIcon = "<a href=\"http://www.obs-logistics.com\" target=\"_blank\"><img src='/calidus-assist/W"

# Default User Options for new users:
$wgDefaultUserOptions['forceeditsummary'] = 1;

```

Change the existing `$wgEnableUploads` variable to true.

Change the existing `$wgDefaultSkin` variable to 'vector'.

Change the existing `$wgPasswordSender` variable to your email address.

Save the `LocalSettings.php` file.

You can now log on to the new wiki as the admin user you created earlier.



10.4 Creating the basic content

Edit MediaWiki:Common.js (index.php?title=MediaWiki:Common.js&action=edit or just search for MediaWiki:Common.js) and add the following:

```
mwCustomEditButtons.push({
  "imageFile": "images/Button_enter.png",
  "speedTip": "Line break",
  "tagOpen": "<br />",
  "tagClose": "",
  "sampleText": ""
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_upper_letter.png",
  "speedTip": "Superscript",
  "tagOpen": "<sup>",
  "tagClose": "</sup>",
  "sampleText": "Superscript text"
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_small.png",
  "speedTip": "Small",
  "tagOpen": "<small>",
  "tagClose": "</small>",
  "sampleText": "Small Text"
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_gallery.png",
  "speedTip": "Insert a picture gallery",
  "tagOpen": "\n<gallery widths=600px heights=350px perrow=1>\n",
  "tagClose": "\n</gallery>",
  "sampleText": "Image:CTLTMS_Example1.PNG|'Caption1'\nImage:CTLTMS_Example2.PNG|'Caption2'"
});

var today = new Date();
var monthNames = ["January", "February", "March", "April", "May", "June",
  "July", "August", "September", "October", "November", "December"
];
var stdrdth = ["th", "st", "nd", "rd", "th", "th", "th", "th", "th", "th"];
var dayth = today.getDate() % 10;
mwCustomEditButtons.push({
  "imageFile": "images/Button_CoverPage.png",
  "speedTip": "Insert an Document Title Page",
  "tagOpen": "{{Doc_Title\n|Client=ClientName\n|System='CALIDUS' System\n|Title=Doc Title\n|Referen",
  "tagClose": "",
  "sampleText": ""
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_LastPage.png",
  "speedTip": "Insert an Document Final Page",
  "tagOpen": "{{Doc_Appendix\n|Appendix=The Appendix Section. Defaults to A\n|Glossary=WCS|WMS|CTMS.",
  "tagClose": "\n}}\n",
  "sampleText": "\n|Estimate=Enter Y if an estimate section is to be included. Use the following fiel",
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_blockquote.png",
  "speedTip": "Insert an Estimate template",
  "tagOpen": "{{EstimateCostDetails\n|REQ=Requirements Days\n|EST=Estimation Days\n|FS=Functional Spe",
  "tagClose": "",
  "sampleText": ""
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_test_header.png",
  "speedTip": "Insert a test plan template",
  "tagOpen": "{{TestPlan_Header\n|Title=Title of test plan\n|Log=Supimix log reference\n|Description=",
  "tagClose": "\n{{TestPlan_CycleFooter}}\n",
  "sampleText": ""
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_test_header.png",
```



```

"speedTip": "Insert a test plan cycle",
"tagOpen": "{{TestPlan_CycleHeader\n|Cycle={{ #vardefineecho: Cycle | {{ #expr: {{ #var: Cycle }} +
"tagClose": "\n{{TestPlan_CycleFooter}}\n",
"sampleText": ""
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_test_add.png",
  "speedTip": "Insert a new test",
  "tagOpen": "{{TestPlan_Test\n|Test={{ #vardefineecho: SubCycle | {{ #expr: {{ #var: SubCycle }} +
  "tagClose": "",
  "sampleText": ""
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_insert_table.png",
  "speedTip": "Insert a table",
  "tagOpen": '| class="wikitable" border="1"\n|- bgcolor="silver"\n',
  "tagClose": "\n|\n",
  "sampleText": "! header1 !! header2 !! header3\n|-\n| cell11 || cell12 || cell13"
});

mwCustomEditButtons.push({
  "imageFile": "images/Button_comment.png",
  "speedTip": "Insert a comment",
  "tagOpen": '{{comment|text=',
  "tagClose": "\n|sign=[User: "+wgUserName+" ]|date="+today.getDate()+" / "+(today.getMonth()+1)+" / "+today.getFullYear(),
  "sampleText": "Your Comment Here"
});

```

Edit MediaWiki:Vector.js (index.php?title=MediaWiki:Vector.js&action=edit or just search for MediaWiki:Vector.js) and add the following:

```

window.onload = function (e) {
  document.getElementById('mw-panel').style.position='fixed';
}

```

Export the following pages and files from an existing Wiki:

- Pages

```

Template:Note
Template:Warning
Template:Meta
Template:Clear
Template:H12
Template:H13
Template:Prettytable
Template:!
Template:Comment
Template:Doc_Appendix
Template:Doc_Title
Template:EstimateCostDetails
Template:TestPlan_CycleFooter
Template:TestPlan_CycleHeader
Template:TestPlan_Header
Template:TestPlan_Test
Template:Estimate_Head
Template:WCS_Glossary
Template:WMS_Glossary
Template:EPOD_Glossary
Template:CTMS_Glossary
Template:FS
Template:Estimate
Template:REQ
Template:DocLink
Help:Contents
Help:PDF_Book
Help:CreateNewPage

```

- Files:

```
OBS_Logistics_Logo.JPG
```



Bulbgraph.png
Attention_niels_epting.png

Import the pages into the new Wiki through the Special:Import page.

Upload the images into the new Wiki through the Special:Upload page.

The Wiki should now be ready for use.

10.5 Creating Users

Create users using Email - they will then become autoconfirmed users.

Any users you don't want to track edits (i.e. non-patrolled), add them to the Creator group.



11 Did You Know

⚠ Warning: This is the latest Did You Know formatted page, showing all of the latest features that may be enabled within the latest version of Assist. On existing or new Assist implementations, this page should be added, and then modified for specific common functionality for the system.

This guide is intended to help you discover features delivered with *CALIDUS* system.

11.1 *CALIDUS* CTMS

Add any system-specific help pages or notes here. Transclusion is recommended, for re-use purposes.

11.1.1 Accessing Help

You can access these Assist help pages from the Calidus application using the *Help* menu item.

- *Help/User Guide* - Accesses the main page of this Assist.
- *Help/Screen Help* - Accesses a page specifically for the screen that you currently have active.

You can also see the last error displayed, the machine on which CTMS is running, your user and the system version, which you will need if you need to report any issues.

11.2 *CALIDUS* Assist

11.2.1 Searching for Help

Although all pages from your *CALIDUS* system link directly to the appropriate page in this *CALIDUS* Assist guide, you can search for help on anything in the system using the search bar. It depends on how you have *CALIDUS* Assist configured, but this search bar is normally either in the title at the top of the screen or in the toolbar on the left.

Did you know that you can activate this search at any time using a shortcut key combination? Hover over the Search bar now and you will see it tells you the hot-key combination, typically ALT-F or ALT-SHIFT-F. Hitting those keys together will activate the search box and you can type in what you're looking for. Be aware that these shortcuts are dependent on the browser that you are using, so check for compatibility first.

If you know the name of the page, just type it there and click the **Go** button. If you want to search for any text in the page, click the **Search** button instead, or just hit enter for *CALIDUS* Assist to do it for you. Typically, as you type, the search bar will quickly offer you some matches that might be what you're looking for - if it is, just click the suggestion and Assist will take you there.

Some tips on searching:

- If you enter multiple words (like "fixed drop scheduling") without quotes, the search routine will find you pages that match any of the words, but ordered in the most likely order (i.e. with most matches of most words)
- If there is a page called "fixed drop scheduling", you will be taken straight to it.
- If you enter your search with quotes i.e. "fixed drop scheduling", it will find that specific phrase in the pages, rather than any of the words.
- If you enter plus instead of space i.e. fixed+drop+scheduling, you will only get pages in the results that have all 3 words in them, anywhere in the page, in any order.
- You can also control partial word matching with an asterisk. So let's say you are searching for a parameter called AUTO_SCHED something-or-other. Searching for AUTO_SCHED will not bring back any results, as there are no full words or phrases like that. But if you enter AUTO_SCHED_* instead, it will search for words *starting with* "AUTO_SCHED" and bring you back some matches.



11.2.2 Searching Tables

A lot of the pages have tables of data on them - this can be a bit difficult to see what you're after. So, in the cases where there is a large amount of data in tables, we have made the tables searchable.

On top of the table will be a search box. Type in what you're looking for and the table will be filtered to show all of the matching rows - that is, rows where any column contains that text at all, anywhere. This filters as you type.

Note that some data will be always be shown, like headers, or rows that the writers of the page have decided must always be shown.

You can clear the text out of the search box and this will display everything again - do this by either deleting it or use the provided clear button to the right of the search box.

Have a go below - maybe try entering "ap", then "app", or enter "fruit" and see the way it works.

Fruit	Some Text - this header row is always shown
Apple	Green apples
Orange	Not an apple
Pineapple	Also not
Grapefruit	Very big!
Banana	I like bananas, so I'm always going to show them
Kumquat	Interesting fruit
Grape	Small fruit
Tomato	Is this a fruit or a vegetable?

11.2.3 Translating

The toolbox contains a link to Google Translate to translate the page into a language of your choice. Select the language from the drop-down list, and Google will translate the whole page for you.

There will be a banner at the top showing the translation options after you have selected a language - simply click the X on the banner to return to the standard page.

11.2.4 Printing and Exporting

You can export pages from *CALIDUS* Assist using the *Print as PDF* or *Download as PDF* link. Where this appears depends on the style the Assist is configured with, but by default this link will be in the *Toolbox* menu on the left of the screen, or on the tabs at the top right of the screen.

You can export categories as a full document in the same way - all pages in that category will be included in the PDF in the order in which they are listed in the category.

We've typically also included a link in the description of categories where this will export as a document, and we also add the **DOC** button next to documents that you can download from the first page of Assist.

When you are searching for a page, Assist will generally show you the content, not necessarily the document in which it is included.

If you want to find the documents in which the page is included, you can:

- You can click the category/categories of the page, shown on the page itself. The category might have a "Download as PDF" link to get all of the pages in the category included in a single document.
- You can click *Page information* link in the *More* menu. Here, you can scroll to the bottom and see "Page transcluded on" for details of documents that page is in.



12 Help:PDF Book

This page is intended to help with the automated production of PDF Books from the Assist pages.

There are two ways of creating a PDF document:

- As a single page
- As a book - generated from multiple categorized pages.

12.1 Single Page

For a single page, use the templates provided [here](#). These are designed to help you create new pages or documents, using templates to make the documents work properly.

12.2 Creation of a Book

- Create a title page, as the Document title plus the word "Title" on the end. The page can be created using the template provided. In addition, the footer must be configured on this page, utilising comments. For example:

```
{{Doc_Title|System=Calidus ''Vision''|Title=Vision Coding and Release|Reference=236343|Version=1.0|Date=9th
```

- Add this and all pages to be printed as part of the PDF book to a category of the same name, for example:

```
[[Category:Vision Coding and Release Doc|000]]
```

Note that the Category Sort value should be set to 000 for the title page. All other articles included in the document should have a sort value assigned to them to indicate the position in the document.

- If required, create an appendix page. This [Template](#) can be used as an example. This page should be named as the document title plus the word "Appendix" on the end. Note that the Category Sort should be set to 999.
- Create the Category page as in the following example:

```
=Vision Coding and Release=
This category encompasses pages that collate technical information of how the system is built and installed
[{{fullurl:{{FULLPAGENAME}}|action=pdfbook&notitle}} Download this selection of articles as a PDF book.]
```

12.3 Production of the PDF

Click the link on the category entry created above, or click the Download/Print as PDF link in the toolbar from the category or from the single page.

12.4 Setup Requirements

See [Assist PDF Production Code](#) for details, but the PDF Book extension should already have been enabled in all Assist instances for you.

—User:Anw, 31/1/2012 16:33:36

Some complicated templates:

- Doc Title - creates a document title page.
- Doc Appendix - creates a document appendix page.



Some full document templates: Document templates have been produced for the following document types:

- Requirements
- Estimates
- Functional Specifications
- Small Change Requests
- Test Plans
- ERs
- Patches

and many more.

Full document templates can also be accessed through the [Help:CreateNewPage](#) page.

The links on that page will help you generate a new document or page.

- Enter the title of the page or document you are creating in the right entry box for the document that you want to create.
- Click the button.

The system will copy everything required in the template into a brand new page created for you, so that you can complete editing it.

There are pretty extensive guides in the [Assist](#) category on creating pages (specifically release notes) from Templates - it is advised that you look there for more information.

12.5 Transclusing

Transclusion is all about re-using pages that you have already created. We can (and should) do this, as "edit once, edit everywhere" applies, meaning that the pages are updated in every other page or category that uses them, massively reducing the amount of effort required to get changes into the right places.

Say for example, you have documented the Resource Allocation process in a page called "Allocate Resources". That screen is called from the Planning Screen and from the Waterfall screen, which are also documented. You want to describe resource allocation in the documentation of those pages, but you don't want to have to type it all in again, or have to keep updating multiple pages because a small change has happened to that Resource Allocation screen. You could just add it as a link, for example, "see Allocate Resources for more information", but you really want a complete document here. Transclusion helps here.

In the Planning page, you add a Header for "Allocating Resources"

- Source Editing: `== Allocating Resources ==`
- Visual Editing: Choose the *Heading 2* format from the toolbar and type "Allocating Resources".

Then we can transclude the page:

- Source Editing: `{{:Allocating Resources}}`
- Visual Editing: On a new line, click the **Insert** toolbar option, then *Template*. Type a colon, followed by the page e.g. `:Allocating Resources`, then select it and **Insert**.

That's it - the page will be included at that point in your Planning page. Whenever Allocating Resources changes, the planning page will also update.

You can see wherever a page is included or linked to in any other pages really easily. Click "*What links here*" in the "*More*" toolbox section. That will show you a list of all:

- *Transclusions* - directly used in a page.
- *Redirects* - stub pages that immediately redirect to this page
- *Links* - just a link has been added.

That way, when you edit a page, if this edit fundamentally affects a document that is produced from those linked pages, you can edit those if necessary, perhaps to increment a version or modified date, if these pages are producing a PDF



book.

12.6 Interwiki

As you know, the Assist systems are based on MediaWiki, the engine that powers Wikimedia.

Each product has its own instance of this, so we have Assist (wiki) instances of (amongst others):

- OBS - Calidus HUB
- MTS - Calidus TMS
- WCS - Calidus WCS
- WMS - Calidus WMS 3pl
- Portal - Calidus Portal (all types)
- MCS - Calidus MCS

In the interests of reducing duplication and possible out of date guides existing within other pages, each of these Assists can use pages out of the other Assists by using a defined interwiki reference.

What that means is you can link to or transclude ANY page from any other Assist, like you would for any page on your Assist.

So, the interwiki shortcuts are:

- Calidus HUB - "obs"
- Calidus TMS - "ctms"
- Calidus WCS - "cwcs"
- Calidus WMS 3pl - "cwms"
- Calidus Portal - "cportal"
- Calidus MCS - "cmcs"

Essentially, you use the Interwiki prefix before the page or template you want to use.

- To use a template from another wiki, the syntax is `{{iw:TemplateName}}`.
- To link to a page from another wiki, the syntax is `[[iw:PageName]]`.
- To transclude a page from another wiki, the syntax is `{{:iw:PageName}}`.
- To use an interwiki link for a DocLink, the syntax is `{{DocLink|iw:PageName}}`.

As mentioned above, Glossaries for all systems are maintained within the Calidus HUB Assist. The page exists in the local wiki, but it transcludes the Calidus HUB version. So, you can continue to use the template `{{WMS Glossary}}` as normal. But you could also use `{{obs:WMS Glossary}}` instead and get the same result.

Best use cases for Interwiki functionality are:

- Repetitively-maintained and used data, for example Glossaries.
- Technical guides linking to customer-facing guides, for example on this wiki [CTMS Paragon Interface](#), where the customer-facing guide maintained in the CTMS Assist is both linked to and transcluded.
- Product-specific pages linking to technical specs, for example, in WMS, you would find [PoD Guide](#), which links to the Port of Dover SDD on this Assist [SDD 350229 Port of Dover Solution Design](#) as a DocLink to download the PDF i.e. `{{DocLink|obs:SDD 350229 Port of Dover Solution Design}}`

In this way, we further promote the "write once, write everywhere" mentality and reduce effort, which providing a more connected, more up to date documentation set to our customers.

12.7 Categories

Categories are used to group pages together. A category can be used to see all pages in that category, and can also be used to produce a combined PDF book of all pages in that category.

You add categories like this if you are editing the source page: `[[Category:Assist Guides]]`



When using the Visual Editor, you can add Categories from the **Menu** button on the top-right of the Visual Editor toolbar, and click *Categories*.

Any categories already on the page will be listed here. You can remove them, or add to existing ones by searching for the category in the box, or even create new categories - the search box will suggest what to do as you type.

When adding pages to categories that are intended to form part of a PDF book, then we want the pages sorted in a custom way, as opposed to the default, which is alphabetical.

When editing source, you do this as follows:

```
[[Category:Assist Guides|A-099]]
```

Here, we are saying that this page should be sorted in the category as A-099. Other pages will be sorted similarly, and therefore will appear in the correct sequence.

For example:

You have several pages, and you want them in this order on a category "Accounts":

- Accounts Title
- Accounts
- Contracts
- Invoices
- Debrief by Invoice
- Service Offerings
- Internal Recharging
- Accounts Appendix

If these pages were just added to the "Accounts" without sorting like `[[Category:Accounts]]`, they would appear in this sequence:

- Accounts
- Accounts Appendix
- Accounts Title
- Contracts
- Debrief by Invoice
- Internal Recharging
- Invoices
- Service Offerings

So, what we should do is add them with a sort key, for example:

- Accounts Title - added as `[[Category:Accounts|000]]`
- Accounts - added as `[[Category:Accounts|100]]`
- Contracts - added as `[[Category:Accounts|110]]`
- Invoices - added as `[[Category:Accounts|120]]`
- Debrief by Invoice - added as `[[Category:Accounts|130]]`
- Service Offerings - added as `[[Category:Accounts|140]]`
- Internal Recharging - added as `[[Category:Accounts|150]]`
- Accounts Appendix - added as `[[Category:Accounts|999]]`

The numbering leaves sufficient room to insert more pages in the place that we want them.

A page might (and very much should) be part of several categories.

For example, the Accounts page above is a page that is used as follows:

- Part of the Accounts PDF book
- Part of the CTMS Modules PDF Book
- Part of the CTMS User Guide PDF Book

So that page can be categorised into multiple categories like so:

```
[[Category:Accounts|100]]
[[Category:C-TMS Modules|C-100]]
```



```
[[Category:C-TMS User Guide|BC-100]]
```

Warning: When you add categories to a page, and then you use that page in another page (see Transcluding), the other page will by default inherit the sub-page categories - we don't want this.

So, by default, categories should be included within a `<noinclude>...</noinclude>` tag, like so:

```
<noinclude>
[[Category:Accounts|100]]
[[Category:C-TMS Modules|C-100]]
[[Category:C-TMS User Guide|BC-100]]
</noinclude>
```

Pages that have been added to categories will be shown in the *Categories* section of the toolbar - clicking these links will take you to all pages in that category.

12.8 Saving your Changes

Each change you make, however small, is included in the document's history. To ensure that these comments are not included, you should mark the change as minor when saving your changes. However, this should not be marked as minor if the edit fundamentally changes the document.

Comments should be added whenever saving edits. If you have edited a section directly, rather than the whole document, a comment will already be entered for you. You can leave this there, replace with a new comment or add your comment after this one.

Your comments should reflect the changes. It's good practice to reference any call numbers or system versions associated to the change of you know them. Avoid client names if you can - remember this is standard documentation! For example, for a Salesforce or DevOps change 123465 for customer ABC Travel, adding a new Customer Ref field to a screen, consider entering your comment as follows:

```
Added new Customer Ref field (123456)
```

As documentation should always be updated when software patches or releases are made available or released to a customer system, then consider using the ER/patch/release number in the comment, for example:

```
ER CTMS 047-101 - Added (some functionality) to the screen
```

When a document is going to be changed to a new version, you **should** change the version and date within the document, and add the version number to the start of the comment. For example:

- v0.02 - Draft issue for review
- v1.00 - Ready for Issue.

How this works is slightly different for each editor.

For Source Editing:

- Enter a summary comment.
- Check whether this is a *Minor edit*.
- Optionally you can *Watch this page* - if anyone edits it in the future, you'll get an email. You can manage your watchlist from user preferences accessed from your user name.

Once you have selected, you can do the following:

- **Save changes** - if you haven't entered a summary comment you will be reminded, or the changes will just be saved.
- **Show preview** - as you are probably using realtime previews, probably not required. If you do use it, the changes will be shown on the top of the page, but remember your changes have not yet been saved - use the **Save changes** button as above to commit them.



- **Show changes** - show all changes in text differences showing each line changed, added or modified in a list. Remember your changes have not yet been saved - use the **Save changes** button as above to commit them.

From Visual Editing:

- Click **Save Changes**
- You will be shown a popup - enter your summary here.
- Check whether this is a *Minor edit*.
- Optionally you can *Watch this page* - if anyone edits it in the future, you'll get an email. You can manage your watchlist from user preferences accessed from your user name.

You then have options.

- **Save changes** - if you haven't entered a summary comment you will be reminded, or the changes will just be saved.
- **Review your changes** - show all changes in differences. The changes will be shown in Visual ode with colour highlighting - you can switch to the text differences above as well if that suits you better. Remember your changes have not yet been saved - use the **Save changes** button as above to commit them.

12.9 Some Final Notes



Note:

- When creating a new document, you should ensure that the Category tags are added relevant to that document type and client. This allows for easy searching of documents. See the following section on Categories.
- A document should be checked that it exports to PDF correctly - in most cases, documents will export with no issues. However, it has been known that a document does not correctly format into PDF. If this is the case, the document should be referred to the Assist maintainer for checking. Documents can be exported to PDF from the toolbar.

12.10 Issuing Documents to a Client

- Documents should be issued in PDF form.
- The document title should follow the standard document template, with a version number, so:
 - ♦ EST 123456 CUSTREF Title v1.0.pdf
- If you use the standard document template with the Doc_Title title page and you specify a version, when you download the PDF, the document will be appended with the version number automatically.
- Whilst the Assist system is being adopted, these documents should be held in the standard development or project document folder - please consult your project or product documentation for details.



13 Support Tools

The intention of this guide is to provide support information, and a general knowledge base and tips for the ongoing maintenance of Assist implementations.

13.1 Requirements

MySQL WorkBench

Access to the Assist server.

13.2 Hosted Systems

All hosted systems are documented in SharePoint, along with users and passwords.

You must have access to the SharePoint to read this document.

<https://apteanonline.sharepoint.com/teams/CALIDUS-CONNECTIONS/Shared%20Documents/Forms/AllItems.aspx?id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx&id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx&id=%2Fteams%2FCALIDUS-CONNECTIONS%2FShared%20Documents%2FForms%2FAllItems.aspx>

13.3 Updating Data En Mass

By default, MySQL will not allow updating of data without explicit WHERE or LIMIT clauses. To enable this:


- Go to "Edit/Preferences"
- Choose "SQL Editor" Under "Query Results"
- Check "Safe Updates"
- Restart MySQL WorkBench.

 **Warning:** You will then be able to (for example) delete all data inadvertently, so enable this option with care.

13.4 Viewing BLOB fields

By default, MySQL WorkBench displays all text fields as "BLOB", which you must then right-click and choose "Open Value in Editor". To enable viewing the text directly in the results, do the following:

- Go to "Edit/Preferences"
- Choose "SQL Editor" Under "Query Results"
- Check "Treat BINARY/VARBINARY as nonbinary character string"
- Restart MySQL WorkBench.

 **Note:** Enabling this option comes with a performance hit - some text fields contain the entire page data, so enable this with care.

13.5 Recovering passwords from MYSQL Workbench

First go check where your encrypted file is. Usually it is stored at
%AppData%\MySQL\Workbench\workbench_user_data.dat

If different, amend the commands below.

Use Powershell



```
Add-Type -AssemblyName System.Security
$cipher = Get-Content $env:APPDATA\MySQL\Workbench\workbench_user_data.dat -Encoding Byte -Raw
$scope = [System.Security.Cryptography.DataProtectionScope]::CurrentUser
$mysqlpwd = [System.Security.Cryptography.ProtectedData]::Unprotect( $cipher, $null, $scope )
[System.Text.UTF8Encoding]::UTF8.GetString($mysqlpwd)
```

13.6 Common Queries

```
-- Assist SQL

-- Find the page ID
SELECT * FROM obs_assist.obs_page
WHERE PAGE_TITLE LIKE '%SDD_366558%';

-- Find all revisions (to change comments)
SELECT * FROM obs_assist.obs_revision
where rev_page IN
(SELECT page_id FROM obs_assist.obs_page
WHERE PAGE_TITLE LIKE '%SDD_366558%'
);

-- Find unpatrolled pages to set them patrolled
SELECT *
FROM obs_assist.obs_recentchanges
where rc_patrolled = 0;

UPDATE obs_assist.obs_recentchanges
SET rc_patrolled = 1
where rc_user_text = 'StylesC'
and rc_patrolled = 0;

-- Check the logs for details of PDF production
SELECT * FROM mts_assist.oh_logging
where log_action = 'PdfBook'
order by log_id desc;

-- For v1.34 and later, comments have changed:
SELECT log.*, CONVERT(comment.comment_text USING utf8) comment
FROM epod_assist.epodlogging log
left join epod_assist.epodcomment comment
on comment.comment_id = log.log_comment_id
where log_action = 'PdfBook'
ORDER BY log_id DESC
LIMIT 20;
```

13.7 Assist Database Backup

Backup each database separately.

Use MySQL Administrator Data Export option.

Always check boxes as follows:

- Dump Stored Procedures and Functions
- Dump Events
- Dump Triggers
- Export to Self-contained File
 - ◆ Name with the name of the Assist on the start of the dump.
- Include Create Schema

Advanced Options button

- Comments
- Create-options
- quote-names



- lock-tables
- dump-date
- disable-keys
- tz-utc
- add-locks
- extended-insert

Start Export

13.8 Assist Database Restore

If required, drop the database from MySQL Administrator:

- On Schema explorer, right click on schema and select Drop Schema.

Use MySQL Administrator Data Import/Restore option.

- Import from self-contained file
- Select the database backup dump
- Click Start Import
- Refresh the schema explorer when done - the database should be present.

Restore database users, passwords and permissions when complete.

Will need to create the assist owner with username and password from LocalSettings.php

- From MySQL Admin Management Explorer
 - Users and Privileges
 - Add Account
 - ◆ Login Name and Password - as per LocalSettings.php
 - Administrative Roles tab - check DBA, which checks everything
 - Schema Privileges - add entry
 - ◆ Selected Schema
 - ◆ Check everything (click Select 'ALL' button)
- Click Apply

Normal Assist users will need to be reset either by the users through 2FA, or through [#Resetting User Passwords](#).

13.9 Creating Users/Resetting User Passwords

It is ALWAYS better to create a new user on the Wiki from the Special page "Create Account". In here, you should create the user and enter the email. This will send an email to the user to reset their own password.

However, in the event of coreecting a problem, this can be done from the command line:

```
{InstallDrive}:\xampp\php\php.exe {InstallDrive}:\xampp\htdocs\calidus-assist\{wikiname}\maintenance\createUser.php
```

⚠ Warning: You must change to the root of the install drive or this will not work e.g. enter "{InstallDrive}:" at the command prompt BEFORE the previous command.

You can also add some parameters to promote the user with group rights, as follows:

```
--bureaucrat      Add the account to the bureaucrat group
--sysop           Add the account to the sysop group
--interface-admin Add the account to the interface-admin group
--custom-groups   Comma-separated list of groups to add the user to. This allows adding the user to any custom group.
Since MW 1.27, a user is only added to a custom group, if this group actually exists according to $wgGroupPermissions.
--force           If account already exists, just grant it rights or change password. Do not create a new account in
```



In the event of needing to change a password, it is ALWAYS better to get the user to do it themselves - if the email has been set up, they can access the reset from there.

System admins can also force the sending of the reset password link from Special:ResetPassword.

In the event that this is simply correcting a previously set password, you can use the command line:

```
{InstallDrive}:\xampp\php\php.exe {InstallDrive}:\xampp\htdocs\calidus-assist\{wikiname}\maintenance\change
```

⚠ Warning: You must change to the root of the install drive or this will not work e.g. enter "{InstallDrive}:" at the command prompt BEFORE the previous command.

13.10 Upgrading a Wiki from 1.16 Upwards

The following is a checklist of actions.

{SYSTEM}

- Extracted - INCOMPLETE
- DB Import - INCOMPLETE
- DB User - INCOMPLETE
 - ◆ {SYSTEM}_owner/{PASSWORD}
- Version 1.31.6 - INCOMPLETE
 - ◆ Move old extensions to old folder - INCOMPLETE
 - ◆ Recreate LocalSettings.php
 - ◆ Update password sender and emergency contact
- Version 1.34.4 - INCOMPLETE
 - ◆ Leave LocalSettings.php
 - ◆ May need to remove some extensions like numberformat and variables
- Version 1.39.8 - INCOMPLETE
 - ◆ Leave LocalSettings.php
- New Extensions and files - INCOMPLETE
 - ◆ Overwrite MW-add-files - INCOMPLETE
- LocalSettings.php - INCOMPLETE
 - ◆ require_once "\$IP/LocalSettingsAdditional.php";
- Gadgets and MediaWiki css/js hacks - INCOMPLETE
 - ◆ Import MW-hacks.xml file - INCOMPLETE
- Templates - INCOMPLETE
 - ◆ Import MW-Templates.xml - INCOMPLETE
- Additional Files - INCOMPLETE
 - ◆ C:\Users\twalker\OneDrive - Aptean-online\Documents\Work\Assist\OBS Templates Export
 - ◇ Aptean_Logo.png
 - ◇ Attention_niels_epting.png
 - ◇ Bulbgraph.png
 - ◇ Hint.png
- About/General Disclaimer/Privacy Policy - INCOMPLETE
- Users - INCOMPLETE
 - ◆ admin/Liverpool123
 - ◆ anw/Liverpool123
- Problems
 - ◆ NONE

13.11 Creating a Brand New Wiki

The following is a checklist of actions.

- Copy version 1.39.8 to a WIKI name - INCOMPLETE
 - ◆ Create LocalSettings.php
 - ◆ xxx_owner with appropriate password



- ◆ Note the password!
- New Extensions and files - INCOMPLETE
 - ◆ Overwrite MW-add-files - INCOMPLETE
- LocalSettings.php - INCOMPLETE
 - ◆ require_once "\$IP/LocalSettingsAdditional.php";
- Gadgets and MediaWiki css/js hacks - INCOMPLETE
 - ◆ Import MW-hacks.xml file - INCOMPLETE
- Templates - INCOMPLETE
 - ◆ Import MW-Templates.xml - INCOMPLETE
- Additional Files - INCOMPLETE
 - ◆ C:\Users\twalker\OneDrive - Aptean-online\Documents\Work\Assist\OBS Templates Export
 - ◆ Aptean_Logo.png
 - ◆ Attention_niels_epting.png
 - ◆ Bulbgraph.png
 - ◆ Hint.png
- About/General Disclaimer/Privacy Policy - INCOMPLETE
- Users - ensure that there is at least an Admin user with full user rights. Note the password:
 - ◆ Log in as administrative user
 - ◆ Special:Create Account
 - ◆ Create admin account - note the password.
 - ◆ Special:User Rights
 - ◆ Check Administrator, Interface Administrator, Bureaucrat and Suppressor
 - ◆ Save user groups

13.12 Extracting Hacks

- Extract from MTS Assist
- Special Pages
- Export Pages
- Add the pages specifically below

```
MediaWiki:Common.js
MediaWiki:Group-user.css
MediaWiki:Common.css
MediaWiki:Vector.css
MediaWiki:Timeless.css
MediaWiki:Gadget-veCenterLoader.js
MediaWiki:Gadget-autonum
MediaWiki:Gadget-autonum.js
MediaWiki:Gadget-autonum.css
MediaWiki:Gadget-veCenterLoader
MediaWiki:Gadget-veCenter.js
MediaWiki:Gadgets-definition
```

- Ensure the following are checked/unchecked:
 - ◆ Include only the current revision, not the full history - CHECKED
 - ◆ Include templates - UNCHECKED
 - ◆ Save as file - CHECKED
- Export to MW-hacks.xml

13.13 Extracting Templates

- Extract from MTS Assist
- Special Pages
- Export Pages
- Add the pages specifically below

```
Template:DocLink
Template:Doc_Title
Template:Comment
Template:Incomplete
Template:Note
Template:Hint
```



```

Template:Warning
Template:Xref
PageTemplate
DocTemplate

```

- Ensure the following are checked/unchecked:
 - ◆ Include only the current revision, not the full history - CHECKED
 - ◆ Include templates - UNCHECKED
 - ◆ Save as file - CHECKED
- Export to MW-Templates.xml

13.14 Extracting Common Additional Files

Take the following from an Assist implementation that has them:

```

Aptean_Logo.png
Attention_niels_epting.png
hint.png
Bulbgraph.png

```

- Special:All Pages
- Enter start of file name in "Display pages starting at:"
- Select File Namespace from drop-down list and then click Go.
- Click on the file until a full-screen version appears.
- Right-click, Save Image As
- Save to your chosen directory.

13.15 Extracting Namespace Files

- Extract from an existing Assist
- Special Pages
- Export Pages
- Add the pages specifically below, replacing the namespace with the namespace of the Assist system - in this case this is from CTMS Assist:

```

CTMS:Privacy_policy
CTMS:General_disclaimer
CTMS:Copyrights
CTMS>About

```

- Ensure the following are checked/unchecked:
 - ◆ Include only the current revision, not the full history - CHECKED
 - ◆ Include templates - UNCHECKED
 - ◆ Save as file - CHECKED
- Export to MW-Namespaces.xml



Note: You will then need to amend the About page to change the product name and copyright dates.

13.16 Importing Additional Files, Templates and Hacks into a Wiki

- Ensure that all additional files from MW-add-files have been added.
- Upload additional files:
 - ◆ Special:Upload Multiple Files
 - ◆ Add a description if you want
 - ◆ Select the following files:

```

Aptean_Logo.png
Attention_niels_epting.png
hint.png
Bulbgraph.png

```



- As soon as you select the files, the files will be uploaded. The page will indicate if there is any error uploading the files (for example if they already exist)
- Upload hacks and templates:
 - ◆ Special Pages
 - ◆ Import Pages
 - ◆ Browse for the file to import, one of (do both)
 - ◇ MW-hacks.xml
 - ◇ MW-Templates.xml
 - ◆ Set InterWiki prefix to the name of the Wiki e.g. MTS, Portal, CTLTMS, etc
 - ◆ Add a comment if you want.
 - ◆ Ensure option "Import to original namespace" is selected
 - ◆ Upload File.

13.17 Importing Namespace Files

- Special Pages
- Import Pages
- Browse for the file to import
 - ◆ MW-Namespaces.xml
- Set InterWiki prefix to the name of the Wiki e.g. MTS, Portal, CTLTMS, etc
- Add a comment if you want.
- Ensure option "Import to a namespace" is selected
- Select the namespace from the drop-down list that matches the Assist being imported into, for example, MTS for CTMS, EPOD for C-ePOD, etc
- Upload File.

13.18 Additional Actions

The following are additional actions that are required, with some sample pages.

- MediaWiki:Pagetitle-view-mainpage - change this text to define the title of the wiki e.g. Assist - OBS Hub
- Update the main page - the MTS one is the one with all the best notes in.
- Update the Did You Know page with the common Assist-based help topics - there is an example in this Assist of a Did You Know page which can be copied or exported, imported and then edited.
- "Download as PDF" to "Print as PDF" - e.g. "Print as PDF" tab in the tab bar, typically on the top of the screen".

13.18.1 About

`''CALIDUS'' TMS System Copyright © 2000-{{CURRENTYEAR}} [https://aptean.com/ Aptean]. All Rights Reserved.`

`''CALIDUS'' Assist System Copyright © 2011-{{CURRENTYEAR}} [https://aptean.com/ Aptean]. All Rights Reserved.`

`The information contained herein is the property of Aptean and is supplied without liability for errors or omissions.`

13.18.2 Disclaimer

`Copyright Aptean © 2011-{{CURRENTYEAR}}`

`The information contained herein is the property of Aptean and is supplied without liability for errors or omissions.`

`It is also added to and maintained from various other sources outside of Aptean and may be from but not limited to.`

`No part may be reproduced or used except as authorised by contract or other written permission. The copyright remains the property of Aptean.`

13.18.3 Privacy Policy

`All content submitted to this documentation is the property of Aptean and will be made available to all customers.`



13.18.4 Copyrights

```
== Content ==
{{:{{NAMESPACE}}:General_disclaimer}}

== MediaWiki ==
You can find the MediaWiki license, contributors, FOSS attributions and components here:
* [[Special:Version]].
```

13.19 Support Issues

13.19.1 Seeing a Cat in the Background

There is a cat.svg linked from Timeless skin. (/calidus-assist/OBS/skins/Timeless/resources/images/cat.svg). This is the default.

This is configurable in skin.json in the Timeless directory for your Wiki. i.e.
D:\xampp\htdocs\calidus-assist\OBS\skins\Timeless\skin.json

Solution: Set this to user-grey.svg instead.

```
"config": {
  "TimelessBackdropImage": {
    "value": "user-grey.svg",
    "description": "Set it as you would $wgLogo to an appropriate background image. Rec"
  },
```

With multiple wiki installs, this is onerous. To facilitate changing multiple wiki installs, there is a directory in D:\Assist Install Files\MW-add-files called skins.

To apply:

- Copy the directory skins.
- Navigate to your Assist main folder e.g. D:\xampp\htdocs\calidus-assist\WMS
- Paste - this will overwrite the config file with the corrected one.

⚠ Warning: This file is delivered with MediaWiki. A new install will overwrite this file. If you have updated MediaWiki or installed a new version of the Timeless skin, then compare the saved skin.json file with the new one and update with any new/changed attributes.



14 Appendix A: Document History

A.1 References

Ref No	Document Title & ID	Version	Date
1			
2			
3			

A.2 Document History

Version	Date	Status	Reason	By
0.1	25/02/2020	Issue	Initial Version	ANW
1.0	13/03/2020	Issue	Issue	ANW

A.3 Authorised By

Julie Scott	OBS Manager	_____
Tony Walker	OBS Consultant	_____



15 Help:UpgradeWiki

Warning: This page has been superseded by [Assist Upgrade Actions](#). See there for more information. However, this old version might contain some useful information, so is preserved.

Note: The latest validated version of MediaWiki that works with Assist is 1.16.5.

Note: Although later versions may work, it is expected that the PDF export (required for most of the Assist pages) will eventually break, due to CSS being introduced in more modern versions.

15.1 Software Required

- MySQL Administrator (root access)
- php (part of MediaWiki)
- The full MediaWiki archive file, from here:
 - ♦ Current versions: <https://www.mediawiki.org/wiki/Download>
 - ♦ Old versions: <https://releases.wikimedia.org/mediawiki/>

15.2 Prior to Upgrade

- Back up the database schema being affected.
- Back up the installation for the wiki being upgraded.

15.3 Upgrade

Full upgrade instructions related to your version of MediaWiki are in the folder as a file called UPGRADE. Follow these instructions

Essentially it involves running

- php /maintenance/upgrade.php

Note: php is part of MediaWiki. you may need to directly point to the php exe in the main MediaWiki folder.

Note: Ensure that the <wiki>_owner account has full access to create and alter schema properties, or updates will fail.

