

EMERGENCY RELEASE - CTMS 11.0

RELNOTE ER034-017

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
TRG_SCH_ORD_XML_INT.sql	Trigger	5.18	358670	WREQ0031943		New version 2.43 of TripOrder.xsd will need to be installed by for the EDI files for interfacing with ConnectedView. The EDI processes for ConnectedView should exist with triggers, parameters and report processes without a location or a customer but for a cost centre.
						ORD: Flow Type: ORD_XML_OUT Trigger STATUS: UNSCHEDULED.
						Trigger STATUS: UNSCHEDULED Parameters: ALLOW_MULTI_CUSTOMER = Y INCLUDE_ORDER_STATUS = Y SEND_HEADER_UPDATES = Y SEND_LINE_ITEMS = Y
						The order message will be sent for the despatching source depot for the creation and amendment of the orders at the depot. PACK:



Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
						Flow Type: ORD_XML_OUT
						Parameters:
						PACK_EVENT = Y SEND_LINE_ITEMS = Y
						The pack message will be sent for the despatching source depot for the packing of the orders at the depot.
						POCPOD:
						Flow Type: TRIP_XML
						Parameters:
						ALLOW_MULTI_CUSTOMER = Y INCLUDE_ITEM_DELIVER = Y INCLUDE_NONCON_CODES = Y INCLUDE_REASON_CODES = Y INCLUDE_REASON_TYPE = Y INCLUDE_SIGNATURE = Y PODS_POCS = Y SEND_LINE_ITEMS = Y
						The POC messages will be sent for the loading at the source location for the collection orders.
						The POD messages will be sent for the unloading at the delivery location for the delivery orders.
						This trip may be for a depot that may be an outbase for the van fleet.
						The EDI processes also should exist for the LOAD, CITD and electronic manifest messages.
						The load message will be sent for the despatching source depot.
						The CITD message will be sent for the despatching source depot.
						An electronic manifest message will be sent for the despatching delivery depot for the parcel carrier.
						This depot may be an outbase for the van fleet.



Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
						These EDI parameters can be configured to match the mapping of the files by any external processing for transfer to the source systems for the orders and carriers.
						New version 2.43 of TripOrder.xsd will be required for the messages for ConnectedView to be mapped.
						This version contains the ORDER_STATUS element at the end of the ORDER_HEADER segment.
INT_XML_OUT2.sql	Outbound EDI Package	5.295	"	"	"	п

Warning: An EDI change is required with this release. New version 2.43 of TripOrder.xsd will need to be installed for the EDI files for messages for the new ConnectedView interface

