



EMERGENCY RELEASE - CTMS 11.0

RELNOTE ER035-046

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
DATA_ADM_SYSTEM_PARAM_368955.sql	Database Script	1.1	368955	-	2	<p>A new system parameter called IMP_FULL_LOC_ADDR_MATCH can be used to control the level of address data that must match an existing location for that location to be used for an order when it is imported.</p> <p>When IMP_FULL_LOC_ADDR_MATCH is Y, the address must match the location name, address line 1, postcode, country code and location type for the order to use the existing location.</p> <p>Otherwise, the existing functionality will apply and the existing location will be found for the location name and postcode then address line 1, postcode, country code and location type.</p>
GEO.sql	Geography Database Package	5.36	"	"	"	"
IMP.sql	Imports Database Package	5.198	"	"	"	"



New Parameters			
Parameter Name	Config Level	Setting Value	Result
IMP_FULL_LOC_ADDR_MATCH	SYSTEM	Y	Checks the addresses match for the location name, address line 1, postcode, country code and location type for imported orders before creating a new location.
IMP_FULL_LOC_ADDR_MATCH	SYSTEM	N	Checks the addresses match for the location name and postcode then address line 1, postcode, country code and location type for imported orders before creating a new location.

