

## **EMERGENCY RELEASE - CTMS 11.0**

## **RELNOTE ER039-014**

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
	Data Script	1.1	01753120	-	3	A new system parameter for cost centres exists called LOTS_DEL_CUST_SIGNATORY.
_01753120.sql						Description: 'Controls if DEL messages for LOTS require an actual signatory - Y to hold messages'
						Used in the ORDER_HEADER_CONFIRM section in the LOTS files.
						And to only send a DEL message when an actual signatory is obtained from EPOD (except when the file is triggered at COMPLETED status).
						The signed by from the trip stop will not be included when an actual signatory is not received.
						DEL messages will remain on hold until an actual signatory is received or the trip is completed.
						The DEL control records will be updated as processed with the text 'Missing signatory, no DEL file created' for the



Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
						filename.
						2. The VLI/VUI messages will remain on hold until a scan for the vehicle is received.
						If a DEL message is sent for the order these VLI/VUI will then not be sent and their control records will be updated as processed with the text 'Scan not received, DEL message created' for the filename.
						3. The TRP messages will check that a control record has not been created or a trip that has subsequently been DELETED without first sending a TRP message.
						The TRP control records will be updated as processed with the text 'Deleted Control Record' for the filename.
						4. The DRIVER_NAME section does not include a space if a driver is not assigned.
						5. The STOP_CONTACT_NAME section does not include a space if a contact is not assigned.
DATA_ADM_SYSTEM_PARAM				_		
_CONFIG_01753120.sql	Data Script	1.1			<u>"</u>	<u>"</u>
INT_XML_OUT2.sql	Outbound EDI Database Package	5.319	п	II	11	п

New Parameters					
Parameter Name	Config Level	Setting Value	Result		
LOTS_DEL_CUST_SIGNATORY	COST_CENTRE	I Y	The DEL message will require an actual signatory for the delivery location of the order before it can be sent.		
LOTS_DEL_CUST_SIGNATORY	COST_CENTRE	IIXI	The DEL message will not require an actual signatory for the delivery location of the order before it can be sent.		
LOTS_FTP_PUT_DIRECTORY	SYSTEM	POPULATED	The LOTS file will be placed temporarily in this directory with a suffix of 'TMP'.		
LOTS_FTP_PUT_DIRECTORY	SYSTEM	NULL	The LOTS file will not be placed temporarily in this directory.		
LOTS_FTP_DESTINATION_DIRECTORY	SYSTEM	POPULATED	The LOTS file will be placed in this directory with a suffix of 'XML'.		



New Parameters					
LOTS_FTP_DESTINATION_DIRECTORY SYSTEM	NULL	The LOTS file will be placed in this directory.			

