



EMERGENCY RELEASE - CTMS 11.0

RELNOTE ER041-073

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
DP_EXPORT_EVENTS.sql	Database package	5.7	00296022	-	3	DP_EXPORT_EVENTS is modified to use two edi_process_triggers AUDIT_STATUS for the status from EVENTS_OUT and AUDIT_METHOD for the storage option. Then audit the NAK/ACK responses and store them in audit records or text FILE accordingly. DP_CTMS_IMPORT- (import_order and import_customer functions) are modified to use two edi_process_triggers AUDIT_STATUS for the status and AUDIT_METHOD for the storage option. To choose the audit responses as NAK/ACK/NAK,WAK/ALL and store them in audit records or text FILE accordingly.
DP_CTMS_IMPORT.sql	Database package	5.4	"	"	"	"
DATA_EDI_PROCESS_TRIGGERS_296022.sql	Database Trigger	1.1	"	"	"	"
AT_RES_TRAILER_TYPE_296022.sql	Database Script	1.1	"	"	"	"



New Parameters			
Parameter Name	Config Level	Setting Value	Result
AUDIT STATUS	-	ALL	EDI parameter AUDIT STATUS default value is set to 'ALL'
AUDIT METHOD	-	WS	EDI parameter AUDIT METHOD default value is set to 'WS'

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
DATA_ADM_SYSTEM_PARAM_02108654.sql	Database Script	1.1	02108654	-	3	New email messages for NAK events. Setup: The new system parameter called 'MSG_NAKS' can be set to 'Y' to trigger email messages for 'NAK' events. The new system parameter called 'MSG_NAKS_EMAIL' can be used to store email addresses for 'NAK' events (delimited by semi-colons). The new system parameter called 'MSG_NAKS_TYPE' to list the types of processes for 'NAK' events (delimited by commas). A new message type called 'NAK_MSG' is present to enable the email messages to be processed for 'NAK' events. A new import decode type called 'MSG_NAK_EVENTS' is available to configure the text for the emails for the type of messages being generated, for example: 'INBOUND' as 'Inbound from EPOD' 'IN_API_ORD' as 'Inbound order from AX' 'IN_API_CUST' as 'Inbound customer from Elucid' 'OUT_API' as 'Outbound to AX' 'OUTBOUND' as 'Outbound to EPOD'
DATA_IMP_DECODE_02108654.sql	Database Script	1.1	"	"	"	"
DATA_1_MSG_EVENT_TYPE_02108654.sql	Database Script	1.1	"	"	"	"
DATA_2_MSG_TYPE_02108654.sql	Database Script	1.1	"	"	"	"
DATA_3_MSG_REQ_02108654.sql	Database Script	1.1	"	"	"	"
TRG_EPOD_WEB_SERVICE_AUDIT.sql	Database Trigger	1.4	"	"	"	"
MSG_PROCESSING.sql		5.73	"	"	"	"



Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
	Message Processing Database Package					
EPOD_WSA.fmx	EPOD Web Service Audit Oracle Form	1.9	"	"	"	"

New Parameters			
Parameter Name	Config Level	Setting Value	Result
MSG_NAKS	SYSTEM	Y	Triggers the emails for NAK events in the EPOD web service auditing.
MSG_NAKS	SYSTEM	N	Does not send an email to a recipient for a message for NAK responses.
MSG_NAKS_EMAIL	SYSTEM	Populated	Sends an email to the recipient(s) for a message for NAK responses.
MSG_NAKS_EMAIL	SYSTEM	Null	Does not send an email to a recipient for a message for NAK responses.
MSG_NAKS_TYPE	SYSTEM	Populated	Lists the type of processes to trigger the emails for NAK events in the EPOD web service auditing.
MSG_NAKS_TYPE	SYSTEM	Null	Does not send an email to a recipient for a message for NAK responses.

