



EMERGENCY RELEASE - WMS 810

RELNOTE ER039-030

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks
DATA_WAREHOUSE_RULES_CONTROL_01739347.sql	Data Script	4.1	01739347	-	3	Added new Warehouse AND Owner VAPS (Validate Against Pre-Advised Serials) rule. Rule logic checks owner level setup first, and if not setup, will look at warehouse level setup. If rule set to Yes, entered serials must have been pre-advised before GRN details are entered.
DATA_WAREHOUSE_RULES_01739347.sql	Data Script	4.1	"	"	"	"
DP_SERIALS_2.sql	Medical/Serial Number entry/validation package	4.13	"	"	"	"
WHS0200.fmx	Pick by Line Ticket Print Kick Off	4.17	"	"	"	"

New Parameters			
Parameter Name	Config Level	Setting Value	Result
VAPS (Validate Against Pre-Advised Serials)	Owner	Y or N	If 'Y'(Yes) only select values that have been pre-advised. If 'N'(No) no change in functionality

Ready for **What's Next, Now™**



New Parameters		
Warehouse	Y or N	Only referenced if 'owner' level rule not set up. If used, as above, with 'Y'/'N' value If not setup, default is 'N' (No), with no change in functionality.

