

Patrolled edits

Aptean Ltd
Copyright © 2011-2026.

Contents

1 Help:Patrolled edits.....	1
1.1 Marking edits as patrolled.....	1
1.2 Hiding patrolled edits from recent changes.....	1
1.3 Customization.....	1
1.4 See also.....	2

1 Help:Patrolled edits

Important note: When you edit this page, you agree to release your contribution into the [public domain](#). If you don't want this or can't do this because of license restrictions, please don't edit. This page is one of the Public Domain Help Pages, which can be freely copied into fresh wiki installations and/or distributed with MediaWiki software; see [Help:Contents](#) for an overview of all pages.

Patrolled edits are a feature which allows specific users to mark items in recent changes as having been "patrolled" or "approved". By default this is only available if you have [sysop permissions](#).

This feature is useful when reviewing recent changes for undesirable edits, link spam and vandalism. This allows people (with permission to do so) to coordinate their patrolling activity, such that edits get checked over once, with less wasted effort (different people checking the same edit).

1.1 Marking edits as patrolled

To mark an edit as patrolled

1. Access [Special:RecentChanges](#)
Changes which are not patrolled will be indicated with a red exclamation mark
2. Click the [\(diff\)](#) link next to an edit
3. To mark the edit as patrolled, click the *mark as patrolled* link

1.2 Hiding patrolled edits from recent changes

Patrolled edits can be hidden from recent changes by adding `&hidepatrolled=1` to the URL in the following form:

`https://calidusassist.adcservices.apteancloud.com/calidus-assist/OBS/index.php?title=Special:RecentChanges&hidepatrolled=1`

1.3 Customization

1.3.1 Enabling/disabling

Patrolled edits are enabled by default in MediaWiki 1.4 and later. To disable this, set `$wgUseRCPatrol` in [LocalSettings.php](#) to `false`.

```
$wgUseRCPatrol = false;
```

1.3.2 Permissions

1.3.2.1 1.4

In MediaWiki 1.4, patrolled edits are enabled for all users. To restrict this to sysops, set `$wgOnlySysopsCanPatrol` in [LocalSettings.php](#) to `true`.

```
$wgOnlySysopsCanPatrol = true;
```

1.3.2.2 1.5+

In MediaWiki 1.5 and later, patrolled edits are enabled for sysops. Use the `$wgGroupPermissions` configuration variable to assign this to new or existing user groups. See [Manual:User rights management](#).

For instance, to create a *patrollers* group:

```
$wgGroupPermissions['patrollers']['patrol'] = true;
```

1.3.3 Automatic patrolling

In MediaWiki 1.6 through 1.8, there is a [user preference](#) available to users who are able to mark edits as patrolled. When set, this causes their edits to be patrolled automatically.

This option is not available if the patrolled edits feature is switched off.



In MediaWiki 1.9 this user preference has been removed and replaced by a new "autopatrol" right, assigned only to sysops by default. Also, users cannot mark their own edits as patrolled.

1.3.4 Marker

The formatting of the unpatrolled edit marker can be altered using CSS. The exclamation mark displayed on the Recent changes log is styled using the `span.unpatrolled` class.

1.4 See also

- [Further reading on the Meta-Wiki](#)
- [Extension:FlaggedRevs](#)

Language: English

