



## Release Notes

### *CALIDUS* TMS

5th Apr 2024 - 1.0  
Reference: P046

# Contents

<b>1 SUMMARY INTRODUCTION.....</b>	<b>1</b>
1.1 INTRODUCTION.....	1
1.2 TESTING PROCESS.....	2
<b>2 CHANGE REQUESTS.....</b>	<b>3</b>
2.1 Log Number: 00514663.....	3
2.2 Log Number: 00498981.....	3
2.3 Log Number: 00527152.....	3
2.4 Log Number: 00527157.....	3
2.5 Log Number: 00520087.....	3
2.6 Log Number: 00530171.....	3
2.7 Log Number: 00522350.....	3
2.8 Log Number: 00534416.....	3
2.9 Log Number: 00529028.....	4
2.10 Log Number: 00536205.....	4
2.11 Log Number: 00510487.....	4
2.12 Log Number: 00537843.....	4
2.13 Log Number: 00533620.....	4
2.14 Log Number: 00539920.....	5
2.15 Log Number: 00542201.....	5
2.16 Log Number: 00479903.....	5
2.17 Log Number: 02578219.....	5
2.18 Log Number: 00550569.....	6
2.19 Log Number: 00547839.....	6
2.20 Log Number: 00548540.....	6
2.21 Log Number: 00550047.....	6
2.22 Log Number: 00551639.....	6
2.23 Log Number: 00469937.....	6
2.24 Log Number: 00516374.....	6
2.25 Log Number: 00554583.....	7
2.26 Log Number: 00555143.....	8
2.27 Log Number: 00555144.....	8
2.28 Log Number: 00554568.....	8
2.29 Log Number: 00563001.....	8
2.30 Log Number: 00567392.....	8
2.31 Log Number: 00568624.....	8
2.32 Log Number: 00484537.....	9
2.33 Log Number: 00571947.....	10
2.34 Log Number: 00575228.....	10
2.35 Log Number: 00578389.....	10
2.36 Log Number: 02713995.....	10
2.37 Log Number: 00525198.....	10
2.38 Log Number: 00525182.....	10
2.39 Log Number: 00517921.....	11
2.40 Log Number: 00524462.....	11
2.41 Log Number: 00524481.....	11
2.42 Log Number: 00527142.....	12
2.43 Log Number: 00527274.....	12
2.44 Log Number: 00528183.....	12
2.45 Log Number: 00528738.....	12
2.46 Log Number: 00528842.....	12
2.47 Log Number: 00528195.....	12
2.48 Log Number: 00530050.....	12
2.49 Log Number: 00528762.....	12
2.50 Log Number: 00527603.....	12
2.51 Log Number: 00524586.....	13
2.52 Log Number: 00528718.....	13
2.53 Log Number: 00533067.....	13
2.54 Log Number: 00533991.....	13
2.55 Log Number: 00537198.....	13
2.56 Log Number: 00524191.....	14
2.57 Log Number: 00538804.....	14
2.58 Log Number: 00540264.....	14
2.59 Log Number: 00534016.....	14
2.60 Log Number: 00538191.....	14
2.61 Log Number: 00542256.....	15
2.62 Log Number: 00538855.....	15
2.63 Log Number: 00536498.....	15
2.64 Log Number: 00546323.....	15
2.65 Log Number: 00544876.....	15
2.66 Log Number: 00546768.....	15
2.67 Log Number: 00552783.....	15
2.68 Log Number: 00554263.....	15
2.69 Log Number: 00543998.....	15
2.70 Log Number: 00555163.....	16
2.71 Log Number: 00559726.....	16
2.72 Log Number: 00542530.....	16
2.73 Log Number: 00560125.....	17
2.74 Log Number: 00561946.....	17

# Contents

## 2 CHANGE REQUESTS

2.75 Log Number: 00562054.....	17
2.76 Log Number: 00564461.....	17
2.77 Log Number: 00564569.....	17
2.78 Log Number: 00563558.....	17
2.79 Log Number: 00569051.....	17
2.80 Log Number: 00532043.....	17
2.81 Log Number: 00567195.....	17
2.82 Log Number: 00570437.....	17
2.83 Log Number: 00539653.....	18
2.84 Log Number: 00570824.....	18
2.85 Log Number: 00572795.....	18
2.86 Log Number: 00573163.....	18
2.87 Log Number: 00580395.....	18
2.88 Log Number: 02792680.....	18

## 3 SUPPORT INCIDENTS.....19

3.1 Log Number: 00538105.....	19
3.2 Log Number: 00549717.....	19
3.3 Log Number: 03529183.....	19
3.4 Log Number: 02769136.....	19

## 4 TID CHANGES.....20

4.1 Log Number: 02766658.....	20
4.2 Log Number: 00538412.....	20
4.3 Log Number: 02742281.....	20
4.4 Log Number: 00545159.....	20
4.5 Log Number: 00543948.....	20
4.6 Log Number: 02764788.....	20
4.7 Log Number: 02710742.....	20
4.8 Log Number: 02690067.....	20
4.9 Log Number: 02818748.....	21
4.10 Log Number: 00534889.....	21
4.11 Log Number: 02691631.....	22
4.12 Log Number: 02683404.....	22
4.13 Log Number: 02910494.....	22
4.14 Log Number: 00554721.....	22
4.15 Log Number: 00561665.....	22
4.16 Log Number: 02728730.....	22
4.17 Log Number: 00562331.....	23
4.18 Log Number: 00562303.....	23
4.19 Log Number: 00560600.....	23
4.20 Log Number: 00553397.....	23
4.21 Log Number: 03008712.....	23
4.22 Log Number: 00565562.....	23
4.23 Log Number: 00543919.....	24
4.24 Log Number: 00540719.....	24
4.25 Log Number: 00572113.....	24
4.26 Log Number: 00558723.....	24
4.27 Log Number: 00577244.....	25

## 5 MODULES DELIVERED.....26

## 6 ADDITIONAL CHANGES.....30

6.1 WCS.....	30
6.2 EPOD/T2A.....	30
6.3 CTL.....	30
6.4 PORTAL/TTM.....	30
6.5 Manual.....	30

# 1 SUMMARY INTRODUCTION

## 1.1 INTRODUCTION

The main aim of this document is to provide *CALIDUS* TMS users with the level of detail required to accurately test all software included in the patch. The document also contains set-up and configuration details to enable the user to configure the system correctly for the new functionality to work.

### 1.1.1 GLOSSARY OF TERMS

Term	Meaning
C-TMS	Transport Management System
C-WMS	Warehouse Management System
CR	Change Request
C-WCS	Warehouse Control System
C-ePOD	Electronic Proof of Delivery
C-MCS	Mobile Control System
C-TTM	Track and Trace Management
EDI	Electronic Data Interchange
TID	Testing Issue Development, or Log



## **1.2 TESTING PROCESS**

### **1.2.1 TIDs AND RESOLUTION**

If there are any areas of the functionality that are not acceptable or do not meet the requirement specified in the Change Request then these should be expressed by raising a TID.

### **1.2.2 FINAL 'END TO END' TESTING**

Prior to release to a production database, a full 'End to End' test is required on the test system by all sites using the database. Once this is signed off, a release date can be arranged.

### **1.2.3 AUTHORISATION**

Authorisation from nominated release personnel only will be required when requesting a release to a production environment



## 2 CHANGE REQUESTS

### 2.1 Log Number: 00514663

**Summary of Call**

Drop numbers and times not reset

**Detail of Fix**

The trip will be validated and have its distances and times recalculated when a stop is deleted when its last order is unscheduled from the trip because it has been updated with a new scheduled date.

**Set-up and Configuration**

No set-up/configuration required

### 2.2 Log Number: 00498981

**Summary of Call**

Extend EPL\_SERVICES\_SUPPLIED to 255 characters

**Detail of Fix**

EPL\_SERVICES\_SUPPLIED and SCH\_ORD\_ITEMS.SERVICE\_SUPPLIED has been altered to accommodate 255 characters.

**Set-up and Configuration**

No set-up/configuration required

### 2.3 Log Number: 00527152

**Summary of Call**

Orders sent to Paragon for an invalid run number

**Detail of Fix**

Orders and their locations will not advise Paragon via the API when they have a run number that is for a route code that does not send its orders to Paragon for planning.

**Set-up and Configuration**

No set-up/configuration required

### 2.4 Log Number: 00527157

**Summary of Call**

Resync error in API from Paragon

**Detail of Fix**

Some queries have been changed for greater efficiency for the import API from Paragon and the triggering of the haulage activity for MIS.

**Set-up and Configuration**

Additionally, extensive auditing has been added to the process to read the message from Paragon to review the efficiency of the process.

No set-up/configuration required

### 2.5 Log Number: 00520087

**Summary of Call**

Unable to import Fixed Routes

**Detail of Fix**

The record format and the field will be case sensitive to enable record formats with similar names to be processed.

**Set-up and Configuration**

No set-up/configuration required

### 2.6 Log Number: 00530171

**Summary of Call**

Recalculate the distance and time when an order is cancelled via the API

**Detail of Fix**

The trip will be validated and have its distances and times recalculated when a stop is deleted when its last order is unscheduled from the trip because it has been cancelled via the API.

**Set-up and Configuration**

No set-up/configuration required

### 2.7 Log Number: 00522350

**Summary of Call**

Updates to Epod Web Service Audit Screen

**Detail of Fix**

New field 'STATUS' has been added and previously existed column trip\_id is renamed as reference and altered it as a LOV which gives a list of references from EWSA for better auditing purpose.

**Set-up and Configuration**

No set-up/configuration required

### 2.8 Log Number: 00534416

**Summary of Call**

Slow rate of processing the Paragon API for the runs (20978)

**Detail of Fix**

The orders will be unscheduled directly from the TMP trips to improve the rate of processing.

**Set-up and Configuration**

No set-up/configuration required



## 2.9 Log Number: 00529028

### Summary of Call

Generate Paragon ID for UNKNOWN locations (20979)

The EDI parameter 'UPDATE\_PARAGON\_ID' for the 'API' process will be used to update the new locations for the orders with a Paragon ID and a delivery depot.

The UNKNOWN locations for the order will create new collection and delivery locations based on the postcode.

### Detail of Fix

The Paragon ID will be based on the customer code and the location code.

The delivery depot for Paragon for the new location will be based on the planning depot for the planning region of the location for its postal region.

This planning depot will be used in preference to the depot code of the collection location for an order for a delivery, or to the depot code for the delivery location for an order for a collection.

### Set-up and Configuration

No set-up/configuration required

## 2.10 Log Number: 00536205

### Summary of Call

Import Fixed Routes to update the PAR\_RUN decoded value

### Detail of Fix

The decoded value for the 'PAR\_RUN' for the fixed routes will be inserted, updated or deleted for the route.

### Set-up and Configuration

No set-up/configuration required

## 2.11 Log Number: 00510487

### Summary of Call

No drop number provided for customers

A new system parameter called 'TRM\_3PL\_SCHEDULE\_NO\_DROP' will be available to configure with a value of 'Y' to enable the orders for a location without a drop number for the route for Paragon to be added to the temporary 'TMP' trip for pre-planning.

### Detail of Fix

The 'DL' stops will be added as drop number '498' and the 'PK' stops will be added as drop number '499'.

When this system parameter is not active, those orders will continue to display the audit message 'Cannot pre-plan no drop number available'.

### Set-up and Configuration

New Parameters			
Parameter Name	Config Level	Setting Value	Result
TRM_3PL_SCHEDULE_NO_DROP	SYSTEM	Y	The orders for a location without a drop number for the route for Paragon will be added to the temporary 'TMP' trip for pre-planning.
TRM_3PL_SCHEDULE_NO_DROP	SYSTEM	N	The orders for a location without a drop number for the route for Paragon will not be added to the temporary 'TMP' trip for pre-planning, they will continue to display the audit message 'Cannot pre-plan no drop number available'.

## 2.12 Log Number: 00537843

### Summary of Call

PCL trip created for a zero-drop number

The zero-drop numbers will be assessed with the 'Send to Paragon' flag to create either a PCL trip for a non-Paragon route or a TMP trip for a Paragon route.

### Detail of Fix

The zero-drop numbers will be set as stop numbers 498 and 499 on the same TMP trip as the planned drop numbers.

### Set-up and Configuration

New Parameters			
Parameter Name	Config Level	Setting Value	Result
TRM_3PL_SCHEDULE_NO_DROP	SYSTEM	Y	The orders for a location without a drop number for the route for Paragon will be added to the temporary 'TMP' trip for pre-planning.
TRM_3PL_SCHEDULE_NO_DROP	SYSTEM	N	The orders for a location without a drop number for the route for Paragon will not be added to the temporary 'TMP' trip for pre-planning, they will continue to display the audit message 'Cannot pre-plan no drop number available'.

## 2.13 Log Number: 00533620

### Summary of Call

Total of Tyres in the Trip Waterfall screen

### Detail of Fix

Change has been done to get\_tyres function, to use the delivered quantity for Tyres(DL) column in waterfall screen, instead of what was planned to be delivered.

### Set-up and Configuration

New Parameters			
----------------	--	--	--



New Parameters			
Parameter Name	Config Level	Setting Value	Result
TRIP_OVERVIEW_CURRENT_TYRES	SYSTEM	N	Use the current quantity of tyres in the Trip Waterfall screen (Y/N)

## 2.14 Log Number: 00539920

<b>Summary of Call</b>	Audit Paragon for the STP version
<b>Detail of Fix</b>	The auditing for Paragon will use the name of the EDI process to assess test 'AUDIT_WS' parameter.
<b>Set-up and Configuration</b>	The auditing will include the content of the message as well as the endpoint. No set-up/configuration required

## 2.15 Log Number: 00542201

<b>Summary of Call</b>	Update merged TMP trip to be DELETED (24117) The TMP trips will be revalidated when an order is transferred to another another run number.
<b>Detail of Fix</b>	When an order is unscheduled from a TMP trip because it has a new run number, any empty stops on that trip will be deleted and the distance and time will be recalculated for the remaining stops.  An empty trip will have status DELETED.
<b>Set-up and Configuration</b>	No set-up/configuration required

## 2.16 Log Number: 00479903

<b>Summary of Call</b>	SCR 41: Always default removals from last inspected
<b>Detail of Fix</b>	Web service package changed not to send the product details for removals
<b>Set-up and Configuration</b>	No set-up/configuration required

## 2.17 Log Number: 02578219

<b>Summary of Call</b>	Implement customer password standards in C-TMS instances
<b>Detail of Fix</b>	New Software for validation of user passwords by profile
<b>Set-up and Configuration</b>	

New Parameters			
Parameter Name	Config Level	Setting Value	Result
USE_SECURITY_PROFILES	SYSTEM	Y	Activate Security Profiles for users





**2.18 Log Number: 00550569**

<b>Summary of Call</b>	Orders for the collection desk are not scheduling The 'DSK' trips for the collection desk will be assessed for the orders by schedule to create a new trip or to add the order with a new stop to an existing trip.
<b>Detail of Fix</b>	Any trips for the collection desk that have become empty of orders and stops except a 'CL' stop will be updated to have new stops for the orders.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.19 Log Number: 00547839**

<b>Summary of Call</b>	Planning screen slow to refresh A system parameter exists called 'PLANNING_AUTO_SCHED_INACTIVE_DEPOTS' to store the inactive depots in quotation marks to accompany 'AUTO_SCHED_INACTIVE_DEPOTS' for the scheduling engine.
<b>Detail of Fix</b>	The quotation marks will enable the list to be assessed directly in the 'PLANNING' screen to exclude the orders for the inactive depots.  From and to locations for the collection and delivery orders will be checked against this list.  The number of orders will be reduced and the query of the unscheduled orders will be performed much more quickly.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.20 Log Number: 00548540**

<b>Summary of Call</b>	Increase the number of days in the range for the weekly Paragon keys
<b>Detail of Fix</b>	Increased number days a key spans
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.21 Log Number: 00550047**

<b>Summary of Call</b>	New delivery dates should update Paragon with a milestone (24318) The new schedule for the delivery date for the order will delete the order from the previous schedule in Paragon and add it to the new schedule in Paragon with its collection or delivery location as required.
<b>Detail of Fix</b>	The new system parameter 'OMS_UPDATE_SCHEDULE_TO_TRIP' will update the time windows for the orders that exist on a trip when the schedule of the trip is changed in the 'Planning' screen.  When this system parameter is set to 'Y', the time windows of the orders on the trip will be offset to match the number of days that have changed for the schedule of the 'RADIAL' trip.  An instruction to unschedule the order for the change of the delivery date will not occur when that date is offset with the schedule of the order itself.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.22 Log Number: 00551639**

<b>Summary of Call</b>	Create the Paragon ID for new orders The Paragon ID and the delivery depot will be created for an existing location when it is used for an order.
<b>Detail of Fix</b>	The existing Paragon ID and the delivery depot will be retained for an existing location when it is used for an order.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.23 Log Number: 00469937**

<b>Summary of Call</b>	SCR 14: Multiple contacts, identifying who gets the EPOD report This functionality will change CTMS and CTL to allow the maintenance and selection of multiple contacts and allow the users to define which contacts will be used for the tracking link, for the work report email and for contact options on the mobile device.
<b>Detail of Fix</b>	
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.24 Log Number: 00516374**

<b>Summary of Call</b>	SCR 44: Job Ticket to display a free-text field to add to service report to add "Actual Customer"
<b>Detail of Fix</b>	Development to display the 'Actual Customer' in CTL and on the epod pod note.



**Set-up and Configuration**                      No set-up/configuration required

**2.25 Log Number: 00554583**

<b>Summary of Call</b>	Error handling in Paragon API import
<b>Detail of Fix</b>	A plan for either the current schedule or the next schedule can be imported via the Paragon API.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.26 Log Number: 00555143****Summary of Call**

Set PAR trips to use the time to depart from not arrive at the depot

The Paragon API interface for STP will set the planned arrival and departure times at the depot based on the values that are received:

Planned Arrival Time: TRIPSTART

Planned Departure Time: TRPSRCDEPOTDEP or TRPDSTDEPOTDEP

**Detail of Fix**

If the Planned Arrival Time is greater than or equal to the Planned Departure Time, then 30 minutes will be deducted from the Planned Departure Time to set the Planned Arrival Time.

At present, TRIPSTART equals TRPSRCDEPOTDEP and TRPDSTDEPOTDEP is NULL, therefore the Planned Arrival Time and the Start Time of the trip will become TRPSRCDEPOTDEP minus 30 minutes.

Those values will be consistent with the requirements from the recent conference call and they will account for any different values that are received from Paragon.

**Set-up and Configuration**

No set-up/configuration required

**2.27 Log Number: 00555144****Summary of Call**

Slow processing in the Waterfall screen

The Trip Waterfall screen will call only those functions that are required to display for the configured layout on the screen.

**Detail of Fix**

The rate of processing the queries will be quicker as will the navigation between the tab pages.

**Set-up and Configuration**

No set-up/configuration required

**2.28 Log Number: 00554568****Summary of Call**

Update Paragon with the LOC on the new schedule (24348)

Paragon should receive a LOC record for the location of the order when the order is placed on a new schedule for planning.

**Detail of Fix**

The order will be deleted for its old location and added for planning in Paragon.

**Set-up and Configuration**

No set-up/configuration required

**2.29 Log Number: 00563001****Summary of Call**

Delete old call for Paragon

The orders and their locations will advise Paragon to add, update or delete them when they are changed in CTMS.

**Detail of Fix**

Uses the old location when deleting the order from Paragon.

**Set-up and Configuration**

No set-up/configuration required

**2.30 Log Number: 00567392****Summary of Call**

Additional error handling for Paragon API for the STP version

Additional error handling is included to ensure that a locked trip does not prevent other trips being updated to TENDERED status as required.

The additional error handling exists for these post-update procedures:

- Update the trips from PLANNED to TENDERED status for Fleet carriers.
- Update the TENDERED trips for Fleet carriers with a rate.
- Update the route code for trips for 3PL carriers.
- Update the route code for trips for non-3PL carriers.
- Update the trips for the 3PL carrier with a rate and set to TENDERED status.
- Delete any empty trips for the current and future schedules.

**Set-up and Configuration**

No set-up/configuration required

**2.31 Log Number: 00568624****Summary of Call**

Paragon not receiving the data for special runs (GDSP03) - (25103)



<b>Detail of Fix</b>	Excludes the early delivery date and time from the assessment of the current date and time for the schedule for Paragon.
<b>Set-up and Configuration</b>	No set-up/configuration required

## 2.32 Log Number: 00484537

<b>Summary of Call</b>	<p>Paragon Count of non-tyre Products</p> <p>A new reference called 'CALL.USER03' will be sent to Paragon for the STS databases.</p>
<b>Detail of Fix</b>	<p>Note that there will be a task to implement the new call for Paragon when Paragon is configured to use the data.</p> <p>This reference will include the number of items that are not classed as tyres.</p>
<b>Set-up and Configuration</b>	<p>The tyres will be identified with a DU type that begins with the letter 'T'.</p> <p>No set-up/configuration required</p>



## 2.33 Log Number: 00571947

<b>Summary of Call</b>	New location for a variant address by ID The variant addresses will not update the location for the ADDRESS_ID when a variant address is not found for the ADDRESS_EXT_REF.
<b>Detail of Fix</b>	The ADDRESS_ID is provided for permanent locations but it is not provided for temporary address.  The variant addresses can be provided with or without an ADDRESS_ID but they do require an ADDRESS_EXT_REF.  The unknown locations will continue to create a new location when a matching address for an existing location is not found.
<b>Set-up and Configuration</b>	No set-up/configuration required

## 2.34 Log Number: 00575228

<b>Summary of Call</b>	Work not going from Paragon to CTMS A new EDI parameter called 'PAR_SCHEDULES' is available to assess the number of schedules in the future to retrieve from Paragon via the API.
<b>Detail of Fix</b>	This EDI parameter will be effective for the versions of the API by week and by day.  It is expected to be set for the EDI process that is called 'Get_Paragon'.
<b>Set-up and Configuration</b>	No set-up/configuration required

## 2.35 Log Number: 00578389

<b>Summary of Call</b>	Work not going from Paragon to CTMS for STP A new EDI parameter called 'PAR_SCHEDULES' is available to assess the number of schedules in the future to retrieve from Paragon via the API.
<b>Detail of Fix</b>	This EDI parameter will be effective for the versions of the API by week and by day.  It is expected to be set for the EDI processes that are called 'Get_Paragon' by depot.
<b>Set-up and Configuration</b>	No set-up/configuration required

## 2.36 Log Number: 02713995

<b>Summary of Call</b>	Weights incorrect
<b>Detail of Fix</b>	Development which introduces new column for called PACK_QUANTITY to store decimal values up to 2 digits for weights, so the whole weight can be seen without truncating the value.
<b>Set-up and Configuration</b>	

New Parameters			
Parameter Name	Config Level	Setting Value	Result
USE_PACK_QUANTITY	SYSTEM	Y/N	Use Decimal Pack quantity and allowed values will be (Y/N) which will control the additional functionality

## 2.37 Log Number: 00525198

<b>Summary of Call</b>	CTL Call Logging - Can't raise a top-up transfer against a service-only job
<b>Detail of Fix</b>	Fixed refresh of driver list for Top-Up transfers. Filtered out inactive drivers. Filtered out DELIVERED and FAILED orders from the Orders list.
<b>Set-up and Configuration</b>	No set-up/configuration required

## 2.38 Log Number: 00525182

<b>Summary of Call</b>	Additional messages sent after order completed
<b>Detail of Fix</b>	Added system parameter to prevent ORD/COL messages being sent after a DEL for the same order/trip
<b>Set-up and Configuration</b>	

New Parameters			
Parameter Name	Config Level	Setting Value	Result
PREVENT_ORD_COL_AFTER_DEL	COST CENTRE	Y	Prevent ORDS and COLS after a DEL message



## 2.39 Log Number: 00517921

Summary of Call	CTMS-EPOD INTERFACE - Removal tyres have description/price of installed product
Detail of Fix	The Removal tyres now doesn't contain description, price or location.
Set-up and Configuration	No set-up/configuration required

## 2.40 Log Number: 00524462

Summary of Call	CTMS EPOD Interface - Tyre pressure and tread depth getting reset
Detail of Fix	Ignore any work type R records when updating tyres
Set-up and Configuration	No set-up/configuration required

## 2.41 Log Number: 00524481

Summary of Call	Vehicle Search Webservice - returning inspection wrong
Detail of Fix	Trailer search corrected
Set-up and Configuration	No set-up/configuration required



**2.42 Log Number: 00527142**

<b>Summary of Call</b>	Epod Wrong product code being sent on the install line Ensure that product code is updated when response received from epod.
<b>Detail of Fix</b>	EPOD DEVICE Make sure that the item must be deleted first from the list, then can be re-added. Ensured that the device will not allow creation of a new Install/Remove/Other line for a wheel position where that wheel position already exists on the job and is not deleted.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.43 Log Number: 00527274**

<b>Summary of Call</b>	TMS/EPOD. No Install lines for service - prevents Elucid from applying charges
<b>Detail of Fix</b>	Ensure COL/DEL messages sent in correct sequence for all orders
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.44 Log Number: 00528183**

<b>Summary of Call</b>	Issue with DEL message
<b>Detail of Fix</b>	Items not received back for debrief from epod have to deliver and delivered quantity set to 0
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.45 Log Number: 00528738**

<b>Summary of Call</b>	TMS Fleet Inspection Missing service items
<b>Detail of Fix</b>	Added vehicle to items check to ensure items created for all vehicles
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.46 Log Number: 00528842**

<b>Summary of Call</b>	Missing Van Stock Wheel
<b>Detail of Fix</b>	Added product to check when creating items
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.47 Log Number: 00528195**

<b>Summary of Call</b>	Add the depot to the route details page in location maintenance screen. The inbound process to update the routes from Paragon will be run for the extracted data for the current process.
<b>Detail of Fix</b>	Any other unprocessed records for the depot will not be processed.  The 'Location Maintenance' screen will display the delivery depot in the 'Route Dtls' tab page for these routes from Paragon.
<b>Set-up and Configuration</b>	The records are sorted by 'Depot Number', 'Route Code' and 'Drop Number'. No set-up/configuration required

**2.48 Log Number: 00530050**

<b>Summary of Call</b>	API Export - COL sent after DEL
<b>Detail of Fix</b>	Change order messages processed in DP_EXPORT_EVENTS
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.49 Log Number: 00528762**

<b>Summary of Call</b>	Missing COP225 in ORDER_SERVICES
<b>Detail of Fix</b>	Create additional services from epod
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.50 Log Number: 00527603**

<b>Summary of Call</b>	TS3 upload
<b>Detail of Fix</b>	



The system parameter 'PAR\_AUDIT' can be set to 'Y' to include auditing of the import process in the STP version of the Paragon API.

The system parameter 'PARAGON\_RUNNING' will be used to indicate if the STP version of the Paragon API is importing data - it will not be editable by the users.

The import process in the STP version of the Paragon API will set the orders for manual scheduling when they are temporarily unscheduled from their temporary trips or their Paragon trips.

Then, those orders will not be reprocessed by the 3PL scheduling engine.

The 3PL scheduling engine will not start when the Paragon API is processing.

Then, these processes will not be updating concurrently any of the same trips and orders; plus the rate processing should be improved.

However, the import process in the STP version of the Paragon API will not wait should the 3PL scheduling engine be processing.

#### Set-up and Configuration

New Parameters			
Parameter Name	Config Level	Setting Value	Result
PAR_AUDIT	SYSTEM	Y	The STP version of the Paragon API will write audit records for the import process.
PAR_AUDIT	SYSTEM	N	The STP version of the Paragon API will not write audit records for the import process.
PARAGON_RUNNING	SYSTEM	Y	The STP version of the Paragon API is importing data.
PARAGON_RUNNING	SYSTEM	N	The STP version of the Paragon API is not importing data.

## 2.51 Log Number: 00524586

#### Summary of Call

Vehicle serviced at roadside should not change the location against that vehicle.

#### Detail of Fix

Fixes for new vehicle creation for call Logging and removed update on Current\_location\_id for RTC

#### Set-up and Configuration

No set-up/configuration required

## 2.52 Log Number: 00528718

#### Summary of Call

Orders on wrong trip and incorrect drop numbers being retained for locations  
Optimised the import process of the route details from Paragon.

#### Detail of Fix

The orders will be assigned to a trip for the advised route although the order in trip position 1 has not been used to create a new trip for the route.

The route details to update the drop numbers from Paragon for the locations will refer to the current archive id and they will not include any historic transactions that remain for the depot.

#### Set-up and Configuration

No set-up/configuration required

## 2.53 Log Number: 00533067

#### Summary of Call

GDCOL runs not synching to CTMS (21886)

The 'DSK' trips will be assessed for the orders by schedule to create a new trip, or to add the order to an existing trip, for the run number for the depot.

#### Detail of Fix

An existing trip will either create a new stop or use an existing stop.

An order for a collection desk must be for a route of type 'COLLECT\_DESK'.

#### Set-up and Configuration

No set-up/configuration required

## 2.54 Log Number: 00533991

#### Summary of Call

Vehicle Maintenance Last Inspection field

#### Detail of Fix

Fixed C-TMS when performing the last inspection date calculation. If the inspection date was set as more than 1 month and the start date was for the first day of the month it was setting the end date for each period incorrectly.

#### Set-up and Configuration

No set-up/configuration required

## 2.55 Log Number: 00537198

#### Summary of Call

Amperсанд characters not being 'escaped'

#### Detail of Fix

Amperсандs in tyre serial numbers replaced with escaped value

#### Set-up and Configuration

No set-up/configuration required





**2.56 Log Number: 00524191**

<b>Summary of Call</b>	Cancelling an order in CTL Call Logging should ask for and set Order Reason Codes
<b>Detail of Fix</b>	Amend TYRE_ORDS report to use Non Conformance reason codes. Users will need to create a new copy of the ORS extract to use the changes
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.57 Log Number: 00538804**

<b>Summary of Call</b>	Control records not being updated after send to Elucid
<b>Detail of Fix</b>	Ensure that all control records are updated in the correct code area
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.58 Log Number: 00540264**

<b>Summary of Call</b>	Orders with different depot starting point do not plan in Paragon (22118) A new EDI parameter called 'USE_RUN_DEPOT' is available to use the depot for the route for the run number of the order in preference to the depot of the collection/delivery location of the RET/SLS/ order.
<b>Detail of Fix</b>	When this parameter is 'Y', the depot for the route for the run number will be the depot to send to Paragon via the API.  This parameter is expected to be set for the 'Paragon_Outbound' process.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.59 Log Number: 00534016**

<b>Summary of Call</b>	FIA report showing tyre brands as 'other'
<b>Detail of Fix</b>	Fixed the issue by changing view to allow separate entries with OTHER manufacturers.
<b>Set-up and Configuration</b>	

New Parameters			
Parameter Name	Config Level	Setting Value	Result
USE_PACK_QUANTITY	SYSTEM	Y/N	Use Decimal Pack quantity and allowed values will be (Y/N) which will control the additional functionality

**2.60 Log Number: 00538191**

<b>Summary of Call</b>	Remaining characters not being escaped (exception ampersand)
<b>Detail of Fix</b>	Added CDATA when the new EDI parameter INCLUDE_CDATA_TAG is active, which will control the escaping of special characters like &.
<b>Set-up and Configuration</b>	No set-up/configuration required



**2.61 Log Number: 00542256**

Summary of Call	Customer export from Elucid
Detail of Fix	The customers from Elucid can store up to 255 characters for the 'SlaUrl' and 'PreferredBrand'.
Set-up and Configuration	No set-up/configuration required

**2.62 Log Number: 00538855**

Summary of Call	Services Supplied Issue
Detail of Fix	Fixed the issue with the creation of unnecessary service_id records.
Set-up and Configuration	No set-up/configuration required

**2.63 Log Number: 00536498**

Summary of Call	Collection job not sent to ePOD
Detail of Fix	Collection job has been sent to EPOD for I(INSTALL) if services supplied doesn't include COP, MAJ and collection is sent for Van Stock lines.
Set-up and Configuration	No set-up/configuration required

**2.64 Log Number: 00546323**

Summary of Call	Call logging vehicle location
Detail of Fix	Fixed creation of rvcl for new vehicles in Call Logging.
Set-up and Configuration	No set-up/configuration required

**2.65 Log Number: 00544876**

Summary of Call	Vehicle config not allowing tyre position selection
Detail of Fix	Fixed the views to use RTC and out of sync issue of RT and RTC tables.
Set-up and Configuration	No set-up/configuration required

**2.66 Log Number: 00546768**

Summary of Call	Portal, jobs showing as Part Delivered
Detail of Fix	Only send Work Type R records to portal if the AKA code is populated
Set-up and Configuration	No set-up/configuration required

**2.67 Log Number: 00552783**

Summary of Call	Collection job not sent to ePOD
Detail of Fix	Collection jobs will be sent for any order which contains Van stock which is not currently at the delivery location of the order
Set-up and Configuration	No set-up/configuration required

**2.68 Log Number: 00554263**

Summary of Call	Optimization of the code: Fix for SCR-14 (469937)
Detail of Fix	The code has been modified to handle the issues that occurred in the previous versions.
Set-up and Configuration	No set-up/configuration required

**2.69 Log Number: 00543998**

Summary of Call	Elucid Interface 400/500 fixes
Detail of Fix	Improvements in Error Handling are required when messages are rejected due to 400 or 500 error.
Set-up and Configuration	

New Parameters			
Parameter Name	Config Level	Setting Value	Result
WS_NUM_OF_RETRIES_ALLOWED	SYSTEM	3	Max number of times a record will be sent to a web service endpoint



**2.70 Log Number: 00555163**

Summary of Call	CTL Order display for Orders with No Vehicle
Detail of Fix	Fixed v_ord_order_header to select orders differently.
Set-up and Configuration	No set-up/configuration required

**2.71 Log Number: 00559726**

Summary of Call	500 errors from elucid not updating int-xml_control table
Detail of Fix	Update number of tries on 500 errors
Set-up and Configuration	No set-up/configuration required

**2.72 Log Number: 00542530**

Summary of Call	EPOD, Twinning
Detail of Fix	Process Tyre Swaps to update correctly
Set-up and Configuration	No set-up/configuration required



**2.73 Log Number: 00560125**

Summary of Call	Invalid Service codes sent to Elucid
Detail of Fix	Reinitialise counters when creating/updating services
Set-up and Configuration	No set-up/configuration required

**2.74 Log Number: 00561946**

Summary of Call	Tyre Swap not swapping correct tyres (Twinning) UAT Ref 123
Detail of Fix	Add customer details to swap queries
Set-up and Configuration	No set-up/configuration required

**2.75 Log Number: 00562054**

Summary of Call	Multiple Contacts - Emails from Portal.
Detail of Fix	Added values to insert
Set-up and Configuration	No set-up/configuration required

**2.76 Log Number: 00564461**

Summary of Call	Location screen issue
Detail of Fix	Fix to Location Screen
Set-up and Configuration	No set-up/configuration required

**2.77 Log Number: 00564569**

Summary of Call	Missing email
Detail of Fix	Updated the logic to insert LOCATION details even when RecipientMobile/Phone is not supplied.
Set-up and Configuration	No set-up/configuration required

**2.78 Log Number: 00563558**

Summary of Call	Error On Incoming Message From ePOD
Detail of Fix	Amendment to tyre swapping to avoid failed to update service product.
Set-up and Configuration	No set-up/configuration required

**2.79 Log Number: 00569051**

Summary of Call	Issues with Trye Swap linked to 561946 (CT ID 123)
Detail of Fix	TYRE_SWAP and NEW_PRODUCT tags can appear at different levels in the inbound message code added to account for this
Set-up and Configuration	No set-up/configuration required

**2.80 Log Number: 00532043**

Summary of Call	Incorrect times displaying
Detail of Fix	Stop times will be updated every time for epod mode DELTYPE
Set-up and Configuration	No set-up/configuration required

**2.81 Log Number: 00567195**

Summary of Call	Config Change - UAT ref 204
Detail of Fix	Updated Vehicle type passed in message from epod.
Set-up and Configuration	No set-up/configuration required

**2.82 Log Number: 00570437**

Summary of Call	Customer Upload not extracting email address correctly - UAT 216
Detail of Fix	Updated the logic to update the email address of a contact even when other details are NULL.
Set-up and Configuration	No set-up/configuration required



**2.83 Log Number: 00539653**

<b>Summary of Call</b>	PORTAL inspection depths UAT 59
<b>Detail of Fix</b>	Made the change to not to store 0 tread depth against the last known tyre details against that position.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.84 Log Number: 00570824**

<b>Summary of Call</b>	Authority Ref not appearing on some jobs. UAT 213
<b>Detail of Fix</b>	Add authority code to EPL_CODE_3 tag
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.85 Log Number: 00572795**

<b>Summary of Call</b>	Credit Limits
<b>Detail of Fix</b>	Check Customer on hold status when adding items to an order
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.86 Log Number: 00573163**

<b>Summary of Call</b>	Config issue on Epod device
<b>Detail of Fix</b>	Made the change to vehicle search to return values from RTC.
<b>Set-up and Configuration</b>	No set-up/configuration required

**2.87 Log Number: 00580395**

<b>Summary of Call</b>	Elucid Configuration - proxy setup
<b>Detail of Fix</b>	Proxy value added for communication with Elucid
<b>Set-up and Configuration</b>	

New Parameters			
Parameter Name	Config Level	Setting Value	Result
ELUCID_API_PROXY	System	Y/N	Use Proxy sever for Elucid

**2.88 Log Number: 02792680**

<b>Summary of Call</b>	Oracle financials OF extract R12 format (WREQ0087544)
<b>Detail of Fix</b>	The 'Tax Amount' for the 'R12' format will be included as '0' when the VAT code is 'Z' for 'Zero Rated'.
<b>Set-up and Configuration</b>	The invoices in the R12 format will be included by VAT code. No set-up/configuration required



## 3 SUPPORT INCIDENTS

### 3.1 Log Number: 00538105

Summary of Call	Change Password option in ACC_CTRL
Detail of Fix	CHANGE_PW has been modified to not accept passwords with @ and "
Set-up and Configuration	No set-up/configuration required

### 3.2 Log Number: 00549717

Summary of Call	Collection job not sent to ePOD
Detail of Fix	Fixed the issues reported in previous version about collection job not being sent in certain conditions.
Set-up and Configuration	No set-up/configuration required

### 3.3 Log Number: 03529183

Summary of Call	Web Service order updates are failing to update the forecast (INC58464329) The update process previously failed due to mismatched condition statements when records were submitted with action 'A'. Additionally, records with timestamps within a 2-minute interval (00:59:59 to 01:00:00) of an hour change were not properly handled, leading to query failures in identifying duplicate records.
Detail of Fix	Both issues have been resolved in the latest fix. The logic has been adjusted to handle order amendments and correct any mistakes from the previous version. Now, records within a 2-minute interval are selected irrespective of the hour, and a new check has been added to mark duplicate orders as "CANCELLED".
Set-up and Configuration	No set-up/configuration required

### 3.4 Log Number: 02769136

Summary of Call	CTMS Collection date (INC56773319)
Detail of Fix	Temporary variables for EARLY/LATE_AVAIL have been reset so that when an empty tag is provided it will not take the previously stored value.
Set-up and Configuration	No set-up/configuration required



## 4 TID CHANGES

### 4.1 Log Number: 02766658

#### Summary of Call

Change Password option in ACC\_CTRL

#### Detail of Fix

Access control has been modified to allow users to create usernames containing special characters, change passwords that may include special characters, and delete users with special characters in their names.

#### Set-up and Configuration

Access control has been modified to restrict @ and " in username and passwords while creating/updating.  
No set-up/configuration required

### 4.2 Log Number: 00538412

#### Summary of Call

Data flow Review

#### Detail of Fix

Fixed C-TMS view to retrieve orders more efficiently. Fixed CTL customer services screen to filter by customer correctly.

#### Set-up and Configuration

No set-up/configuration required

### 4.3 Log Number: 02742281

#### Summary of Call

Planning screen slowing issues

#### Detail of Fix

Added quotes to schedule to improve speed

#### Set-up and Configuration

No set-up/configuration required

### 4.4 Log Number: 00545159

#### Summary of Call

Order placed to wrong address on the same account (24348)

#### Detail of Fix

The EDI parameter for the 'API' process called 'UNSCHED\_NEW\_DATE' has been changed to be 'UNSCHED\_NEW\_DATA' to assess not only the new date but also the new location and the new run number.

The trips will be 'DELETED' should they become empty of orders.

#### Set-up and Configuration

The order will now be unscheduled and reset for the 3PL scheduling engine to reprocess to a new trip.  
No set-up/configuration required

### 4.5 Log Number: 00543948

#### Summary of Call

Special Runs, change to del date

#### Detail of Fix

The auditing for the order when 'Trip XXX-XXXXXXXXX moved to a different schedule from XXXXXX to XXXXXX' will be used to identify when the schedule of the order has been changed with its late delivery date when its trip has been moved to a new schedule.

#### Set-up and Configuration

Paragon will be updated with the new schedule for the order and its location for the run number of the route.

No set-up/configuration required

### 4.6 Log Number: 02764788

#### Summary of Call

Disable trailer type send to Paragon

#### Detail of Fix

Added the Disable Paragon check box to the trailer types tab page and to the new/edit screens.

#### Set-up and Configuration

No set-up/configuration required

### 4.7 Log Number: 02710742

#### Summary of Call

Webfleet integration

#### Detail of Fix

Added the exceptional handling to all the programs which contain the control record loops.

#### Set-up and Configuration

No set-up/configuration required

### 4.8 Log Number: 02690067

#### Summary of Call

Data being overridden / Removed

#### Detail of Fix



The 'DUN Inventory Transaction Report' will include the trunk trips that have been used in scanning to load and unload the items.

No set-up/configuration required

#### Set-up and Configuration

### 4.9 Log Number: 02818748

#### Summary of Call

CTMS LOAD messages to JDA missing full order ref

When rebooked order is processed then only external ref is trimmed, for example \_R1,\_R2. And is also depends on parameter 'ORD\_RBO\_PREFIX'.

#### Detail of Fix

If external ref has anything followed after \_R and if its not a number then the whole external ref is sent in SO\_REF tag.

#### Set-up and Configuration

No set-up/configuration required

### 4.10 Log Number: 00534889

#### Summary of Call

Show Map function failing

#### Detail of Fix

HTML corrected

#### Set-up and Configuration

No set-up/configuration required





#### 4.11 Log Number: 02691631

Summary of Call	Paragon CSV Import Issues
Detail of Fix	Import logic has been amended to pick up NEW orders which have collection on schedule date. Previous error message has been altered to get a warning so user can choose to import collection orders or not.
Set-up and Configuration	No set-up/configuration required

#### 4.12 Log Number: 02683404

Summary of Call	<p>Paragon Import</p> <p>The 'Loading Management' screen displays a new tick box called 'Include Completed Trips' to enable the trips to be included or excluded when they have a status of 'COMPLETED'.</p> <p>This box will be ticked by default.</p> <p>A new system parameter called 'PAR_DUN_TRUNK_CUTOFF_TIME' can be configured at the system level to set a cut-off time to apply to trunk trips to use the current schedule for the day.</p>
Detail of Fix	<p>The import process from Paragon for the 'DUN' format will refer to the new system parameter to offset the date to derive the schedule for the processing of the trunk trips.</p> <p>If 'PAR_DUN_TRUNK_CUTOFF_TIME' is set to '04:00' and the current system time is '01:00' then the schedule will not be derived for the current date but for the previous date as if the process for the route/drop had been run on the previous evening."</p>
Set-up and Configuration	No set-up/configuration required

#### 4.13 Log Number: 02910494

Summary of Call	<p>Trunks for 27th were not generated</p> <p>A new system parameter called 'PAR_DUN_TRUNK_OFFSET_DAYS' is available to store the number of days for which trunk trips will be assessed for the radial trips that are created by Paragon.</p> <p>A default value of 4 days will be used but the number of days will be configurable to assess the non-working days for the depot.</p>
Detail of Fix	<p>This system parameter can be used to account for the non-working days during the period of the holiday seasons.</p> <p>The system parameter 'PAR_DUN_TRUNK_CUTOFF_TIME' will start to assess the current date prior to the cutoff time, or from tomorrow after the cutoff time.</p>
Set-up and Configuration	

New Parameters			
Parameter Name	Config Level	Setting Value	Result
PAR_DUN_TRUNK_OFFSET_DAYS	SYSTEM	NUMERIC	The specified number of days will be used to assess the trunk trips for the radial trips to account for the non-working days in the calendar.
PAR_DUN_TRUNK_OFFSET_DAYS	SYSTEM	NULL/NON-NUMERIC	A default number of 4 days will be used as per the current functionality.

#### 4.14 Log Number: 00554721

Summary of Call	Planning screen new configuration in test environment
Detail of Fix	Fixed the Planning screen to allow the order schedule search dropdown list to change when the trip schedule search dropdown list changes.
Set-up and Configuration	No set-up/configuration required

#### 4.15 Log Number: 00561665

Summary of Call	Planning screen new configuration in test environment
Detail of Fix	Fix to Planning screen to search orders correctly.
Set-up and Configuration	No set-up/configuration required

#### 4.16 Log Number: 02728730

Summary of Call	XML file format is incorrect
Detail of Fix	Modified the code to extend the length of the fields.
Set-up and Configuration	No set-up/configuration required



**4.17 Log Number: 00562331****Summary of Call**

Customers are created without group and epod should be enabled

**Detail of Fix**

New EDI parameter called UPD\_CUST\_ENABLE\_EPOD has been added to JAK\_INBOUND\_ORDERS which when set will enable EPOD for all new customers created and to existing customers if they are used to create orders.

**Set-up and Configuration**

New Parameters			
Parameter Name	Config Level	Setting Value	Result
UPD_CUST_ENABLE_EPOD	EDI	Default N	When set to Y, then customers will have EPOD enabled.

**4.18 Log Number: 00562303****Summary of Call**

Not going through to CTMS

**Detail of Fix**

Uses the first ten characters of the driver ID from Paragon for a new driver ID in CTMS.

**Set-up and Configuration**

No set-up/configuration required

**4.19 Log Number: 00560600****Summary of Call**

Paragon not receiving the data for special runs - GDSP03 - (25103)

**Detail of Fix**

The next active day of the week will be used when the order is sent to Paragon and the advised day is in the past.

**Set-up and Configuration**

No set-up/configuration required

**4.20 Log Number: 00553397****Summary of Call**

HERE Data Services

**Detail of Fix**

Updated the HERE processes to use new procedures

**Set-up and Configuration**

New Parameters			
Parameter Name	Config Level	Setting Value	Result
GEO_NLP_USE_ALTERNATE	SYSTEM	Y/N	Alternate URL and Proxy will be used
GEO_NLP_ALT_PROXY	SYSTEM	IP address of Proxy	IP Address for Proxy Server

**4.21 Log Number: 03008712****Summary of Call**

API Order duplicated for multiple stores with the same PO for the same store

Due to API concurrent processing (rare occurrence) duplicate orders were created, to resolve it the latest record is marked as failure with validation error and the earliest one is processed to create the order.

**Detail of Fix**

Additional change is made to avoid duplicate orders being created in same minute, ignoring time stamp on seconds.

Observed that duplicate orders were created with gap of 12 seconds so added logic to ignore seconds and consider only same hour and minute.

**Set-up and Configuration**

No set-up/configuration required

**4.22 Log Number: 00565562****Summary of Call**

Trips being stuck in planned status

Additional error handling is included to ensure that a locked trip does not prevent other trips being updated to TENDERED status as required.

The additional error handling exists for these post-update procedures:

Update the trips from PLANNED to TENDERED status for Fleet carriers.

**Detail of Fix**

Update the TENDERED trips for Fleet carriers with a rate.

Update the route code for trips for 3PL carriers.

Update the route code for trips for non-3PL carriers.

Update the trips for the 3PL carrier with a rate and set to TENDERED status.

**Set-up and Configuration**

Delete any empty trips for the current and future schedules.

No set-up/configuration required



## 4.23 Log Number: 00543919

<b>Summary of Call</b>	Address Update (24288) A new EDI parameter called 'USE_VARIANT_ADDRESS' will be introduced to the 'API' process to control the new functionality to create new locations with temporary variant addresses: the new functionality will be active when the value of the EDI parameter is 'Y'.
<b>Detail of Fix</b>	
<b>Set-up and Configuration</b>	The new functionality will apply to addresses that are provided for an external reference. No set-up/configuration required

## 4.24 Log Number: 00540719

<b>Summary of Call</b>	Send to Paragon request (21702) A new function called 'TRM_SEND_TO_PARAGON' is available for the users via their groups.  The new function called 'TRM_SEND_TO_PARAGON' will be used to display and enable the new menu option called 'Send to Paragon' in the trip tree in the 'Planning' screen.  The new option will be present between 'Re-send PO Message' and 'Debrief Trip' when it is enabled.
<b>Detail of Fix</b>	The system parameters called 'TRM_TREE_ROUTE' and 'TRM_TREE_FORMAT' will be assessed by a similar method to how they are assessed in the 'Planning' screen for the range of schedules for the order well.  These system parameters will be found that is active for a cost centre when the user has access to 'ALL' cost centres or to multiple cost centres.  Then the route code may be displayed in the specified format based on these system parameters.
<b>Set-up and Configuration</b>	No set-up/configuration required

## 4.25 Log Number: 00572113

<b>Summary of Call</b>	API Key Incorrect for here Maps
<b>Detail of Fix</b>	API key updated
<b>Set-up and Configuration</b>	No set-up/configuration required

## 4.26 Log Number: 00558723

<b>Summary of Call</b>	CTL screen takes too long to load Separated the views used by customer services and call logging.
<b>Detail of Fix</b>	I still recommend that we need to clear down orders at status INVALID and that they will need to either cancel them or process them every day.
<b>Set-up and Configuration</b>	No set-up/configuration required



## 4.27 Log Number: 00577244

### Summary of Call

Order issue in Paragon

### Detail of Fix

Orders which are added to DSK or PCL trips will not advise Paragon to delete them from the planning unless they have been advised previously to add them to the planning.

### Set-up and Configuration

No set-up/configuration required



## 5 MODULES DELIVERED

Module Name	Version No	Description	Log Number
ACC_CTRL.fmx	2.57	Access control maintenance	02766658
ACC_CTRL.fmx	2.59	Access control maintenance	00538105
ACC_CTRL.fmx	2.63	Access control maintenance	02578219
ADM.sql	5.16	Administrator package containing various DB utils	02578219
AT_GEO_CONTACT_469937.sql	1.1	AT Script	00469937
AT_GEO_ROUTE_DTLS_00528718.sql	1.1	AT Script	00528718
AT_INT_XML_CONTROL_543998.sql	1.1	AT Script	00543998
AT_INT_XML_ORD_DETAILS_0271399	1.1	AT Script	02713995
AT_SCH_ORD_INFORMATION_469937.sql	1.1	AT Script	00469937
AT_SCH_ORD_ITEMS_02713995.sql	1.1	AT Script	02713995
AT_SCH_ORD_ITEMS_498981.sql	1.1	AT Script	00498981
BDM.fmx	2.110	Business Data Form	00548540
CHANGE_PW.fmx	2.12	Change Password	02578219
CHANGE_PW.fmx	2.13	Change Password	00538105
CT_SECURITY_PROFILES_02578219.sql	1.1	CT Script	02578219
DATA_ADM_FUNCTION_540719.sql	1.1	Data Script	00540719
DATA_ADM_MSEL_FORM_PARAM_02713995.sql	1.1	Data Script	02713995
DATA_ADM_SYSTEM_PARAM_00510487.sql	1.1	Data Script	00510487
DATA_ADM_SYSTEM_PARAM_00547839.sql	1.1	Data Script	00547839
DATA_ADM_SYSTEM_PARAM_02578219.sql	1.1	Data Script	02578219
DATA_ADM_SYSTEM_PARAM_02683404.sql	1.1	Data Script	02683404
DATA_ADM_SYSTEM_PARAM_02713995.sql	1.1	Data Script	02713995
DATA_ADM_SYSTEM_PARAM_02910494.sql	1.1	Data Script	02910494
DATA_ADM_SYSTEM_PARAM_469937.sql	1.1	Data Script	00469937
DATA_ADM_SYSTEM_PARAM_513456.sql	1.3	Data Script	00553397
DATA_ADM_SYSTEM_PARAM_516374.sql	1.2	Data Script	00516374
DATA_ADM_SYSTEM_PARAM_525182.sql	1.1	Data Script	00525182
DATA_ADM_SYSTEM_PARAM_527603.sql	1.1	Data Script	00527603
DATA_ADM_SYSTEM_PARAM_533620.sql	1.1	Data Script	00533620
DATA_ADM_SYSTEM_PARAM_543998.sql	1.1	Data Script	00543998
DATA_ADM_SYSTEM_PARAM_550047.sql	1.1	Data Script	00550047
DATA_ADM_SYSTEM_PARAM_572113.sql	1.1	Data Script	00572113
DATA_ADM_SYSTEM_PARAM_580395.sql	1.1	Data Script	00580395
DATA_ADM_SYSTEM_PARAM_CONFIG_516374.sql	1.2	Data Script	00516374
DATA_ADM_SYSTEM_PARAM_CONFIG_525182.sql	1.1	Data Script	00525182
DATA_ADM_USER_PARAM_TYPE_02578219.sql	1.3	Data Script	02578219
DATA EDI_PROCESS_TRIGGERS_00538191.sql	1.1	Data Script	00538191
DATA EDI_PROCESS_TRIGGERS_545159.sql	1.1	Data Script	00545159
DATA EDI_PROCESS_TRIGGERS_562331.sql	1.1	Data Script	00562331
DATA_IMP_FIELD_00520087.sql	1.1	Data Script	00520087
DATA_ORACLE_PROFILES_02578219.sql	1.3	Data Script	02578219
DATA_OR_MASTER_DATA_02713995.sql	1.3	Data Script	02713995
DATA_OR_MASTER_DATA_524191.sql	1.1	Data Script	00524191
DATA_OR_SQL_524191.sql	1.1	Data Script	00524191
DATA_SECURITY_PROFILES_02578219.sql	1.1	Data Script	02578219
DP_3PL_SCHED.sql	5.11	3PL Scheduling Engine Database Package	00527603
DP_3PL_SCHED.sql	5.12	3PL Scheduling Engine Database Package	00533067
DP_3PL_SCHED.sql	5.13	3PL Scheduling Engine Database Package	00510487
DP_3PL_SCHED.sql	5.14	3PL Scheduling Engine Database Package	00537843
DP_3PL_SCHED.sql	5.15	3PL Scheduling Engine Database Package	00550569
DP_3PL_SCHED.sql	5.16	3PL Scheduling Engine Database Package	00555143
DP_CSV_DUN.sql	5.56	Client specific CSV extracts	02690067
DP_CTMS_IMPORT.sql	5.35	API Import Database Package	00514663
DP_CTMS_IMPORT.sql	5.36	API Import Database Package	00527152
DP_CTMS_IMPORT.sql	5.37	API Import Database Package	00530171
DP_CTMS_IMPORT.sql	5.38	API Import Database Package	00529028
DP_CTMS_IMPORT.sql	5.40	API Import Database Package	00542256
DP_CTMS_IMPORT.sql	5.42	API Import Database Package	02713995
DP_CTMS_IMPORT.sql	5.43	API Import Database Package	00545159
DP_CTMS_IMPORT.sql	5.44	API Import Database Package	00551639
DP_CTMS_IMPORT.sql	5.45	API Import Database Package	00562054
DP_CTMS_IMPORT.sql	5.46	API Import Database Package	00563001
DP_CTMS_IMPORT.sql	5.47	API Import Database Package	00564569



Module Name	Version No	Description	Log Number
DP_CTMS_IMPORT.sql	5.48	API Import Database Package	00543919
DP_CTMS_IMPORT.sql	5.49	API Import Database Package	00570437
DP_CTMS_IMPORT.sql	5.50	API Import Database Package	00571947
DP_CUST_SERV.sql	1.86	Customer Service Package	00524586
DP_CUST_SERV.sql	1.87	Customer Service Package	00546323
DP_CUST_SERV.sql	1.89	Customer Service Package	00469937
DP_CUST_SERV.sql	1.91	Customer Service Package	00572795
DP_EPOD_WEB_SERVICE.sql	1.216	EPOD Web Service	00524462
DP_EPOD_WEB_SERVICE.sql	1.217	EPOD Web Service	00524481
DP_EPOD_WEB_SERVICE.sql	1.218	EPOD Web Service	00517921
DP_EPOD_WEB_SERVICE.sql	1.220	EPOD Web Service	00527142
DP_EPOD_WEB_SERVICE.sql	1.221	EPOD Web Service	00527274
DP_EPOD_WEB_SERVICE.sql	1.222	EPOD Web Service	00498981
DP_EPOD_WEB_SERVICE.sql	1.223	EPOD Web Service	00528183
DP_EPOD_WEB_SERVICE.sql	1.224	EPOD Web Service	00528738
DP_EPOD_WEB_SERVICE.sql	1.225	EPOD Web Service	00528842
DP_EPOD_WEB_SERVICE.sql	1.226	EPOD Web Service	00528762
DP_EPOD_WEB_SERVICE.sql	1.227	EPOD Web Service	00524586
DP_EPOD_WEB_SERVICE.sql	1.228	EPOD Web Service	00533991
DP_EPOD_WEB_SERVICE.sql	1.230	EPOD Web Service	00538855
DP_EPOD_WEB_SERVICE.sql	1.231	EPOD Web Service	02713995
DP_EPOD_WEB_SERVICE.sql	1.232	EPOD Web Service	00536498
DP_EPOD_WEB_SERVICE.sql	1.233	EPOD Web Service	00479903
DP_EPOD_WEB_SERVICE.sql	1.234	EPOD Web Service	00544876
DP_EPOD_WEB_SERVICE.sql	1.235	EPOD Web Service	00549717
DP_EPOD_WEB_SERVICE.sql	1.236	EPOD Web Service	00469937
DP_EPOD_WEB_SERVICE.sql	1.238	EPOD Web Service	00516374
DP_EPOD_WEB_SERVICE.sql	1.239	EPOD Web Service	00554263
DP_EPOD_WEB_SERVICE.sql	1.241	EPOD Web Service	00552783
DP_EPOD_WEB_SERVICE.sql	1.242	EPOD Web Service	00542530
DP_EPOD_WEB_SERVICE.sql	1.243	EPOD Web Service	00560125
DP_EPOD_WEB_SERVICE.sql	1.244	EPOD Web Service	00561946
DP_EPOD_WEB_SERVICE.sql	1.245	EPOD Web Service	00563558
DP_EPOD_WEB_SERVICE.sql	1.246	EPOD Web Service	00567195
DP_EPOD_WEB_SERVICE.sql	1.247	EPOD Web Service	00532043
DP_EPOD_WEB_SERVICE.sql	1.248	EPOD Web Service	00569051
DP_EPOD_WEB_SERVICE.sql	1.249	EPOD Web Service	00539653
DP_EPOD_WEB_SERVICE.sql	1.250	EPOD Web Service	00570824
DP_EPOD_WEB_SERVICE.sql	1.251	EPOD Web Service	00573163
DP_EXPORT_EVENTS.sql	5.34	API Export Events Database Package	00528842
DP_EXPORT_EVENTS.sql	5.35	API Export Events Database Package	00530050
DP_EXPORT_EVENTS.sql	5.36	API Export Events Database Package	00537198
DP_EXPORT_EVENTS.sql	5.37	API Export Events Database Package	00538804
DP_EXPORT_EVENTS.sql	5.38	API Export Events Database Package	00538191
DP_EXPORT_EVENTS.sql	5.40	API Export Events Database Package	00543998
DP_EXPORT_EVENTS.sql	5.41	API Export Events Database Package	00559726
DP_EXPORT_EVENTS.sql	5.42	API Export Events Database Package	00580395
DP_NOKIA_LOC_PLAT.sql	1.41	Nokia Location Platform Interface	00553397
DP_ORF_FUNCS.sql	5.30	Change to DOOD status function	00524191
DP_PAR_API.sql	5.19	Paragon API Database Package	00548540
DP_PAR_API.sql	5.20	Paragon API Database Package	00562303
DP_PAR_API.sql	5.21	Paragon API Database Package	00565562
DP_PAR_API.sql	5.22	Paragon API Database Package	00575228
DP_PAR_API_STP.sql	5.21	STP Paragon API Database Package	00527157
DP_PAR_API_STP.sql	5.22	STP Paragon API Database Package	00528195
DP_PAR_API_STP.sql	5.23	STP Paragon API Database Package	00527603
DP_PAR_API_STP.sql	5.24	STP Paragon API Database Package	00528718
DP_PAR_API_STP.sql	5.25	STP Paragon API Database Package	00534416
DP_PAR_API_STP.sql	5.26	STP Paragon API Database Package	00539920
DP_PAR_API_STP.sql	5.27	STP Paragon API Database Package	00540264
DP_PAR_API_STP.sql	5.28	STP Paragon API Database Package	00542201
DP_PAR_API_STP.sql	5.29	STP Paragon API Database Package	00554583
DP_PAR_API_STP.sql	5.30	STP Paragon API Database Package	00555143
DP_PAR_API_STP.sql	5.31	STP Paragon API Database Package	00562303
DP_PAR_API_STP.sql	5.33	STP Paragon API Database Package	00563001



Module Name	Version No	Description	Log Number
DP_PAR_API_STP.sql	5.34	STP Paragon API Database Package	00560600
DP_PAR_API_STP.sql	5.35	STP Paragon API Database Package	00567392
DP_PAR_API_STP.sql	5.36	STP Paragon API Database Package	00568624
DP_PAR_API_STP.sql	5.37	STP Paragon API Database Package	00484537
DP_PAR_API_STP.sql	5.38	STP Paragon API Database Package	00578389
DP_TOMTOM.sql	1.46	TomTom Package	02710742
DP_WEB_SERVICE_ORD.sql	1.33	Web Service Package	03008712
DP_WEB_SERVICE_ORD.sql	1.35	Web Service Package	03529183
EPOD_WSA.fmx	1.13	EPOD Web Service Audit Form	00522350
IMP.sql	5.234	CSV Imports Package	00520087
IMP.sql	5.235	CSV Imports Package	00536205
INT_XML_IN.sql	5.241	Order Import Package	02769136
INT_XML_IN.sql	5.242	Order Import Package	00562331
INT_XML_MIC.sql	5.158	MIC interface	02728730
INT_XML_OUT2.sql	5.336	Outbound XML Package	02818748
INT_XML_OUT2.sql	5.337	Outbound XML Package	00546768
INT_XML_OUT2.sql	5.338	Outbound XML Package	00469937
INT_XML_OUT2.sql	5.339	Outbound XML Package	00554263
LOAD_MAN.fmx	1.29	Load Management Form	02683404
LOCATION.fmx	2.207	Location Maintenance	00528195
LOCATION.fmx	2.209	Location Maintenance	00469937
LOCATION.fmx	2.209	Location Maintenance	00564461
nokmap.html	1.11	Maps Interface	00534889
OF_INT.sql	5.75	Oracle Financials interface	02792680
OMS.sql	5.334	Order package	00527603
ORDERS.fmx	2.456	Order Screen	02713995
ORDERS_WIDE.fmx	1.53	Orders Screen	02713995
ORI_MAIN.fmx	2.18	Login Screen	02578219
PAR.sql	5.115	Paragon Interface	02683404
PAR.sql	5.116	Paragon Interface	02910494
PAR_INT.fmx	10.43	Paragon Interface form	02691631
PLANNING.fmx	1.146	Planning Screen	02742281
PLANNING.fmx	1.147	Planning Screen	00547839
PLANNING.fmx	1.148	Planning Screen	00550047
PLANNING.fmx	1.149	Planning Screen	00554721
PLANNING.fmx	1.150	Planning Screen	00561665
PLANNING.fmx	1.151	Planning Screen	00540719
RESOURCE.fmx	2.200	Resource Maintenance form	02764788
T_SCH_HAULAGE_ACTIVITY_BIU.sql	1.8	Trigger	00527157
TI_SCH_ORD_STATUS.sql	1.29	Trigger on SCH_ORD for status change	00527152
TI_SCH_ORD_STATUS.sql	1.30	Trigger on SCH_ORD for status change	00554568
TI_SCH_ORD_STATUS.sql	1.31	Trigger on SCH_ORD for status change	00563001
TRG_LOCATIONS_UID.sql	5.2	Trigger	00527152
TRG_LOCATIONS_UID.sql	5.3	Trigger	00469937
TRG_LOCATIONS_UID.sql	5.4	Trigger	00554568
TRG_LOCATIONS_UID.sql	5.5	Trigger	00563001
TRG_SCH_ORD_AUDIT_LOCS.sql	1.4	Trigger	00543948
TRG_SCH_ORD_AUDIT_LOCS.sql	1.5	Trigger	00563001
TRG_SCH_ORD_AUDIT_LOCS.sql	1.6	Trigger	00540719
TRG_SCH_ORD_CURRENT_DEPOT.sql	5.6	Trigger	00527152
TRG_SCH_ORD_CURRENT_DEPOT.sql	5.7	Trigger	00550047
TRG_SCH_ORD_CURRENT_DEPOT.sql	5.8	Trigger	00554568
TRG_SCH_ORD_CURRENT_DEPOT.sql	5.9	Trigger	00563001
TRG_SCH_ORDER_LINE_PAR.sql	5.4	Trigger	00527152
TRG_SHA_TRUNK_TRIP.sql	5.4	Trigger	00577244
TRG_SOL_XML.sql	5.51	Trigger	00525182
TRG_SOL_XML.sql	5.52	Trigger	00527274
TRIP_OVERVIEW.fmx	1.76	Trip Waterfall	00555144
TRIP_OVERVIEW.sql	5.17	Trip Waterfall	00533620
TRM.sql	5.230	Trip manipulation package	00577244
V_CURRENT_DRIVER_LIST.sql	1.4	View	00525198
V_DRIVER_ORDERS.sql	1.4	View	00525198
V_GEO_CONTACT.sql	1.2	View	00469937
V_ORD_ORDER_CONTACT.sql	1.5	View	00469937
V_ORD_ORDER_HEADER.sql	1.24	View	00538412





Module Name	Version No	Description	Log Number
V_ORD_ORDER_HEADER.sql	1.25	View	00544876
V_ORD_ORDER_HEADER.sql	1.26	View	00555163
V_ORD_ORDER_HEADER_CS.sql	1.2	View	00558723
V_TRIP_OVERVIEW.sql	1.24	Trip View	00555144
V_TRIP_OVERVIEW_ORD.sql	5.15	Trip/Order View	00555144
V_VEHICLE_DETAILS.sql	5.7	View	00534016
V_VEHICLE_DETAILS.sql	5.8	View	00544876





## 6 ADDITIONAL CHANGES

### 6.1 WCS

There is no WCS change required.

### 6.2 EPOD/T2A

An ePOD change is required for the following logs:

- Log 570824 - Epod server v4.5.1.12 (CTY Only)

### 6.3 CTL

An CTL change is required for the following logs:

- Log 525198
- Log 538412
- Log 469937
- Log 558723
- Log 572795

### 6.4 PORTAL/TTM

There is no Portal change required.

### 6.5 Manual

**Note:** Version 5.22.1.1 of DP\_PAR\_API will need to be installed in the MAR databases.

**Note:** Version 5.38.1.1 of DP\_PAR\_API\_STP will need to be installed in the STS databases.

**Note:** Nokmap.html should be released to /u03/#####/webint/html.

