



The Client Name

# Document Title

Functional Specification

14th May 2020 - 0.1

Reference: FS Supimix Ref and Client Ref

# Contents

- 1 FUNCTIONAL OVERVIEW.....1**
  - 1.1 Client Requirement.....1
  - 1.2 Solution Overview.....1
  - 1.3 Scope.....1
  - 1.4 Impact.....1
- 2 CONFIGURATION SET-UP.....2**
  - 2.1 Pre-requisites.....2
  - 2.2 Menu Structure.....2
  - 2.3 Data.....2
  - 2.4 Implementation Advice.....2
- 3 FUNCTIONAL DESCRIPTION.....3**
  - 3.1 Heading.....3
- 4 TECHNICAL NOTES.....4**
  - 4.1 Modules Changed.....4
  - 4.2 Table Updates.....4
  - 4.3 Developer Notes.....4
- 5 TEST PLAN.....5**
- 6 APPENDIX A: QUOTE & DOCUMENT HISTORY.....6**

# 1 FUNCTIONAL OVERVIEW

## 1.1 Client Requirement

## 1.2 Solution Overview

## 1.3 Scope

## 1.4 Impact



## **2 CONFIGURATION SET-UP**

### **2.1 Pre-requisites**

### **2.2 Menu Structure**

### **2.3 Data**

### **2.4 Implementation Advice**



# 3 FUNCTIONAL DESCRIPTION

## 3.1 Heading

### 3.1.1 Sub Heading



# 4 TECHNICAL NOTES

## 4.1 Modules Changed

Module Name	Module Type	Notes
1	2	3

## 4.2 Table Updates

Name	Type	Nullable	Default	Storage	Comments
1	2	3	4	5	6

## 4.3 Developer Notes



## 5 TEST PLAN

<b>Test Script / Scenario Reference</b>	<i>Document Title</i>	<b>Call Number(s): Supimix Ref and Client Ref</b>
<b>Test Script / Scenario Description</b>	<i>description of what is to be achieved</i>	<b>PASS / ISSUES / FAIL</b>
<b>Menu Access</b>	<i>Where on the menus the item can be found</i>	
<b>Pre-requisites</b>	<i>The prerequisites of the test</i>	<b>Tested By:</b>
<b>Test Objective</b>	<i>The details of what each group of tests is to achieve</i>	<b>Date:</b>

Step	Action	Result	Remarks	P/F
1	<b>Area being tested in this cycle</b>			
	<i>Any notes or prerequisites for the tests following.</i>			
1.01	The actions to follow	The expected result		
1.02	The actions to follow	The expected result		
1.03	The actions to follow	The expected result		



## 6 APPENDIX A: QUOTE & DOCUMENT HISTORY

**Warning:** Unknown costs for client/year (The Supimix Client Code/2019)

Cost Details				
Activity	Estimate No. of Days	No. of Days	Rate per Day (?)	Cost (? Exc. VAT)
Requirements	0.00	0.00	0	?0.00
Change Request Evaluation	0.00	0.00	0	?0.00
Functional Specification	0.00	0.00	0	?0.00
Technical Specification	0.00	0.00	0	?0.00
Development	0.00	0.00	0	?0.00
Testing and Release	0.00	0.00	0	?0.00
Implementation	0.00	0.00	0	?0.00
Project Management	0.00	0.00	0	?0.00
<b>TOTAL</b>	0.00	0.00		?0.00

Estimate excludes training, release to live and go live support.

### References

Ref No	Document Title & ID	Version	Date
1	Reference1	0.1	26/02/2019

### Glossary

Term or Acronym	Meaning
<b>General Definitions</b>	
EPOD	Electronic Proof of Delivery. The OBSL EPOD system is <i>CALIDUS</i> ePOD. This also comprises the basis of the Service Completion system <i>CALIDUS</i> eServ.
Server	The portion of the <i>CALIDUS</i> ePOD/eServ systems that controls all the data and sends information to and receives updates from the mobile device.
Mobile Device; PDA	The device used by the driver to perform the jobs. Typically an Android mobile device or tablet.
Site	The site usually defines the depot, business or the transport group (carrier). It can be set to any value required by the customer. All transactions data (for example, loads and jobs) and standing data (for example, vehicles and uses) belong to a site. An EPOD user, on a device or in the Admin screen, can only see data for one site at a time.
Load	A single journey for the driver with a set of work attached. A load is identified by a unique load ID. This may also be referred to as a worklist or workload.
Job	Also Consignment. A single task for the driver as a specific location. This could be the collection of goods or the delivery of goods. Jobs may also be Services (for example, servicing, installing or de-installing a boiler). A job is identified by a unique job ID but can also have other references held against the job (e.g. job code, SO number, customer reference and external reference).
Job Group	Jobs must be tagged with a Job Group. All jobs tagged with a single job group are processed in the same way. The job group has configuration associated to it to control such items as: POD/POC Report settings; Pre-Job actions (such as



Term or Acronym	Meaning
	signing at a gatehouse); Post-Job actions (such as who signs for the item, are photos required); configurable fields required for entry for the jobs; Terms and Conditions displayed and; driver/user process (such as photos required for cancellation, comments/notes allowed). The job group can be used for any or all Sites, and the configuration against the job group can be different in each site. Job Groups can also be restricted from Admin and Remote users, so that certain users only see jobs for certain groups.
Container	A generic term for any object that contains the items being collected or delivered. Examples of containers are: Pallet; Package; Carton; Item; Cage. A special container "Loose Products" - see Product below. A container is identified by a container ID which is unique to this physical container.
Product	A product is any goods that are being collected or delivered where the product has a 'Product Code' which identifies what the product is but which does not uniquely identify each individual item. A product will also have a quantity associated with it to indicate how many items of this 'Product Code' are being collected or delivered. Products can either be processed within a 'Container' or as 'Loose Products' without a 'Container'.
Owner	The owner of the order that created the job. Typically this is the sales team that took the order and will be responsible for dealing with queries from the customer regarding the status.
Operator; Executor	The Site (depot or carrier) that is executing the load or loads that are involved in the delivery of the items.
<b>Item Related Definitions</b>	
Job Code	A reference associated with a job or job(s). This reference is common to connected jobs, for example this would be the same on both the collection of goods and the associated delivery of the same goods. Typically this would be the transport unique reference.
SO Number	A reference associated with a job which indicates the "Sales Order Number" this job is associated with.
Customer Reference	A reference associated with a job which has been provided by and will be recognised by the customer.
External Reference	A reference associated with a job which does not match any of the existing references, usually because it has been provided by an external system.
Pallet	An alternative for 'Container'. The term pallet is used when the operation only uses portable platforms as the container for goods.
Package	An alternative for 'Container'. The term package is used when the operation only uses boxes or wrapping as containers for goods.
Package Code	A code representing the type of 'Container'.
Package Desc	A description of the type of 'Container'.
Product Code	A code which identifies what a product is.
Item	A generic term for any individual item that can be collected or delivered. An item can represent a 'Container' or a 'Product'. This can also be used as an alternative for 'Container' when the operation only treats the goods as individual items, i.e. not as identifiable products.
Service Item	An item which will be serviced by a service job. See action 'Service'.
Issue Life	The time after which an item is no longer fit for purpose.
Pack Size; Case Quantity	A product may consist of a full quantity of items, inside a pack. The Pack Size (or Case Quantity) defines the amount of this product contained in a single pack. For example, if there are 85 items to deliver, with a pack size of 24, the number



Term or Acronym	Meaning
	of full packs is determined to be 3 (24 * 3, or 72), with the remaining (13) being 'loose' quantity. This is displayed as "3/13" on the mobile application.
UOM; Item Type	Unit of Measure; The major (case) UOM. This can optionally be displayed on the mobile device when changing product quantities.
Product Type	A classification of the product being delivered. For example, a company may deliver 7 different mortar products and 80 different concrete slab products. The Product Types may be set to "MORTAR" and "SLABS". This may be used to attach additional configuration, changing the data required when collecting or delivering these product types.
<b>Status Definitions</b>	
Status	An indicator of how far through the processing a 'Job', 'Container' or 'Product' has progressed.
Pending	A status indicating that the processing has not yet started, but is required to be completed.
In Progress	A status indicating that processing has started but not yet finished.
Complete	A status indicating that the 'Job', 'Container' or 'Product' has been collected or delivered.
Complete (Amended)	A status indicating that the 'Job', 'Container' or 'Product' has been collected or delivered but that some changes or amendments have been made. This means that not everything that was planned to be collected or delivered was collected or delivered, some items may have been cancelled or some products may only have had some of the planned quantities collected or delivered.
Complete (Claused)	A status indicating that the processing has been finished but that a 'Clause' condition has been recorded for this item.
Claused	See 'Complete (Claused)' and action 'Clause'.
Cancelled	A status indicating that the processing of this item or job is no longer required.
Cancelled at Collection	A status indicating that the delivery of a container or product is no longer required because the associated collection of this container or product was cancelled.
Submitted	An optional status that applies only to a 'Job' and which occurs after the 'Job' has been completed. This indicates that any time and expenses information recorded for the 'Job' has been submitted back to the server and can no longer be altered.
<b>Action Definitions</b>	
Start	An action associated with a 'Job' meaning the driver is about to start the processing of this job or jobs. This action will mark the job(s) with a status of 'In Progress'.
Arrive	A conditional action associated with a 'Job' meaning the driver has arrived at the location the goods should be collected from or delivered to.
Continue	An action associated with a 'Job' meaning the driver has previously performed the 'Start' and/or 'Arrive' action and has exited the processing screen but is now going to continue the processing.
Collect	An action associated with a specific 'Container' or a 'Product' meaning the driver has collected the 'Container' or 'Product'. This action will mark the 'Container' or 'Product' with a status of 'Complete' or 'Complete (Amended)'.
Collect Claused	An action associated with a specific 'Container' or a 'Product' meaning the driver has collected the 'Container' or 'Product' but with a condition under which the collection was accepted. This action will accept the clause condition and then mark the 'Container' or 'Product' with a status of 'Complete (Claused)'.



Term or Acronym	Meaning
Deliver	An action associated with a specific 'Container' or a 'Product' meaning the driver has delivered the 'Container' or 'Product'. This action will mark the 'Container' or 'Product' with a status of 'Complete' or 'Complete (Amended)'.
Deliver Claused	An action associated with a specific 'Container' or a 'Product' meaning the driver has delivered the 'Container' or 'Product' but with a condition under which the delivery was accepted. This action will accept the clause condition and then mark the 'Container' or 'Product' with a status of 'Complete (Claused)'.
Clause	An action associated with a specific 'Container' or a 'Product' that has already been collected or delivered meaning the collection or delivery has been accepted with a condition. This action will accept the clause condition and then mark the 'Container' or 'Product' with a status of 'Complete (Claused)'.
Cancel	An action associated with a 'Job', 'Container' or 'Product' meaning the collection or delivery will not be performed for this 'Job', 'Container' or 'Product'.
Submit	An optional action which can conditionally be carried out after a 'Job' has been collection or delivered meaning that any/all required expense or time recording for this 'Job' has been completed and can be submitted back to the server.
Service	A service of a service item or items. Typically, Installation, Deinstallation or Service. The process of a service usually encompasses Pre- and Post-work checks, information gathering and diagnosis and resolution notes. Additional references (MC Refs) may also be captured.
Actioned	A general term describing completing a job. So, 'Actioned' may be used instead of 'Collected', 'Serviced', 'Delivered'.
Consolidate	The action of taking several jobs and linking them together, so they are actioned at the same time with one start, arrive and signature.
Deconsolidate	The action of taking a consolidation of jobs and breaking them down into the component jobs again.
Job Swap	The action of selecting an existing load not assigned to the user, and picking jobs to transfer onto the user's load.
Signature Capture	Usually the final action of a job, where the customer's name and signature are entered.
<b>Other Definitions</b>	
Reason Code	A code which represents the reason that a job was cancelled or an item was cancelled or cloused.
Vehicle	The vehicle used for transporting the goods.
Vehicle Checks	Also Defect Checks. A series of questions representing the results of checks intended to ensure the vehicle is in an acceptable condition.
Metrics Entry	A series of questions to capture information either at the start or end of a 'Load'.
Driver	The person performing the collections or deliveries; the user of the device/application.
Engineer	The person performing the services; the user of the device/application.
Customer	The person/company the goods are being collected from or delivered to.
Signatory	The name of the person providing a signature.
T&Cs	Terms and Conditions. The T&Cs are shown when signatures are prompted for. The text of the T&Cs are defined in the system itself.
Transfer Load	A load select from which to swap jobs to the user's load.
Base	E.g. 'Return to Base'. Typically the depot from which the driver departed.
Unplanned Ad Hoc Collection	A collection job that is created by the driver, usually after delivering to a customer.



Term or Acronym	Meaning
Ad Hoc Container Entry/Scanning	The process of adding containers (items) to a job that have not been pre-advised on the job.
Completion Report	POD, POC, Service/Work Report.
Load Assignment	The action of assigning a vehicle and/or a driver to a load.
Job Assignment	The action of putting jobs onto a load.
Collection/Delivery Windows; Access Windows	Periods of time between which it is acceptable to deliver or collect from that customer. This has limited use in the system, mostly for reporting purposes.
<b>Location/Map Terms</b>	
Lat-Longs; GPS Co-ordinates, GPS Position	Latitude and Longitude co-ordinates, specified together as a single entity, identifying the exact position of a location. There are multiple formats - <i>CALIDUS</i> ePOD uses decimal notation, for example "53.3490818,-2.8521498" identifies the OBS Logistics office building in Liverpool.
GPS	Global Positioning System; the satellite system used to obtain a GPS position, for use with navigation and location positioning.
Geocode; Reverse Geocode	Geocoding is the process of obtaining lat-longs from an address. Reverse Geocoding is the process obtaining an address from lat-longs.
Geofence; Geofence Break	A Geofence is a perimeter around a location. A Geofence Break occurs when a device passes through this perimeter on entry or exit from the location.

## Authorised By

Rev1            OBS Project Manager            \_\_\_\_\_

Rev2            Customer Representative            \_\_\_\_\_

