

# **WMS 810 ER024-021**

Aptean Ltd  
Copyright © 2011-2026.

## Contents

1 WMS 810 ER024-021.....	1
--------------------------	---

# 1 WMS 810 ER024-021





## EMERGENCY RELEASE - WMS 810

RELNOTE ER024-021

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks	Reporter
DP_CTMS_INTERFACE_STUB.sql	TMS-WMS Interface Package	4.3	346774	WMS-TMS-IF/006	3	The TMS-WMS interface has been changed to delete rather than cancel a route/load that is now empty of orders when the corresponding trip is deleted.	Tony Walker

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks	Reporter
DP_CTMS_INTERFACE_STUB.sql	TMS-WMS Interface Package	4.4	346773	WMS-TMS-IF/005	3	A user context has been applied to the TMS-WMS interface package for the new databases.	Tony Walker
CT_USER_CONTEXT_346773.sql	Create Table Script	4.1	"	"	"	"	"

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks	Reporter
DP_CTMS_INTERFACE_STUB.sql	TMS-WMS Interface Package	4.7	346793	WMS-TMS-IF/019	<p>The carrier code of the sales order can be used to set a mandated carrier for the transport order.</p> <p>An interface parameter called INC_MANDATED_CARRIER will be used to set the carrier: when Y the functionality will be active.</p> <p>The carrier code will be translated using a new import decode with the name WMS_CARRIER_MAPPING of type CARRIER: the source value will store the carrier code from WMS and the target value will store the carrier code in TMS.</p>	Tony Walker	

Ready for **What's Next, Now™**



					<p>The mandated carrier code must be valid for the order to be created or amended when the mandated carrier is enabled and one exists for the sales order to use.</p> <p>If the carrier code of the sales order is changed, the transport order will be updated to match.</p> <p>This log will store the changes to WMS and the changes to TMS will be released under 346789. ]</p> <p>The carrier code of the route/load will likewise be translated in reverse for the carrier of the trip using WMS_CARRIER_MAPPING. This will apply to the LOAD and DESP messages for when a route/load is created or updated for a LOAD message, or despatched for a DESP message.</p> <p>The route code of the load in WMS will be based on the carrier route code in preference to the other available route codes for PAR trips.</p> <p>For LOG trips, the trip route code will be used.</p> <p>For trips that are not LOG or PAR, the trip route code will be used in preference to the carrier route code and Baxter route codes.</p>		
TRG_ORDER_HEADER_AIR.sql	Trigger	4.5	"	"	"	"	"

 **Warning:** A manual change is required with this release - DP\_CTMS\_INTERFACE v4.7

