

WMS 810 ER028-045

Aptean Ltd
Copyright © 2011-2026.

Contents

1 WMS 810 ER028-045.....	1
--------------------------	---

1 WMS 810 ER028-045





EMERGENCY RELEASE - WMS 810

RELNOTE ER028-045

Module	Program Name	Ver	Call/Iss	Client Ref	Pr'ty	Remarks	Reporter
DATA_WMS_TRANSLATIONS_353890.sql	Data Script.	4.1	353890	-	1	<p>The 'LOC+7' segment in the 'DESADV' file in format 'SAI' included the carrier GLN code from the route/load for the sales order to be used as the carrier distribution hub.</p> <p>The 'LOC+20' segment will include the EAN reference code for the customer for the sales order to be used as the final destination depot.</p> <p>The carrier GLN code will be obtained from a WMS translation code of type 'DESADV-OUT-SAI'</p> <p>If a carrier for the route/load being despatched for the sales order is not known, the carrier code will be obtained from the WMS translation code of type 'DEFAULT_CARRIER_CODE' to then obtain the carrier GLN code.</p> <p>These WMS translations will be created via a database script that will be run during the release process in the appropriate databases. These codes will need to be maintained as required for the transport operations in the warehouse at the owner level.</p>	Matthew Tipping
DP_EDIGEN_OUT_PDP_CONF.sql	Outbound EDI database package	4.114.1.1	"	"	"	"	"

