#### Wikitext

```
{\{quote|text=Cry ?Havoc,? and let slip the dogs of war.|sign=[[William Shakespeare]]|date=01/01/1889}}
```

#### Result

Cry ?Havoc,? and let slip the dogs of war.
—William Shakespeare, 01/01/1889

### Restrictions

If you do not provide quoted text, the template generates a parser error message, which will appear in red text in the rendered page.

If any parameter's actual value contains an equals sign (=), you *must* use named parameters. (The equals sign gets interpreted as a named parameter otherwise.)

If any parameter's actual value contains characters used for wiki markup syntax (such as vertical bar, brackets, single quotation marks, etc.), you may need to escape it. See Template:! and friends.

Be wary of URLs which contain restricted characters. The equals sign is especially common.

Inserts a comment or quote callout.

Template parameters

### ParameterDescriptionTypeStatusTexttext 1

Quoted/commented text

StringrequiredPersonsign 2

Quoted/commenting person

UserrequiredDatedate 3

Date of comment

Daterequired

}}}}}

-Someone, Date

# **Contents**

1 Appendix A: Document History	1
2 Template:Doc Title	2
3 Template:Doc TitleNew	
4 Template:DocLink	
5 Template:Incomplete	
· · · · · · · · · · · · · · · · · · ·	
· 7 Template:Warning	
8 Template:WCS Glossary	
9 Template:Xref	11

# 1 Appendix A: Document History

### A.1 References

Ref No	Document Title & ID	Version	Date
1			
2			
3			

## A.2 Glossary

Term or Acronym	Meaning
WCS	Warehouse Control System. The OBS RF system Calidus 3pl-Mobile.
WMS	Warehouse Management System. The OBS WMS is Calidus 3pl
RDT	Radio Data Terminal. The RF hand held terminals.
RF	Radio Frequency.

### **A.3 Document History**

Version	Date	Status	Reason	Initials
0.1	06/05/2011	Draft	Initial draft	ABC

## A.4 Authorised By

Manager1	OBS Title	
Manager2	OBS Title	
Client1	Client Title	



## 2 Template:Doc Title

A first document page. Use {{Doc\_Title}} passing in the parameters below.

Template parameters

This template prefers block formatting of parameters.

### ParameterDescriptionTypeStatusClientClient

The client, customer or Aptean

Default

**Aptean** 

Example

**Aptean** 

Stringrequired**Title**Title

The title of the document this title is for.

Example

Administration - Access Control Guide

StringrequiredSystemSystem

The system to which this document pertains

Suggested values

C-TMS CALIDUS C-ePOD C-MCS C-Portal C-Portal TTM C-WMS

Default

C-TMS

Example

C-TMS

Stringrequired Date Date

The date of production

Default

31st December 2024

Example

31st December 2024

Auto value

StringrequiredVersionVersion

The version number of the document, e.g. v0.01, v1.00, v2.01. Include the v.

Example

v0.01

**StringsuggestedReference**Reference

A reference for the document. This could be a SalesForce or DevOps reference e.g. SCR-CTMS-12345678-01, or a general reference e.g. ADMINISTRATION

StringrequiredSysverSysver

System Version

Example

12.45



Numbersuggested



# 3 Template:Doc TitleNew

# \land aptean

{{{Client}}}

{{{Title}}}

{{{System}}}

{{{Date}}} - {{{Version}}}

Reference: {{{Reference}}}



## 4 Template:DocLink

This is a template to create a link to a PDF document export for a particular page. This is achieved with {{DocLink|MyPage}}

Template parameters

### ParameterDescriptionTypeStatusPage name1

The name of the page that the document will be produced from. Can also be the name of a category by specifying the Category namespace e.g. Did You Know, or Category:Accounts

Page namerequired



# 5 Template:Incomplete

Inserts a warning stating that the page in incomplete, and adds the page to the Incomplete category.

Template parameters

ParameterDescriptionTypeStatusNo parameters specified



## 6 Template:Note

The following displays the noteicon and the word 'Note:'. You can follow this with whatever text/images/markup you like. {{note}} Try this!. Alternatively, you can pass the warning text as the parameter, for example {{Note|Try this!}}.

Template parameters

ParameterDescriptionTypeStatusText to be included1

Note text to be displayed in-line and indented.

Stringoptional



## 7 Template:Warning

The following displays the warning icon and the word 'Warning:'. You can follow this with whatever text/images/markup you like. {{warning}} Don't do that!. Alternatively, you can pass the warning text as the parameter, for example {{Warning|Don't do that!}}.

Template parameters

ParameterDescriptionTypeStatusText to be included1

Warning text to be displayed in-line and indented.

Stringoptional



# 8 Template: WCS Glossary

Term or Acronym	Meaning
Ad Hoc	A task instigated on the device (spec. Ad Hoc Pallet Move), rather than a task instigated from the WMS and Stock Control.
Advice Note Number	An external reference linked to a Goods Receipt.
Aisle	A component of a location; usually a space through rows of racking or storage locations; a collection of locations;
Anchor Point	A starting location for a search for a suitable storage location; auto-putaway location suggestion start point.
Area	A collection of aisles; an area in the warehouse for a particular purpose.
Batch	A production batch of a product; a quantity of product that is considered to have the same characteristics;
Bay (Warehouse)	A physical loading or unloading point for the warehouse.
Bay	A component of a location; usually a space between uprights in racking, comprising several levels (horizontal beams).
Block Stack	A stable stack of pallets.
Bulk	Bulk storage; Usually full-pallet storage areas, racked or stacked.
Cancellation	The facility to cancel a task due to some problem, identified by the user when performing the task.
Check Digit	A short code, usually randomly generated and stored against a location, used to help identify that a user is at the right location before they proceed with a warehouse task.
csv	Character-separated values; a text file with multiple rows and values, usually separated with commas.
C-WCS	CALIDUS WCS, the name of the OBS Logistics Warehouse Control system
C-WMS	CALIDUS WMS, the name of the OBS Logistics Warehouse Management system
Dead Leg	A movement of a truck without a pallet; wasted resource.
Despatch	The final physical stage of an order; handover of goods to the haulier.
Drive-In	A drive-in location, typically multi-level, multi-deep location.
Dual Cycling	Processes utilizing P&D locations for interleaving tasks in and out of specific areas, reducing dead leg movements.
Exchange	Specifically Pick Exchange or Task Exchange. The process of allowing a user to select a different pallet in a multi-pallet location and exchanging the expected pallet for this one. If the pallet is planned for another task, task exchange will complete this task instead of the expected one first. If the pallet is not planned, pallet exchange will swap the pallet (if suitable).
GR; GRN	Goods Receipt; Goods Receipt Number or Note
High Bay	Typically tall (greater than 5 level) racking, usually full pallet storage, usually Narrow Aisle.
JIT	Just In Time; processes designed to trigger at the last instant.
KPI	Key Performance Indicator.
Level	A component of a location; usually the vertical compartments of an area, delineated by horizontal beams.
Loading	The act of loading pallets onto a vehicle.
Location	A uniquely identified space in the warehouse for storage of product. There are many types, most commonly Floor locations (for example, Marshalling, Inbound), Racking or Bulk Storage Locations and Pick faces.
Manifest	The contents of a vehicle or container.
Marshalling	The act of bringing pallets for an order or load together; an area to do so.
Multi-deep	A location with 2 or more pallets stored sequentially i.e. only one can be accessed at a time.
NA	Narrow Aisle; usually any area in the warehouse that is restricted access due to space limitations, Narrow Aisles have associate P&D locations.
P&D	Pick-up and Drop-off locations; locations used to control the handover of pallets between distinct areas, for example between chambers and the wider area of the warehouse.
PI; Perpetual Inventory	The act of continuously checking locations in a warehouse, identifying and correcting product quantity issues. Usually used in Bulk environments rather than Pick Faces. In pick faces, this process is called is called Residual Stock Balance and usually takes place after picking from a pick face.
Pick Face	A location designed for picking part of a pallet of stock. Usually a low- or ground-level location.



Term or Acronym	Meaning
Pick List (order)	The instructions to pick pallets or cases from locations; the paper report associated to this; the stage of preparing these instructions; the sending of these instructions to WCS.
PO	Purchase Order.
	An advanced notification of what is being received. Part of a manifest. Pre-advices can be stock and quantity, or individual pallet level.
Putaway	The physical move of a pallet to a storage location as a result of receiving it into the warehouse.
RAG	Acronym for Red/Amber/Green, a traffic light colouration system depicting (in sequence) Errors, Warnings or Informational messages. Usually used in operational monitoring to effectively display when certain processes are not working as expected.
RDT	Radio Data Terminal.
Replen; Replenishment	The act of moving product (usually a pallet) from bulk storage to a pick face.
Reposition	The facility to change the location of a movement or putaway when at the final destination, sue to some issue discovered when performing the task.
	Radio Frequency; An RF device is an RDT, typically used by CALIDUS WCS for executing warehouse tasks.
SCR; CR	Software Change Request.
Short Pick	The process of not fulfilling an order due to failure to identify sufficient product when picking. May also be used as a term to indicate Short Allocation.
SO	Sales Order.
	Plants, Mechanical Handling Equipment. For example, Reach trucks, Counter-balance trucks, pallet riders, etc.
UOM	Unit of Measure.
	Wide Area; usually any area in the warehouse that is not restricted access due to space limitations, for example, floor areas, not Narrow Aisle.
	Warehouse Control System
	Warehouse Management System



## 9 Template:Xref

### 9.1 Usage

The following includes the type, number and text passed to the template. The example shows how this may be used within an document template. If not, replace the parameters with literals.

```
{{\pmundefine:Example | 0}}
{{\text{Xref}}
|\text{Num={{ \pmundefineecho: Example | {{ \pmundefineecho: Example | }} + 1 }} }
|\text{Text=The text describing the cross-reference}
}
```

### Example 1: The text describing the cross-reference

The following includes the type, number and text passed to the template. The example shows how this may be used within an document template. If not, replace the parameters with literals. <nowiki> {{#vardefine:Example|0}} {{Xref |Num={{ #vardefineecho: Example | {{ #expr: {{ #var: Example }} + 1 }} }} |Text=The text describing the cross-reference }}

Template parameters

### ParameterDescriptionTypeStatusTypeType 1

The cross reference type e.g. Example, Table, etc

StringrequiredNumNum 2

The cross-reference number

NumberrequiredTextText 3

The text to describe the cross reference.

Stringrequired

