

DYMESS Dynamic Message Locator

Aptean Ltd
Copyright © 2011-2026.

Contents

1 DYMESS Dynamic Message Locator.....1
 1.1 Message Table Fields.....1

1 DYMESS Dynamic Message Locator

This is the *Dynamic Message Locator* screen (DYMESS).

Calidus (3PL) v810.020.13

Action Edit Query Block Record Field Window Help

Dynamic Message Locator

Company: JP1 Department: 0000 06-NOV-2025 DYMESS v1.0

Query

Keywords/Phrases:

invalid

Message ID:

☐ Match All

☐ Match Any

000003	^ is invalid here
000034	Times ^ to ^ are invalid
000301	Invalid 'PassValue': "A"
000385	Invalid Package Type
000464	Invalid entry for a Master customer
000488	Invalid payment set
000491	You have entered an invalid code
000643	Invalid vessel code
001388	Invalid reason code. Use T for valid ones.
002336	This detail line is invalid.
002502	Invalid supplier.
002595	Invalid option.
002793	This pallet is invalid.
002832	Reason/Status combination is invalid.
002887	Invalid date - ^ is not a leap year.

Double-click a Message Text to add it to the Memo Pad:

pl_common.xxx(000002, xxx); -- ^ already exists

pl_common.xxx(000001, xxx); -- ^ does not exist

FRM-40200: Field is protected against update.

Record: 1/1 <OSC> 14/30

The following fields document the search parameters:

Field Name	Description
Query	The top box where search terms are entered to query the message database.
Keywords/Phrases	A multi-line box allowing entry of multiple keywords or phrases for searching messages.
Message ID	A field used to search for a specific message using its unique numerical ID.
Match All	A radio button option to filter results only if they contain ALL of the entered keywords/phrases.
Match Any	A radio button option to filter results if they contain ANY of the entered keywords/phrases.
Action Buttons:	

- There are no standard action buttons (like **OK** or **Save**) visible in the main data area; the search criteria is applied when clicking in the messages table.

1.1 Message Table Fields

The messages table is a display grid showing the search results, containing two columns:

Field Name	Description
Message ID	The unique numerical code identifying the system message.
Message Text	The short text of the error or system message.

1.1.1 Memo Pad Functionality

- The **Memo Pad** (the large text area at the bottom) is populated by double-clicking on a *Message Text* entry in the messages table. This allows users to review selected messages in a separate area for context or detailed viewing.

