FXMOPT

Aptean Ltd Copyright © 2011-2025.

Contents


1 FXMOPT	
1.1 Copy Menu	

1 FXMOPT

This screen allows the creation and/or amendment of menus and the options they will contain.

The user can create a new menu in entry mode or can add an option to an existing menu by finding that menu, using query mode, and adding an option.

The FXMOPT screen used to create and maintain menus is shown below:




Field Name	Description	Options	Values	
Menu Name	A code or name for identifying the menu	12 alpha/ numeric characters	User Defined	
Description	The Name of the menu as it will appear in Menu Explorer in WMS	30 alpha/ numeric characters	User Defined	
Seq	Used to control the sequence in which the items on the menu will be listed	0.0 - 99.9	User Defined	
Туре	Indicate the type of the item being added to the menu	A drop-down list contains valid values	FX Menu is used to add a menu option. Oracle Form is used to add a program. Free Text may be used to insert blank lines that may be used to format the menu.	
Name	The name of the program or menu being added.	A valid menu name or program identifier Not applicable if Type = Free Text.	User Defined	
Label	The descriptive name that will appear on Menu Explorer	30 alpha/ numeric characters	User Defined	
Details				
Security Level	The security level of the item added to the menu	0 - 9	User Defined	
Mode	For programs: should the screen open in Entry, Find or Query mode	Select Entry, Find or Query from a drop-down list	User Defined	
Passing	For programs: Indicate if a 'Passing' command is to	n/a	New forms do not require this value, any forms associated with PO will require PL	



Field Name	Description	Options	Values				
	be associated with the screen		and any Reports and Enquiries for SOP will require SL adding.				
Common/ Value	For programs: is the passed information from common or a value	Common or Value.	User Defined				
Password	Password						
Enabled	Indicate if this option is to be controlled by a password	Yes or No	Unless entered the assumption will be that no password is required and that the user's security levels will be sufficient				
Password	enter the password	The password will be displayed as asterisks during entry and will then be encrypted to disguise the number of characters it contains	Client defined				
Command							
Command		May only be used if the Type = Command	May be the path name / location of an external program				
Icon	Icon						
Filename	The filename of the icon associated with a program external to WMS	n/a	n/a				
Icon	The icon associated with the filename	n/a	n/a				

1.1 Copy Menu

The Copy Menu button may be used to create a copy of the currently displayed menu. The following sub-screen will be displayed:



Field Name	Description	Options	Values
Menu Name	The name of the menu being copied	n/a	Display
New Menu Name	The name to be given to the new menu	12 alpha/ numeric characters	Defined by client
New Menu Label	The descriptive name of the menu	30 alpha/ numeric characters	Defined by client

1.1.1 Resequence

This button can be used to re-arrange the options on a menu. When adding a new menu item it is possible to use one decimal place. This permits items to be given a number between two other options, which can then be re-sequenced to appear in the desired order on the menu. Re-sequencing will also re-number the menu options so that the insertion process should always be available.



1.1.2 Menu Building

Once the new menu has been created it will be necessary to ensure that it appears within Menu Explorer. This is done by adding the menu to another menu, thus creating a hierarchy. WMS will be supplied to the client with at least one menu level in place; thus, by using identifying the name of this menu it will be possible for the client to build a hierarchy that suits their needs. So, for example, the top-level menu of WMS will be likely contain only other menu items, as shown below:

