

Owner Ware Parameters

Aptean Ltd
Copyright © 2011-2025.

Contents


- 1 Owner Ware Parameters.....1
 - 1.1 Owner Ware Parameters - Main Tab.....1
 - 1.2 Owner Ware Parameters - Goods In Tab.....3
 - 1.3 Owner Ware Parameters - Default Locations Tab.....4
 - 1.4 Owner Ware Parameters - Consolidated Pallet Tab.....5
 - 1.5 Owner Ware Parameters - Cubing Tab.....6

1 Owner Ware Parameters

This screen is almost identical to the system parameters screen, with the exception of a few fields. Where possible the screen should be setup exactly as per system parameters.

1.1 Owner Ware Parameters - Main Tab

 **Note:** For certain functionality such as barcode pallet labels this screen must be maintained.



Field Name	Description	Options	Generic Value
<i>Pick Note Lines</i> **	The maximum number of lines printed on a pick note	0-99	99
<i>Pal Move Lines</i> **	The maximum number of lines on a pallet move ticket print	0-99	99
<i>Auto Log Display</i> **	Check box to determine whether you wish to see the allocation log	Check box, Yes or No	Y
<i>Area Code Length</i> **	Number of characters the area code will be	0-4	Defined by the client
<i>Aisle Code Length</i> **	Number of characters the aisle code will be	0-4	Defined by the client
<i>Bay Code Length</i> **	Number of characters the bay code will be	0-4	Defined by the client
<i>Level Code Length</i> **	Number of characters the level code will be	0-4	Defined by the client
<i>Location Code Delimiter</i>	States which delimiter will be used within the location code i.e. A1-001-01	1 - No Delimiter 2 - Space 3 - Forward Slash / 4 - Colon : 5 - Back Slash \ 6 - Underscore _ 7 - Minus -	3



Field Name	Description	Options	Generic Value
Location Check Digits	Allows the user to state whether they will use check digits and which processes will use them	Y - All Processes N - No Processes * - Stock Movements and GRN	N
Interface Flag **	Used for RDT to determines whether RF functionality will be used	Check box Y or N - default is N	N
Pick by Component **	Determines whether a product can be picked as a component (kits)	Check box Y or N - default is N	N
Max Rot Length **	Maximum length of the system rotation number	0-14	11
Rotation Type **	Determines whether system rotation numbers will be used and how they will be used	S - Sell by date O - Generated with manual override G - Generated M - Manual Entry B - Back Date/Seq R - Rotation	G
Use Average Cost		Y or N	N
Share Product Flag		Y or N	N
Pallet Label Copies **	Sets the number of auto-generated labels to be produced	01-Apr	1
Case Label Copies	Sets the number of auto-generated case labels to be produced	01-Apr	1
Auto Label Production **	Defines whether labels are produced without user intervention	Y or N	Y
Other Pallet Label	The ability to enter an additional label format if required	Must be a valid format or left blank	Blank
Both Pallet Label Flag **	Determines whether a pallet and case label should be produced automatically	Check box Y or N - will default to N	N
Height of Pick Pallet (cm)	Used for pallet levelling - determines the height of the pick pallet (not migrated)	0 - 99999	0
Height of Pick Pallet **	The specific height of the pallets to be stored in pick locations	0-9999	20
Warehouse Display Code	Enables the autogeneration of ware_last_numbers (not migrated)	0-Z or leave blank	1
Buying Responsibility **	Used in purchase order suggestion to dictate the source of receipts	Internal check box or external check box	External
Display On Hand in Stocktake **	Determines whether on hand can be displayed on stock take count sheets	Yes or No	Yes
Print Location on Label **	Specifies whether the location code will be printed on the receipt label	Yes or No	Yes
Pallet Level Flag **	Dictates at which point pallet levelling will be carried out	N - None P - Pallet Fill Factor C - By No. of Cases	None
Dec Pallet Break		Decimal value	
Cases Pallet Break		Integer value	
EDI Setting of Sales Order Number		Use Extra Reference Use Sellers Order Reference Use Customer PO Reference Generate System Order Number	Generate System Order Number
EDI Sales Order Number Prefix		Prefix with Owner Code No Order Prefix	
Enable Consolidated Print Control		Yes or No	
Reduce Stk At **	At which WH process will the stock levels be reduced?	Pick Confirmation Despatch Confirmation	
ASN Supplier Party ID			



Field Name	Description	Options	Generic Value
<i>Check Stock Date</i>		Warning Message Required Error Message Required No check required at pick conf	

1.2 Owner Ware Parameters - Goods In Tab

Calidus (3PL) v810.020.13

Action Edit Query Block Record Field Window Help

Owner System Parameter Maintenance

Owner: D1P Warehouse: NFT 01-JUL-2025 WHS0012 v4.18

Main Goods In Default Locations Consolidated Print BSCC Maintenance Cubing

Goods Receipt

Auto Putaway Flag: ☐ Yes ☐ No

Opposite Aisle Param: 0

Next Aisle Param: 0

GRN Check Sheet: ☐ Yes ☐ No

Bonded Units Caged: ☐ Yes ☐ No

GRN Consolidation: Part Pick Receipt

Hold in Putaway: ☐ Yes ☐ No

Delivery Diary

Number of Bays: 0

Slot Start Time: 0

Slot Length (mins): 1

Number of Time Slots: 1

Diary End Date:

Diary Cleardown Period (days): 7

Diary Create Period: 1

Record: 1/1

Field Name	Description	Options	Generic Value
<i>Auto Putaway Flag</i> **	Determines whether the warehouse will be utilising autoputaway. i.e. the system will suggest the locations to receive into	Y or N	Defined by the client
<i>Opposite Aisle Param</i>	Sets the number of locations the autoputaway will go through before moving to the opposite aisle	0-4999 - will default to 0	999
<i>Next Aisle Param</i>	Sets the number of locations the autoputaway will go through before moving to the next aisle	0-4999 - will default to 0	999
<i>GRN Check Sheet</i> **	Is a GRN Check sheet required at pre advice?	Y or N	N
<i>Bonded Units Caged</i> **	Will the warehouse be brining in non-duty paid stock stored in cages?	Y or N	N
<i>GRN Consolidation</i>	Specifies whether you wish to generate replenishments at receipt	N - None B - Pick Replen. & Partial Bulk P - Pick Replen. during GRN Part Pick Receipt	N
<i>Hold In Putaway</i> **	Determines whether you wish stock to be automatically put on hold until putaway confirmation has been completed	Check box - Y or N	Y
<i>Number of Bays</i>	Transport field - not used - specifies no. of bays to be loaded into	0-9999	0



Field Name	Description	Options	Generic Value
Slot Start Time	Transport field - not used - defines when the receiving starts	00:00 - 23:59	00:00
Slot Length (mins)	Transport field - not used - defines how long a truck can be at the bay	1-600	1
Number of Time Slots	Transport field - not used - defines how many slots can be used in one day	Jan-99	1
Diary Cleardown Period (days)	Transport field - not used - defines how many days before the diary is cleared down	Jan-99	1
Diary Create Period	Transport field - not used - defines the number of days to be generated by the diary	1-999	1

1.3 Owner Ware Parameters - Default Locations Tab

Calidus (3PL) v810.020.13

Action Edit Query Block Record Field Window Help

Owner System Parameter Maintenance

Owner: D1P Warehouse: NFT 01-JUL-2025 WHS0012 v4.18

Main Goods In Default Locations Consolidated Print SSCC Maintenance Cubing

Build up Locations

ID Station:

Reject Spur at ID Station:

Q/A:

Turntable:

Input Spur to Conveyor:

Default Marshalling Location:

Default Despatch Bay Location:

Pre-advise Virtual Location:

Quarantine in Marshall:

Auto Bulk Reject:

Default Ship Pallet Build Locn:

Default Damages:

Default Cons Good Ret:

Default Cons Bad Ret:

Bonded Putaway Locations

Unbonded Putaway Locations

Record: 1/1 -OSC-

Field Name	Description	Options	Generic Value
ID Station	Receipt ID Station	Predefined in locations maintenance	Blank
Reject Spur at ID Station	Client Specific -spur locations	Predefined in locations maintenance	Blank
Q/A	Default quarantine location	Predefined in locations maintenance	Blank
Turntable	Default turntable locations	Predefined in locations maintenance	Blank
Input Spur to Conveyor	Client specific - spur locations	Predefined in locations maintenance	Blank
Default Marshalling Location **	Required to enable picking and allocation to function	Predefined in locations maintenance	Defined by client
Default Despatch Bay Location	Default Outbound Bay Location	Predefined in locations maintenance	Blank



Field Name	Description	Options	Generic Value
<i>Pre Advice Virtual Location</i>	Default receiving staging area	Predefined in locations maintenance	Blank
<i>Quarantine in Marshal</i>	Default additional quarantine stage within the outbound process	Predefined in locations maintenance	Blank
<i>Auto bulk Reject</i>	Client Specific - Default rejection location	Predefined in locations maintenance	Blank
<i>Default Ship Pallet Build Locn</i>	Used in Shipment Pallet Building as default staging area	Predefined in locations maintenance	Blank
<i>Default Damages</i>	Default damages location for putaway	Predefined in locations maintenance	Blank
<i>Default Cons Good Ret</i>		Predefined in locations maintenance	Blank
<i>Default Cons Bad Ret</i>		Predefined in locations maintenance	Blank
<i>Bonded Putaway Locations</i>	3 x Warehouse level anchor point for autoputaway for bonded warehouses	Predefined in locations maintenance	Blank
<i>Unbonded Putaway Locations</i>	3 x Warehouse level anchor point for autoputaway for duty paid warehouses	Predefined in locations maintenance	Blank

1.4 Owner Ware Parameters - Consolidated Pallet Tab

Calidus (3PL) v810.020.13

Action Edit Query Block Record Field Window Help

Owner System Parameter Maintenance

Owner: D1P Warehouse: NFT 01-JUL-2025 WHS0012 v4.18

Main Goods In Default Locations Consolidated Print SSCC Maintenance Cubing

Owner Code : D1P New User

Required :

Pick List : ☐ Yes ☒ No

Out Of Stock :

Replenishment :

Despatch Note : ☐ Yes ☒ No

Shipping Label : ☐ Yes ☒ No

Printer Name :

Not Required

Not Required

Not Required

Not Required

Not Required

Record: 1/1

Field Name	Description	Options	Generic Value
<i>Owner Code</i>	The Owner Code and Name	Display only	
<i>Pick List</i>	An option of whether the Pick List is consolidated, plus the default printer name.	Yes or No	
<i>Out of Stock</i>	An option of whether the Out of Stock is consolidated, plus the default printer name.		
<i>Replenishment</i>	An option of whether the Replen List is consolidated, plus the default printer name.		
<i>Despatch Note</i>	An option of whether the Despatch Note is consolidated, plus the default printer name.		



Field Name	Description	Options	Generic Value
<i>Shipping Label</i>	An option of whether the Shipping Label is consolidated, plus the default printer name.		

1.5 Owner Ware Parameters - Cubing Tab

This tab covers the options available for cubing of pallets during the picking process.

Calidus (3PL) v810.020.13

Action Edit Query Block Record Field Window Help

Owner System Parameter Maintenance

Owner: D1P Warehouse: NFT 01-JUL-2025 WHS0012 v4.18

Main Goods In Default Locations Consolidated Print SSCC Maintenance **Cubing**

Cubing Required ☐ Yes ☒ No

Replens Lower Priority ☐ Yes ☒ No

Allow SKU's on Split Pallets ☐ Yes ☒ No

Build Height (cm) 180.00

Min Build Height (cm) 170.00

Max Build Height (cm) 190.00

Final Sortation of Page ☒ By Strength ☐ By Location ☐ As Built

Record 1/1 -OSC>

Field Name	Description	Options	Generic Value
<i>Cubing Required</i>	Whether the owner uses the Cubing functionality.	Option select Yes or No	No
<i>Replens Lower Priority</i>	Whether to lower the priority of any replens when executing them through the WCS	Option select Yes or No	Yes
<i>Allow SKUs on Split Pallets</i>	Whether order lines/SKUs can be split across multiple picking pallets, or whether the full line quantity must stay on one picking pallet.	Option select Yes or No	Yes
<i>Build Height (cm)</i>	The target build height.	Decimal	As required.
<i>Max Build Height (cm)</i>	The maximum build height	Decimal	As required.
<i>Min Build Height (cm)</i>	The Minimum build height	Decimal	As required.
<i>Final Sortation of Page</i>	How the tasks and/or pick list will be sorted for picking.	By Strength By Location As Built	By Strength

