WHS0090 Location Maintenance

Contents

1 WHS0090 Location Maintenance

This is the manual screen that allows the user to create each location code within the warehouse. The non-mandatory fields (not yellow) will be defaulted with the values shown in the figure below.

If using the Automatic Location Maintenance screen, the Marshalling location must be created in order to enter this into the Default locations of System Parameters.

Note:

- **The location code** specified must be the total length of the aisle, bay and level code lengths defined in system parameters, main tab
- **The area code** must be one predefined in area codes maintenance
- **The use** determines what the location will be used for.

Standard values are:

- 0 - Preadvice Location
- 1 - Bulk Location
- 2 - Pick Location
- 3 - Receipt Location
- 4 - Returns Location
- 5 - Damaged Stock Location
- 6 - Marshalling Location
- 7 - Goods In/Out Bay Location
- 8 - Quarantine Location
- 9 - Replenishment Location
- D - Dynamic Pick Face
- M - Multi-Pallet Storage Location
- P - P&D (Pick and Drop) Location
- U - Units Pick Location

The Multi-Deep values specify how an M type location is used and validates:

- Position - one of
  - ♦ Front
  - ♦ Back
  - ♦ Non-Linked
- Use - one of:
  - ♦ 4 - Valid pallets contain the same stock, batch number and owner batch

Ready for **What's Next, Now**™

- ♦ 5 - Valid pallets contain the same stock.
- ♦ 6 - Valid pallets contain the same stock and sell-by date.
- ♦ 7 - Check the last receipt location for pallets containing the same GRN and stock.
- ♦ 8 - Valid pallets contain the same stock and manufacturing date
- • Linked Loc - if front or back, which location is this location linked to.

Ready for **What's Next, Now**™