

WHS0098 Risk Phrase Maintenance

Aptean Ltd
Copyright © 2011-2025.

Contents

1 WHS0098 Risk Phrase Maintenance.....	1
1.1 Hazard Categories.....	1

1 WHS0098 Risk Phrase Maintenance

This is the Risk Phrase Maintenance screen.

Hazard Categories	Description
E1	AQUATIC HAZARD ACUTE 1 and LONG-TERM AQUATIC HAZARD CHRONIC 1
E2	LONG-TERM AQUATIC HAZARD CHRONIC 2
H1	ACUTE TOXICITY CATEGORY 1 - ALL ROUTES
H2	ACUTE TOXICITY CATEGORY 2 - ALL ROUTES
H3	ACUTE TOXICITY CATEGORY 3 - INHALATION ROUTES
H3	STOT - SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE CATEGORY 1
O1	SUBSTANCES THAT REACT VIOLENTLY WITH WATER
O2	SUBSTANCES AND MIXTURES WHICH IN CONTACT WITH WATER EMIT FLAMMABLE GASES - CATEGORY 1
O3	SUBSTANCES AND MIXTURES WHICH IN CONTACT WITH WATER EMIT TOXIC GAS
P1A	EXPLOSIVES
P1B	EXPLOSIVES
P2	FLAMMABLE GASES CATEGORY 1 OR 2
P3A	AEROSOLS - CATEGORY 1 OR 2 (containing flammable gases Category 1 or 2 or flammable liquids Category 1)
P3B	AEROSOLS - CATEGORY 1 OR 2 (not containing flammable gases Category 1 or 2 nor flammable liquids Category 1)
P4	OXIDISING GASES CATEGORY 1
P5A	FLAMMABLE LIQUIDS - CATEGORY 1 or 2 (maintained at a temperature above their boiling point), or
P5A	FLAMMABLE LIQUIDS - CATEGORY 1, or
P5A	OTHER LIQUIDS WITH A FLASH POINT =60oC, (maintained at a temperature above their boiling point)
P5B	FLAMMABLE LIQUIDS, CATEGORIES 2 or 3 (where particular processing conditions, such as high pressure or high temperature, may create major-acc
P5B	OTHER LIQUIDS WITH A FLASH POINT =60oC, (where particular processing conditions, such as high pressure or high temperature, may create major-acc
P5C	FLAMMABLE LIQUIDS, CATEGORIES 2 or 3 (not covered by P5A and P5B)
P6A	SELF REACTIVE SUBSTANCES AND MIXTURE and ORGANIC PEROXIDES - TYPE A or B
P6B	SELF REACTIVE SUBSTANCES AND MIXTURE and ORGANIC PEROXIDES - TYPE C, D, E or F
P7	PYROPHORIC LIQUIDS and SOLIDS - CATEGORY 1
P8	OXIDISING LIQUIDS and SOLIDS - CATEGORY 1, 2 or 3

There are multiple tabs:

- Hazard Categories
- Hazard Statements
- Risk Relationship

1.1 Hazard Categories

On this tab you can maintain each of the hazard categories.

To create a new category, enter a new line, then enter the Category code, then the description.

1.1.1 Hazard Statements



Calidus (3PL) v810.020.13

Action Edit Query Block Record Field Window Help

Risk Phrase and Hazard Statement Maintenance

Owner: ROB Warehouse: NFT 04-NOV-2025 WHS0098 v4.2

Hazard Categories Hazard Statements Risk Relationship

Hazard Statements	Description
EUH009	Explosive when dry.
EUH006	Explosive with or without contact with air.
EUH014	Reacts violently with water.
EUH018	In use may form flammable/explosive vapour-air mixture.
EUH019	May form explosive peroxides.
EUH029	Contact with water liberates toxic gas.
EUH031	Contact with acids liberates toxic gas.
EUH032	Contact with acids liberates very toxic gas.
EUH044	Risk of explosion if heated under confinement.
EUH059	Hazardous to the ozone layer.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH070	Toxic by eye contact.
EUH071	Corrosive to the respiratory tract.
EUH201	Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.
EUH201A	Warning! Contains lead.
EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH203	Contains chromium (VI). May produce an allergic reaction.
EUH204	Contains isocyanates. May produce an allergic reaction.
EUH205	Contains epoxy constituents. May produce an allergic reaction.
EUH206	Warning! Do not use together with other products. May release dangerous gases (chlorine).
EUH207	Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer. Comply with the safety instructions.
EUH208	Contains <name of sensitising substance>. May produce an allergic reaction.
EUH209	Can become highly flammable in use.
EUH209A	Can become flammable in use.
EUH210	Safety data sheet available on request.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H200	Unstable explosive

Record: 1/? <OSC>

On this tab you can maintain each of the hazard statements. To create a new statement, enter a new line, then enter the Statement code, then the description.

1.1.2 Risk Relationship

Calidus (3PL) v810.020.13

Action Edit Query Block Record Field Window Help

Risk Phrase and Hazard Statement Maintenance

Owner: ROB Warehouse: NFT 04-NOV-2025 WHS0098 v4.2

Hazard Categories Hazard Statements Risk Relationship

Hazard Category	Description	Hazard Statements
E1	AQUATIC HAZARD ACUTE 1 and LONG-TERM AQUATIC HAZARD CHRONIC 1	H400
E1	AQUATIC HAZARD ACUTE 1 and LONG-TERM AQUATIC HAZARD CHRONIC 1	H410
H1	ACUTE TOXICITY CATEGORY 1 - ALL ROUTES	H300
H1	ACUTE TOXICITY CATEGORY 1 - ALL ROUTES	H310
H1	ACUTE TOXICITY CATEGORY 1 - ALL ROUTES	H330
H2	ACUTE TOXICITY CATEGORY 2 - ALL ROUTES	H300
H2	ACUTE TOXICITY CATEGORY 2 - ALL ROUTES	H310
H2	ACUTE TOXICITY CATEGORY 2 - ALL ROUTES	H330
H2	ACUTE TOXICITY CATEGORY 3 - INHALATION ROUTES	H331
H3	STOT - SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE CATEGORY 1	H370
O1	SUBSTANCES THAT REACT VIOLENTLY WITH WATER	EUH014
O2	SUBSTANCES AND MIXTURES WHICH IN CONTACT WITH WATER EMIT FLAMMABLE GASES - CATEGORY 1	H260
O3	SUBSTANCES AND MIXTURES WHICH IN CONTACT WITH WATER EMIT TOXIC GAS	EUH029
P1A	EXPLOSIVES	
P1B	EXPLOSIVES	
P2	FLAMMABLE GASES CATEGORY 1 OR 2	H220
P2	FLAMMABLE GASES CATEGORY 1 OR 2	H221
P3A	AEROSOLS - CATEGORY 1 OR 2 (containing flammable gases Category 1 or 2 or flammable liquids Category 1)	H222
P3A	AEROSOLS - CATEGORY 1 OR 2 (containing flammable gases Category 1 or 2 or flammable liquids Category 1)	H223
P3B	AEROSOLS - CATEGORY 1 OR 2 (not containing flammable gases Category 1 or 2 nor flammable liquids Category 1)	H222
P3B	AEROSOLS - CATEGORY 1 OR 2 (not containing flammable gases Category 1 or 2 nor flammable liquids Category 1)	H223
P4	OXIDISING GASES CATEGORY 1	H270
P5A	FLAMMABLE LIQUIDS - CATEGORY 1, or	H224
P5A	FLAMMABLE LIQUIDS - CATEGORY 1 or 2 (maintained at a temperature above their boiling point), or	H225
P5A	FLAMMABLE LIQUIDS - CATEGORY 1 or 2 (maintained at a temperature above their boiling point), or	H226
P5A	OTHER LIQUIDS WITH A FLASH POINT ≥60°C. (maintained at a temperature above their boiling point)	
P5B	FLAMMABLE LIQUIDS, CATEGORIES 2 or 3 (where particular processing conditions, such as high pressure or high	H225

Record: 1/? ... List of Valu... <OSC>

1.1.3



This tab allows you to define which Hazard statements are related to which Hazard categories.

To enter a new relationship, enter a new line, enter the Category, then enter the Statement.

